

Bibliografía web

- AARSLAND, D., HØIEN, T., LARSEN, J. P. y OFTEDAL, M. (1996). Lexical and nonlexical spelling deficits in dementia of the Alzheimer type. *Brain and Language*, 52, 551-563.
- AARSLAND, D., ZACCAI, J. y BRAYNE, C. (2005). A sistematic review of prevalence studies of dementia in Parkinson's disease. *Movement Disorders*, 29, 1255-1263.
- ABOITIZ, F., CARRASCO, X., SCHROTER, C., ZAIDEL, D., ZAIDEL, E. y LAVADOS, M. (2003). The alien hand syndrome: Classification of forms reported and discussion of a new condition. *Neurological Sciences*, 24, 252-257.
- ABRAHAMS, S., GOLDSTEIN, L. H., SIMMONS, A., BRAMMER, M., WILLIAMS, S. C., GIAMPIETRO, V. y LEIGH, P. N. (2004). Word retrieval in amyotrophic lateral sclerosis: A functional magnetic resonance imaging study. *Brain*, 127, 1507-1517.
- ABRAHAMS, S., LEIGH, P. N., HARVEY, A., VYTHELINGUM, G. N., GRISE, D. y GOLDSTEIN, L. H. (2000). Verbal fluency and executive dysfunction in amyotrophic lateral sclerosis (ALS). *Neuropsychologia*, 38, 734-747.
- ABRAMS, L. y DAVIS, D. K. (2016). The tip-of-the-tongue phenomenon: Who, what, and why. En H. H. Wright (ed.), *Cognition, language and aging* (pp. 13-53). John Benjamins Publ. Co.
- ABUTALEBI, J. y GREEN, D. W. (2007). Bilingual speech production: The neurocognition of language representation and control. *Journal of Neurolinguistics*, 20, 242-275.
- ABUTALEBI, J., ROSA, P. A., TETTAMANTIM M., GREEN, D. W. y CAPP, S. F. (2009). Bilingual aphasia and language control: A follow-up fMRI and intrinsic connectivity study. *Brain and Language*, 109, 141-156.
- ADAMS, S., HARALABOUS, O., DYKSTRA, A., ABRAMS, K. y JOG, M. (2005). Effects of multi-talker noise on the intensity of spoken sentences. *Canadian Acoustics*, 33, 94-95.
- ADAMS, S., MOON, B.H., DYKSTRA, A., ABRAMS, K., JENKINS, M. y JOG, M. (2006). Effects of multitalker noise on conversational speech intensity in Parkinson's disease. *Journal of Medical Speech - Language Pathology*, 14, 221-228.
- ADAMS, S. G. y DYKSTRA, A. (2009). Hypokinetic dysarthria. En M. R. McNeil (ed.), *Clinical management of sensorimotor speech disorders* (pp. 166-186). Thieme Medical.
- ADENZATO, M. y POLETTI, M. (2013). Theory of Mind abilities in neurodegenerative diseases: An update and a call to introduce mentalizing tasks in standard neuropsychological assessments. *Clinical Neuropsychiatry*, 10, 226-234.

- ADLAM, A. L., PATTERSON, K., ROGERS, T. T., NESTOR, P. J., SALMOND, C. H., ACOSTA-CABRONERO, J. y HODGES, J. R. (2006). Semantic dementia and fluent primary progressive aphasia: Two sides of the same coin? *Brain*, 129, 3066-3080.
- AHMED, S., ARNOLD, R., THOMPSON, S. A., GRAHAM, K. S. y HODGES, J. R. (2008). Naming of objects, faces and buildings in mild cognitive impairment. *Cortex*, 44, 746-752.
- AHMED, S., DE JAGER, C. A., HAIGH, A. M. y GARRARD, P. (2012). Logopenic aphasia in Alzheimer's disease: Clinical variant or clinical feature? *Journal of Neurology, Neurosurgery & Psychiatry*, 83, 1056-1062.
- (2013). Semantic processing in connected speech at a uniformly early stage of autopsy-confirmed Alzheimer's disease. *Neuropsychology*, 27, 79-85.
- ALBERCA, R., SALAS, D., PÉREZ-GIL, J. A., LOZANO, P. y GIL-NÉCIGA, E. (1999). Verbal, fluency and Alzheimer's disease. *Neurología*, 14, 344-348.
- ALBOR, C., DU SAUTOY, T., KALI VANAN, N., TURNER, B. P., BOOMLA, K. y SCHMIERER, K. (2017). Ethnicity and prevalence of multiple sclerosis in east London. *Multiple Sclerosis*, 23, 36-42.
- ALBUQUERQUE, L., MARTINS, M., COELHO, M., GUEDES, L., FERREIRA, J. J., ROSA, M. y MARTINS, I. P. (2016). Advanced Parkinson disease patients have impairment in prosody processing. *Journal of Clinical and Experimental Neuropsychology*, 38, 208-216.
- ALEXOPOULOS, P., GRIMMER, T., PERNECZKY, R., DOMES, G. y KURZ, A. (2006). Progression to dementia in clinical subtypes of mild cognitive impairment. *Dementia and Geriatric Cognitive Disorders*, 22, 27-34.
- ALMOR, A., FRANK, E. M. y ABRAMBON, R. K. (2007). Semantic impairments in naming concrete living and non-living objects in patients with Huntington's disease. *Brain and Language*, 103, 95-96.
- ALTMANN, L. J. y KEMPER, S. (2006). Effects of age, animacy and activation order on sentence production. *Language and Cognitive Processes*, 21, 322-354.
- ALTMANN, L. J., KEMPLER, D. y ANDERSEN, E. S. (2001). Speech errors in Alzheimer's disease: Reevaluating morphosyntactic preservation. *Journal of Speech, Language, and Hearing Research*, 44, 1069-1082.
- ALTMANN, L. J. y TROCHE, M. S. (2011). High-level language production in Parkinson's disease: A review. *Parkinson's Disease*, 238956.
- AMEZCUA, L. y McCAULEY, J. L. (2020). Race and ethnicity on MS presentation and disease course. *Multiple Sclerosis*, 26, 561-567.
- AMICI, S., BRAMBATI, S. M., WILKINS, D. P., OGAR, J., DRONKERS, N. L., MILLER, B. L. y GORNO-TEMPINI, M. L. (2007). Anatomical correlates of sentence comprehension and verbal working memory in neurodegenerative disease. *Journal of Neuroscience*, 27, 6282-6290.
- ANDERSON, R. J., SIMPSON, A. C., CHANNON, S., SAMUEL, M. y BROWN, R. G (2013). Social problem solving, social cognition, and mild cognitive impairment in Parkinson's disease. *Behavioral Neuroscience*, 127, 184-192.
- ANDRADE, V. M., BUENO, O. F., OLIVEIRA, M. G., OLIVEIRA, A. S., OLIVEIRA, E. M. y MIRANDA, M. C. (1999). Cognitive profile of patients with relapsing remitting multiple sclerosis. *Arquivos de Neuropsiquiatria*, 57, 775-783.
- ÁNGELES ABANTO, N. B. y ESCOBAR FERNÁNDEZ, M. (2015). Prevalencia de demencias en una zona básica de salud de León. *Medicina General*, 4, 5-9.
- ARANGO-LASPRILLA, J. C., IGLESIAS-DORADO, J. y LOPERA, F. (2003). Características clínicas y neuropsicológicas de la enfermedad de Huntington: una revisión. *Revista de Neurología*, 37, 758-765.

- ARCARA, G. y BAMBINI, V. (2016). A test for the Assessment of Pragmatic Abilities and Cognitive Substrates (APACS): Normative data and psychometric properties. *Frontiers in Psychology*, 7, 70. <https://doi.org/10.3389/fpsyg.2016.00070>
- ARMSTRONG, M. J., LITVAN, I. y LANG, A. E. (2013). Criteria for the diagnosis of corticobasal degeneration. *Neurology*, 80, 496-503.
- ARRONDO, G., SEPULCRE, J., DUQUE, B., TOLEDO, J. y VILLOSLADA, P. (2009). Narrative speech is impaired in multiple sclerosis. *European Neurological Journal*, 2, 11-40
- ARSENAULT-LAPIERRE, G., BERGMAN, H. y CHERTKOW, H. (2012). Word reading threshold and mild cognitive impairment: A validation study. *BMC Geriatrics*, 12, 38. <https://doi.org/10.1186/1471-2318-12-38>
- ASH, S., EVANS, E., O'SHEA, J., POWERS, J., BOLLER, A., WEINBERG, D., HALEY, J., McMILLAN, C., IRWIN, D. J., RASCOVSKY, K. y GROSSMAN, M. (2013). Differentiating primary progressive aphasia in a brief sample of connected speech. *Neurology*, 81, 329-336.
- ASH, S. y GROSSMAN, M. (2015). Why study connected speech production? En R. M. Willems (ed.), *Cognitive neuroscience of natural language use* (pp.29-58). Cambridge University Press.
- ASH, S., JESTER, C., YORK, C., KOFMAN, O. L., LANGEY, R., HALPIN, A., FIRN, K., DOMINGUEZ PEREZ, S., CHAHINE, L., SPINDLER, M., DAHODWALA, N., IRWIN, D. J., McMILLAN, C., WEINTRAUB, D. y GROSSMAN, M. (2017). Longitudinal decline in speech production in Parkinson's disease spectrum disorders. *Brain and language*, 171, 42-51.
- ASH, S., McMILLAN, C., GROSS, R.G., COOK, P., MORGAN, B., BOLLER, A., DREYFUSS, M., SIDEROW, A. y GROSSMAN, M. (2011). The organization of narrative discourse in Lewy body spectrum disorder. *Brain and language*, 119, 30-41.
- ASH, S., McMILLAN, C., GUNAWARDENA, D., AVANTS, B., MORGAN, B., KHAN, A., MOORE, P., GEE, J. y GROSSMAN, M. (2010). Speech errors in progressive non-fluent aphasia. *Brain and Language*, 113, 13-20.
- ASH, S., MENAGED, A., OLM, C., McMILLAN, C. T., BOLLER, A., IRWIN, D. J., McCLUSKEY, L., ELMAN, L. y GROSSMAN, M. (2014). Narrative discourse deficits in amyotrophic lateral sclerosis. *Neurology*, 83, 520-528.
- ASH, S., MOORE, P., ANTANI, S., McCAWLEY, G., WORK, M. y GROSSMAN, M. (2006). Trying to tell a tale. Discourse impairments in progressive aphasia and frontotemporal dementia. *Neurology*, 66, 1405-1413.
- ASH, S., MOORE, P., VESELY, L., GUNAWARDENA, D., McMILLAN, C., ANDERSON, C., AVANST, B. y GROSSMAN, M. (2009). Non-fluent speech in frontotemporal lobar degeneration. *Journal of Neurolinguistics*, 22, 370-383.
- ASH, S., OLM, C., McMILLAN, C. T., BOLLER, A., IRWIN, D. J., McCLUSKEY, L., ELMAN, L. y GROSSMAN, M. (2015). Deficits in sentence expression in amyotrophic lateral sclerosis. *Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration*, 6, 31-39.
- AUCLAIR-OUELLET, N. (2015). Inflectional morphology in Primary Progressive Aphasia and Alzheimer's disease: A systematic review. *Journal of Neurolinguistics*, 34, 41-64.
- AUCLAIR-OUELLET, N., FOSSARD, M., HOUE, M., LAFORCE, R. y MACOIR, J. (2016). Production of morphologically derived words in the semantic variant of primary progressive aphasia: Preserved decomposition and composition but impaired validation. *Neurocase*, 22, 170-178.
- AUCLAIR-OUELLET, N., LIEBERMAN, P. y MONCHI, O. (2017). Contribution of language studies to the understanding of cognitive impairment and its progression over time in Parkinson's disease. *Neuroscience and Biobehavioral Reviews*, 80, 657-672.

- AZAMBUJA, M. J., HADDAD, M. S., RADANOVIC, M., BARBOSA, E. R. y MANSUR, L. L. (2007). Semantic, phonologic, and verb fluency in Huntington's disease. *Dementia & Neuropsychologia*, 1, 381-385.
- AZAMBUJA, M. J., RADANOVIC, M., HADDAD, M. S., ADDA, C. C., BARBOSA, E. R. y MANSUR, L. L. (2012). Language impairment in Huntington's disease. *Arquivos de Neuropsiquiatria*, 70, 410-415.
- BAEK, M. J., KIM, H. J., RYU, H. J., LEE, S. H., HAN, S. H., NA, H. R., CHANG, Y., CHEY, J. y KIM, S. (2011). The usefulness of the story recall test in patients with mild cognitive impairment and Alzheimer's disease. *Aging, Neuropsychology, and Cognition*, 18, 214-229.
- BAGLIO, F., CASTELLI, I., ALBERONI, M., BLASI, V., GRIFFANTI, L., FALINI, A., NEMNI, R. y MARCHETTI, A. (2012). Theory of mind in amnesic mild cognitive impairment: An fMRI study. *Journal of Alzheimer's Disease*, 29, 25-37.
- BAILLON, S., MUHAMMAD, S., MARUDKAR, M., SURIBHATLA, S., DENNIS, M., SPREADBURY, C., MUNRO, D. y LINDESAY, J. (2003). Neuropsychological performance in Alzheimer's disease and vascular dementia: Comparisons in a memory clinic population. *International Journal of Geriatric Psychiatry*, 18, 602-608.
- BAK, T. H. y HODGES, J. R. (1997). Noun-verb dissociation in three patients with motor neuron disease and aphasia. *Brain and Language*, 60, 38-40.
- (2001). Motor neurone disease, dementia and aphasia: Coincidence, co-occurrence or continuum? *Journal of Neuroimmunology*, 248, 260-270.
- (2004). The effects of motor neurone disease on language: Further evidence. *Brain and Language*, 89, 354-361.
- BAK, T. H., O'DONOVAN, D. G., XUEREB, J., BONIFACE, S. y HODGES, J. R. (2001). Selective impairment of verb processing associated with pathological changes in Brodmann areas 44 and 45 in the motor neurone disease-dementia-aphasia syndrome. *Brain*, 124, 103-120.
- BALESTRINO, R. y SCHAPIRA, A. H. V. (2019). Parkinson disease. *European Journal of Neurology*, 27, 27-42.
- BALLARD, K. J., SAVAGE, S., LEYTON, C. E., VOGEL, A.P., HORNBERGER, M. y HODGES, J. R. (2014). Logopenic and nonfluent variants of primary progressive aphasia are differentiated by acoustic measures of speech production. *PloS one*, 9, e89864. <https://doi.org/10.1371/journal.pone.0089864>
- BALTHAZAR, M. L., CENDES, F. y DAMASCENO, B. P. (2008). Semantic error patterns on the Boston Naming Test in normal aging, amnesic mild cognitive impairment, and mild Alzheimer's disease: Is there semantic disruption? *Neuropsychology*, 22, 703-709.
- BAMBINI, V. y CERONI, M. (2021). Amyotrophic lateral sclerosis. En L. S. Cummings (ed.), *Handbook of pragmatic language disorders* (pp. 435-459). Springer.
- BAMBINI, V., ARCARA, G., MARTINELLI, I., BERNINI, S., ALVISI, E., MORO, A., CAPPA, S. F. y CERONI, M. (2016). Communication and pragmatic breakdowns in amyotrophic lateral sclerosis patients. *Brain and Language*, 153-154, 1-12.
- BANATI, M., SANDOR, J., MIKE, A., ILLES, E., BORS, L., FELDMANN, A., HEROLD, R. e ILLES, Z. (2010). Social cognition and Theory of Mind in patients with relapsing-remitting multiple sclerosis. *European Journal of Neurology*, 17, 426-433.
- BARNISH, M. S., HORTON, S. M. C., BUTTERFINT, Z. R., CLARK, A. B., ATKINSON, R. A. y DEANE, K. H. O. (2017). Speech and communication in Parkinson's disease: A cross-sectional exploratory study in the UK. *BMJ Open*, 7, e014642. <https://bmjopen.bmj.com/content/7/5/e014642>

- BARRIOS, Y. C., HERNÁNDEZ, O. G., SOLER, J. F. M. y ROJAS, A. C. C. (2019). Diferenciación clínica, patológica y genética entre demencia frontotemporal (DFT) y esclerosis lateral amiotrófica (ELA) (Revisión). *Revista científica OLIMPIA*, 16. <https://dialnet.unirioja.es/servlet/articulo?codigo=7007064>
- BARTRES-FAZ, D., JUNQUE, C., LOPEZ-ALOMAR, A., VALVENY, N., MORAL, P., CASAMAYOR, R., SALIDO, A., BEL, C. y CLEMENTE, I.C. (2001). Neuropsychological and genetic differences between age-associated memory impairment and mild cognitive impairment entities. *Journal of the American Geriatric Society*, 49, 985-990.
- BATES, E., HARRIS, CH., MARCHMAN, V., WULFECK, B. y KRITCHEVSKY, M. (1995). Production of complex syntax in normal ageing and Alzheimer's disease. *Language & Cognitive Processes*, 10, 487-539.
- BAXTER, D. M. y WARRINGTON, E. K. (1987). Transcoding sound to spelling: Single or multiple sound unit correspondence? *Cortex*, 23, 11-28.
- BAYLES, K. A. (1984). Language and dementia. EN A. Holland (ed.), *Language disorders in adults: Recent advances* (pp. 209-244). College-Hill Press.
- BAYLES, K. A. y KASZNAK, A. W. (1987). *Communication and cognition in normal aging and dementia*. College Hill Press.
- BAYLES, K. A. y TOMOEDA, C. K. (1994). Repetition and memory in Alzheimer's disease patients. *Brain and Language*, 47, 373-376.
- BAYLES, K. A., TROSSET, M. W., TOMOEDA, C. K., MONTGOMERY, E. B. y WILSON, J. (1993). Generative naming in Parkinson disease patients. *Journal of Clinical and Experimental Neuropsychology*, 15, 547-562.
- BECKER, J. T., BOLLER, F., LÓPEZ, O. I., SAXTON, J. y MCGONIGLE, K. Y. (1994). The natural history of Alzheimer's disease. *Archives of Neurology*, 51, 585-594.
- BEINHOF, U., HILBERT, V., BITTNER, D., GRÖN, G. y RIEPE, M.W. (2005). Screening for cognitive impairment: A triage for outpatient care. *Dementia and Geriatric Cognitive Disorders*, 20, 278-285.
- BENRIKA, S., DESGRANGES, B., EUSTACHE, F. y VIADER, F. (2019). Cognitive, emotional and psychological manifestations in amyotrophic lateral sclerosis at baseline and overtime: A review. *Frontiers in Neuroscience*, 10, 951. <https://doi.org/10.3389/fnins.2019.00951>
- BENEDET, M., PATTERSON, K., GOMEZ-PASTOR, I. y GARCÍA DE LA ROCHA, M. L. (2006). 'Non-semantic' aspects of language in semantic dementia: As normal as they're said to be? *Neurocase*, 12, 15-26.
- BENÍTEZ-BURRACO, A., HERRERA, E. y CUETOS, F. (2016). ¿Un déficit nuclear en la enfermedad de Parkinson? *Neurología*, 31, 223-230.
- BENITO-LEÓN, J. (2018). Epidemiología de la enfermedad de Parkinson en España y su contextualización mundial. *Revista de Neurología*, 66, 125-134.
- BENITO-LEÓN, J., BERMEJO-PAREJA, F., MORALES-GONZÁLEZ, J.M., PORTA-ETESSAM, J., TRINCADO, R., VEGA, S., LOUIS, E. D., NEUROLOGICAL DISORDERS IN CENTRAL SPAIN (NEDICES) STUDY GROUP. (2004). Incidence of Parkinson disease and parkinsonism in three elderly populations of central Spain. *Neurology*, 9, 734-741.
- BENITO-LEÓN, J., BERMEJO-PAREJA, F., RODRÍGUEZ, J., MOLINA, J. A., GABRIEL, R. y MORALES, J. M. (2003). Prevalence of PD and other types of parkinsonism in three elderly populations of central Spain. *Movement Disorders*, 18, 267-274.

- BENNETT, D. A., WILSON, R. S., SCHNEIDER, J. A., EVANS, D. A., BECKETT, L. A., AGGARWAL, N. T., BARNES, L. L., FOX, J. H. y BACH, J. (2002). Natural history of mild cognitive impairment in older persons. *Neurology*, 59, 198-205.
- BENSA, C., BERTOGLIATI, C., CHANALET, S., MALANDAIN, G., BEDOUCHE, P. y LEBRUN, C. (2006). Early detection of cognitive impairment in relapsing-remitting multiple sclerosis: Functional-anatomical correlations and longitudinal follow-up. *Revista de Neurología*, 162, 1221-1231.
- BENTHAM, P. W., JONES, S. y HODGES, J. R. (1997). A comparison of semantic memory in vascular dementia and dementia of Alzheimer's type. *International Journal of Geriatric Psychiatry*, 12, 575-580.
- BERENISSE, N., ABANTO, A. y ESCOBAR, M. (2015). Prevalencia de demencias en una zona básica de salud de León. *Medicina General y de Familia*, 4, 5-9.
- BERG, D., POSTUMA, R. B., ADLER, C. H., BLOEM, B. R., CHAN, P., DUBOIS, B., GASSER, T., GOETZ, C. G., HALLIDAY, G., JOSEPH, L., LANG, A. E., LIEPELT-SCARFONE, I., LITVAN, I., MAREK, K., OBESO, J., OERTEL, W., OLANOW, C. W., POEWE, W., STERN, M. y DEUSCHL, G. (2015). MDS research criteria for prodromal Parkinson's disease. *Movement Disorders*, 30, 1600-1611.
- BERG, E., BJÖRNAM, C., HARTELIUS, L., LAAKSO, K. y JOHNELS, B. (2003). High-level language difficulties in Parkinson's disease. *Clinical Linguistics & Phonetics*, 17, 63-80.
- BERGARECHE, A., DE LA PUENTE, E., LÓPEZ DE MUNAIN, A., SARASQUETA, C., DE ARCE, A., POZA, J.J. y Martí-Massó, J.F. (2004). Prevalence of Parkinson's disease and other types of Parkinsonism. A door-to-door survey in Bidasoa, Spain. *Journal of Neurology*, 251, 340-345.
- BERMEJO PAREJA, F., BENITO LEÓN, J., VEGA, S., MEDRANO, M. J. y ROMÁN, G. C. (2008). Neurological disorders in Central Spain (NEDICES) Study Group. Incidence and subtypes of dementia in three elderly populations of central Spain. *Journal of the Neurological Sciences*, 264, 63-72.
- BERMEJO PAREJA, F., PORTA ETESSAM, J., DÍAZ GUZMÁN, J. y MARTÍNEZ MARTÍN, P. (2008). *Más de cien escalas en neurología*. Aula Médica Ediciones.
- BERRAERTS, J., HUPET, M. y FEYEREISEN, P. (2003). Langage et démence: Examen des capacités pragmatiques dans la maladie d'Alzheimer. *Revue de Neuropsychologie*, 13, 165-207.
- BICKEL, C., PANTEL, J., EYSENBACH, K. y SCHRÖDER, J. (2000). Syntactic comprehension deficits in Alzheimer's disease. *Brain and Language*, 71, 432-448.
- BINETTI, G., LOCASCIO, J. J., CORKIN, S., VONSATTEL, J. P. y GROWDON, J. H. (2000). Differences between Pick disease and Alzheimer disease in clinical appearance and rate of cognitive decline. *Archives of Neurology*, 57, 225-232.
- BIRAN, I., CHATTERJEE, A. y GLOSSER, G. (2002). Are verbs like inanimate objects? *Brain and Language*, 83, 217-220.
- BIRD, H., LAMBON RALPH, M. A., PATTERSON, K. y HODGES, J. R. (2000). The rise and fall of frequency and imageability: Noun and verb production in semantic dementia. *Brain and Language*, 73, 17-49.
- BIRD, T., KNOPMAN, D., VANSWIETEN, J., ROSSO, S., FELDMAN, H., TANABE, H., GRAFF-RAFORD, N., GESCHWIND, D., VERPILLAT, P. y HUTTON, M. (2003). Epidemiology and genetics of frontotemporal dementia/Pick's disease. *Annals of Neurology*, 54, S29-31.

- BISCHETTI, L., CECCATO, I., LECCE, S., CAVALLINI, E. y BAMBINI, V. (2019). Pragmatics and theory of mind in older adults' humor comprehension. *Current Psychology*, 1-17. <https://doi.org/10.1007/s12144-019-00295-w>
- BLANKEN, G., DITTMANN, J., HAAS, J. C. y WALLESCHE, C. W. (1987). Spontaneous speech in senile dementia and aphasia: Implications for a neurolinguistic model of language production. *Cognition*, 27, 247-274.
- BLECHER, T., MIRON, S., SCHNEIDER, G. G., ACHIRON, A. y BEN-SHACHAR, M. (2019). Association between white matter microstructure and verbal fluency in patients with multiple sclerosis. *Frontiers in Psychology*, 10, 1607. <https://doi.org/10.3389/fpsyg.2019.01607>
- BLOCH, S. y WILKINSON, R. (2009). Acquired dysarthria in conversation: Identifying sources of understandability problems. *International Journal of Language and Communication Disorders*, 44, 769-783.
- BLOCH, S. y TUOMAINEN, J. (2017). Progressive dysarthria and augmentative and alternative communication in conversation: Establishing the reliability of the Dysarthria-in-Interaction Profile. *International Journal of Language & Communication Disorders*, 52, 3-9.
- BOCANEGRA, Y., GARCÍA, A.M., LOPERA, F., PINEDA, D., BAENA, A., OSPINA, P., ALZATE, D., BURITICÁ, O., MORENO, L., IBÁÑEZ, A. y CUETOS, F. (2017). Unspeakable motion: Selective action-verb impairments in Parkinson's disease patients without mild cognitive impairment. *Brain and Language*, 168, 37-46.
- BONA, J., SVINDT, V. y HOFFMANN, I. (2020). Voice onset time of Hungarian voiceless plosives in multiple sclerosis. *Proceedings of the 12th International Seminar on Speech Production (ISSP2020)*. [https://edit.elte.hu/xmlui/bitstream/handle/10831/61517/B%-C3%B3na_Proceedings%20of%20the%2012th%20International%20Seminar%20on%20Speech%20Production%20\(ISSP2020\).pdf?sequence=1](https://edit.elte.hu/xmlui/bitstream/handle/10831/61517/B%-C3%B3na_Proceedings%20of%20the%2012th%20International%20Seminar%20on%20Speech%20Production%20(ISSP2020).pdf?sequence=1)
- BORA, E. (2017). Meta-analysis of social cognition in amyotrophic lateral sclerosis. *Cortex*, 88, 1-7.
- BORA, E., WALTERFANG, M. y VELAKOULIS, D. (2015). Theory of mind in Parkinson's disease: A meta-analysis. *Behavioral Brain Research*, 292, 515-520.
- (2016). Social cognition in Huntington's disease: A meta-analysis. *Behavioural Brain Research*, 297, 131-140.
- BOSCHI, V., CATRICALÀ, E., CONSONNI, M., CHESI, C., MORO, A. y CAPPA, S. F. (2017). Connected speech in neurodegenerative language disorders: A review. *Frontiers in Psychology*, 8, 269. <https://doi.org/10.3389/fpsyg.2017.00269>
- BOTHA, H., DUFFY, J. R., STRAND, E. A., MACHULDA, M. M., WHITWELL, J. L. y JOSEPHS, K. A. (2014). Nonverbal oral apraxia in primary progressive aphasia and apraxia of speech. *Neurology*, 82, 1729-1735.
- BOTHA, H., DUFFY, J. R., WHITWELL, J. L., STRAND, E. A., MACHULDA, M. M., SCHWARZ, C. G., REID, R. I., SPYCHALLA, A. J., SENJEM, M. L., JONES, D. T., LOWE, V., JACK, C. R. y JOSEPHS, K. A. (2015). Classification and clinicoradiologic features of primary progressive aphasia (PPA) and apraxia of speech. *Cortex*, 69, 220-236.
- BOULENGER, V., METCHOUFF, L., THOBOIS, S., BROUSSOLLE, E., JEANNEROD, M. y NAZIR, T. A. (2008). Word processing in Parkinson's disease is impaired for action verbs but not for concrete nouns. *Neuropsychologia*, 46, 743-756.
- BOUVET, C., BOREL, V., FURCIERI, E., CHABRAN, E., LANDRE, L. y BLANC, F. (2019). Le discours narratif dans la maladie à corps de Lewy et la maladie d'Alzheimer. *Geriatric et Psychologie Neuropsychiatrie du Vieillessement*, 17, 199-210.

- BOWLES, R. P. y SALTHOUSE, T. A. (2008). Vocabulary test format and differential relations to age. *Psychology and Aging*, 23, 366-376.
- BOYÉ, M., GRABAR, N. y THI TRANMM M. (2014). Contrastive conversational analysis of language production by Alzheimer's and control people. *Studies in Health Technology and Informatics*, 205, 682-686.
- BOZEAT, S., LAMBON RALPH, M. A., PATTERSON, K. y HODGES, J. R. (2002). .When objects lose their meaning: What happens to their use. *Cognitive, Affective & Behavioral Neuroscience*, 2, 236-251.
- BOZEAT, S., LAMBON RALPH, M. A., PATTERSON, K., GARRARD, P. y HODGES, J. R. (2000). Non-verbal semantic impairment in semantic dementia. *Neuropsychologia*, 38, 1207-1215.
- BOZOKI, A., GIORDANI, B., HEIDEBRINK, J. L., BERENT, S. y FOSTER, N. L. (2001). Mild cognitive impairment predict dementia in nondemented elderly patients with memory loss. *Archives of Neurology*, 58, 411-416.
- BRANDSTADTERM, R., FABIAN, M., LEAVITT, V. M., KRIEGER, S., YESHOKUMAR, A., KATZ SAND, I., KLINEOVA, S., RILEY, C.S., LEWIS, C., PELLE, G., LUBLIN, F. D., MILLER, A. E. y SUMOWSKI, J. F. (2020). Word-finding difficulty is a prevalent disease-related deficit in early multiple sclerosis. *Multiple Sclerosis*, 26, 1752-1764.
- BRANDT, J. y MANNING, K. J. (2009). Patterns of word-list generation in mild cognitive impairment and Alzheimer's disease. *The Clinical Neuropsychologist*, 23, 870-879.
- BREDIN, S. D., SAFFRAN, E. M. y COSLETT, H. B. (1995). Reversal of a concreteness effect in a patient with semantic dementia. *Cognitive Neuropsychology*, 11, 617-660.
- BRIGHT, P., MOSS, H. E., STAMATAKIS, E. A. y TYLER, L. K. (2008). Longitudinal studies of semantic dementia: The relationship between structural and functional changes over time. *Neuropsychologia*, 46, 2177-2188.
- BRINGFELT, P. A., HARTELIUS, L. y RUNMARKER, B. (2006). Communication problems in multiple sclerosis: 9-year-follow-up. *International Journal of MS Care*, 8, 130-140.
- BROOKSHIRE, R. H. y NICHOLAS, L. E. (1993). *The Discourse Comprehension Test*. Communication Skill Builders.
- BROWN, A. S. y NIX, L.A. (1996). Age-related changes in the tip-of-the-tongue experience. *American Journal of Psychology*, 109, 79-91.
- BROWN, R. y MCNEILL, D. (1966). The "tip of the tongue" phenomenon. *Journal of Verbal Learning Behavior*, 5, 325-337.
- Browne, P.; Chandraratna, D.; Angood, C.; Tremlett, H.; Baker, C.; Taylor, B.V. y Thompson, A.J. (2014). Atlas of multiple sclerosis 2013: A growing global problem with widespread inequity. *Neurology*, 83, 1022-1024.
- BRUN, A. (1987). Frontal lobe degeneration of non-Alzheimer type. I. Neuropathology. *Archives of Gerontology and Geriatrics*, 6, 193-208.
- BUDKOWSKI, E. (2007). *Voice onset time in Parkinson disease*. Tesis de máster. Bowling Green State University. http://rave.ohiolink.edu/etdc/view?acc_num=bgosu1174747354
- BUFILL, E., BARTES, A., MORAL, A., CASADEVALL, T., CODINACHS, M., ZAPATER, E., ROVIRA, J. C., PÉREZ, R., ROURA, P. y BLESÀ, R. (2009) Prevalence of cognitive deterioration in people over 80 years old: COGMANLLEU study. *Neurologia*, 24, 102-107.
- BUNDICK, T. JR. y SPINELLA, M. (2000). Subjective experience, involuntary movement, and posterior alien hand syndrome. *Journal of Neurology, Neurosurgery, and Psychiatry*, 68, 83-85.

- BUNTON, K. y WEISMER, G. (2002). Segmental level analysis of laryngeal function in persons with motor speech disorders. *Folia Phoniatrica et Logopaedica*, 54, 223-239.
- BURGUERA, J. A., SOLÍS, P. y SALAZAR, A. (1997). Estimación de la prevalencia de la enfermedad de Huntington por el método de captura-recaptura en la Comunidad Valenciana. *Revista de Neurología*, 25, 1845-1847.
- BURKE, D. M., MACKAY, D. G. y JAMES, L. E. (2000). Theoretical approaches to language and aging. En T. Perfect y E. Maylor (eds.), *Models of cognitive aging* (pp. 204-237). Oxford University Press.
- BURKE, D. M., MACKAY, D. G., WORTHLEY, J. S. y WADE, E. (1991). On the tip of the tongue: What causes word finding failures in young and older adults. *Journal of Memory and Language*, 30, 542-579.
- BURKE, D. M. y PETERS, L. (1986). Word associations in old age: Evidence for consistency in semantic encoding during adulthood. *Psychology and Aging*, 1, 283-292.
- BURKE, D. M. y SHAFTO, M. A. (2008). Language and aging. En F. I. M. Craik y T. A. Salthouse (eds.), *The handbook of aging and cognition* (pp. 373-443). Psychology Press.
- BURRELL, J. R., HORNBERGER, M., VILLEMAGNE, V. L., ROWE, C. C. y HODGES, J. R. (2013). Clinical profile of PiB-positive corticobasal syndrome. *PLoS One*, 8. <https://doi.org/10.1371/journal.pone.0061025>
- BURRELL, J. R., NALLARD, K. J., HALLIDAY, G. M. y HODGES, J. R. (2018). Aphasia in progressive supranuclear palsy: As severe as progressive non-fluent aphasia. *Journal of Alzheimers Disease*, 61, 705-715.
- BUSSE, A., BISCHKOPF, J., RIEDEL-HELLER, S. G. y ANGERMEYER, M. C. (2003). Mild cognitive impairment: Prevalence and incidence according to different diagnostic criteria. Results of the Leipzig Longitudinal Study of the Aged (LEILA75+). *British Journal of Psychiatry*, 182, 449-454.
- BUSSE, A., HENSEL, A., GÜHNE, U., ANGERMEYER, M. C. y RIEDEL-HELLER, S. G. (2006). Mild cognitive impairment: Long-term course of four clinical subtypes. *Neurology*, 26, 2176-2185.
- CABALLERO DUQUE, A. y ZULUAGA SÁNCHEZ, I. C. (2007). Síntomas psiquiátricos de la parálisis supranuclear progresiva. *Revista Colombiana de Psiquiatría*, XXXVI, 772-779.
- CABALLOL, N., MARTÍ, M. J. y TOLOSA, E. (2007). Cognitive dysfunction and dementia in Parkinson disease. *Movement Disorders*, 22, S358-366.
- CÁFFARO ROVIRA, M. y SALOM CASTELL, M. M. (2017). Prevalencia y mortalidad de la enfermedad de Huntington a partir del registro poblacional de enfermedades raras de las Islas Baleares durante el período 2010-2013. *Revista Española de Salud Pública*, 91, e1-e6. <https://www.redalyc.org/journal/170/17049838012/html/>
- CALABRIA, M., COSTA, A., GREEN, D. W. y ABUTALEBI, J. (2018). Neural basis of bilingual language control. *Annals of the New York Academy of Sciences*, 1426.
- CALCEDO-ORDÓÑEZ, A. (1970). *Enfermedad de Huntington en la provincia de Cádiz*. *Revista Clínica Española*, 119, 333-344.
- CAMARGO-MENDOZA, M., CASTILLO-TRIANA, N., FANDIÑO-CARDONA, J. M., MATEUS-MORENO, A. y MORENO-MARTÍNEZ, M. (2017). Características del habla, el lenguaje y la deglución en la enfermedad de Huntington. *Revista de la Facultad de Medicina*, 65, 343-348.
- CAMPOS, M., LEIVA, D., PEREIRO, A. X., LOJO-SEOANE, C., MALLO, S. C., NIETO, A., JUNCOS RABADÁN, O. y FACAL, D. (2020). Longitudinal patterns of the Tip-of-the-Tongue phenomenon in people with subjective cognitive complaints and mild cognitive impairment. *Frontiers in Psychology*, 11. <https://doi.org/10.3389/fpsyg.2020.00425>

- CAÑO, A., HERNÁNDEZ, M., IVANOVA, I., JUNCADELLA, M., GASCÓN-BAYARRI, J., REÑÉ, R. y COSTA, A. (2010). When one can write SALTO as noun but not as verb: A grammatical category-specific, modality-specific deficit. *Brain and Language*, 114, 26-42.
- CAPUTI, N., DI GIACOMO, D., ALOISIO, F. y PASSAFIUME, D. (2016). Deterioration of semantic associative relationships in mild cognitive impairment and Alzheimer disease. *Applied Neuropsychology*, 3, 186-195.
- CARACCILO, B., PALMER, K., MONASTERO, R., WINBLAD, B., BÄCKMAN, L. y FRATIGLIONI, L. (2008). Occurrence of cognitive impairment and dementia in the community. *Neurology*, 70, 1778-1785.
- CARDOSO S., SILVA D., MARCO J., DE MENDONCA A. y GUERREIRO M. (2014). Non-literal language deficits in mild cognitive impairment. *Psychogeriatrics*, 14, 222-228.
- CARELLI, L., SOLCA, F., TAGINI, S., TORRE, S., VERDE, F., TICOZZI, N., CONSONNI, M., FERRUCCI, R., PRAVETTONI, G., POLETTI, B. y SILANI, V. (2021). Emotional processing and experience in amyotrophic lateral sclerosis: A systematic and critical review. *Brain Sciences*, 11, 1356. <https://doi.org/10.3390/brainsci11101356>
- CAREY, M. E., GIOVANNETTI, T. y LIBON, D. J. (1999). A comparison of written discourse in Alzheimer's disease and subcortical ischemic vascular dementia, *Archives of Clinical Neuropsychology*, 14, 45-46.
- CARLOMAGNO, S., SANTORO, A., MENDITTI, A., PANDOLFI, M. y MARINI, A. (2005). Referential communication in Alzheimer's type dementia. *Cortex*, 41, 520-534.
- CARNERO CONTENTTI, E. (2012). Criterios diagnósticos para esclerosis múltiple: revisión de los criterios de McDonald 2010. *Neurología Argentina*, 4, 102-104.
- CARNERO, C. y LENDÍNEZ, A. (1999). Utilidad del test de fluencia verbal semántica en el diagnóstico de demencia. *Revista de Neurología*, 29, 709-714.
- CARNERO, C., MAESTRE, J., MARTA, J., MOLA, S., OLIVARES, J. y SEMPERE, A. P. (2000). Validación de un modelo de predicción de fluidez verbal semántica. *Revista de Neurología*, 30, 1012-1015.
- CARNERO, C. y MONTORO, M. T. (2004). Test de las fotos. *Revista de Neurología*, 39, 801-806
- CAROTENUTO, A., ARCARA, G., OREFICE, G., CERILLO, I., GIANNINO, V., RASULO, M., IODICE, R. y BAMBINI, V. (2018). Communication in multiple sclerosis: Pragmatic deficit and its relation with cognition and social cognition. *Archives of Clinical Neuropsychology*, 33, 194-205.
- CARRASSI, E., PUGLIATTI, M., GOVONI, V., SENSI, M., CASETTA, I. y GRANIERI, E. (2017). Epidemiological study of Huntington's disease in the province of Ferrara, Italy. *Neuroepidemiology*, 49, 18-23.
- CARROLL, R. y RUIGENDIJK, E. (2013). The effects of syntactic complexity on processing sentences in noise. *Journal of Psycholinguistic Research*, 42, 139-159.
- CATTANEO, G., CALABRIA, M., MARNE, P., GIRONELL, A., ABUTALEBI, J. y COSTA, A. (2015). The role of executive control in bilingual language production: A study with Parkinson's disease individuals. *Neuropsychologia*, 66, 99-110
- CATRICALÀ, E., BOSCHI, V., CUOCO, S., GALIANO, F., PICILLO, M., GOBBI, E., MIOZZO, A., CHES, I. C., ESPOSITO, V., SANTANGELO, G., PELLECCIA, M. T., BORSA, V. M., BARONE, P., GARRARD, P., IANACCONE, S. y CAPPA, S. F. (2019). The language profile of progressive supranuclear palsy. *Cortex*, 115, 294-308.
- CAVALLERI, F. y DE RENZI, E. (1994). Amyotrophic lateral sclerosis with dementia. *Acta Neurologica Scandinavica*, 89, 391-394.

- CAVALLO, M., ADENZATO, M., MACPHERSON, S. E., KARWIG, G., ENRICI, I. y ABRAHAMS, S. (2011). Evidence of social understanding impairment in patients with amyotrophic lateral sclerosis. *PLoS ONE*, 6, e25948. <https://doi.org/10.1371/journal.pone.0025948>
- CECCHETTO, C., AIELLO, M., D'AMICO, D., CUTULI, D., CARGNELUTTI, D., ELEOPRA, R. y RUMIATI, R. I. (2014). Facial and bodily emotion recognition in multiple sclerosis: The role of alexithymia and other characteristics of the disease. *Journal of the International Neuropsychological Society*, 20, 1004-1014.
- CERA, M. L., ZAZO, K., FERREIRA, P. H. y CIANCIARULLO, T. S. (2013). Speech and orofacial apraxias in Alzheimer's disease. *International Psychogeriatrics*, 25, 1679-1685.
- CERA, M.L., ZAZO ORTIZ, K., FERREIRA BERTOLUCCI, P.H. y MINET, TH. (2018). Phonetic and phonological aspects of speech in Alzheimer's Disease. *Aphasiology*, 32, 88-102.
- CEREZO GARCÍA, M., MARTÍN PLASENCIA, P. y ALADRO BENITON, Y. (2015). Alteration profile of executive functions in multiple sclerosis. *Acta Neurologica Scandinavica*, 131, 313-320.
- CESLIS, A., ARGALL, R., HENDERSON, R. D., MCCOMBE, P. A. y ROBINSON, G. A. (2020). The spectrum of language impairments in amyotrophic lateral sclerosis. *Cortex*, 132, 349-360.
- COMMITTEE ON HEARING BIOACOUSTICS, AND BIOMECHANICS [CHABA] (1988). Speech understanding and aging. *Journal of the Acoustical Society of America*, 83, 859-895.
- CHAGANTI, S. S., MCCUSKER, E. A. y LOY, C. T. (2017). What do we know about late onset Huntington's disease? *Journal of Huntington's Disease*, 6, 95-103.
- CHALAH, M. A., y AYACHE, S. S. (2017). Deficits in social cognition: An unveiled signature of multiple sclerosis. *Journal of the International Neuropsychological Society*, 23, 266-286.
- CHAN, M., LIM, W. S. y SAHADEVAN, S. (2008). Stage-independent and stage-specific phenotypic differences between vascular dementia and Alzheimer's Disease. *Dementia and Geriatric Cognitive Disorders*, 26, 513-521.
- CHANIAL, C., BASAGLIA-PAPPAS, S., JACQUELINE, S., BOULANGE, A., GOURDON, C., DONYA, S., FAGNOU, S., LAURENT, B., CAMDESSANCHE, J. P. y BORG, C. (2020). Assessment of implicit language and theory of mind in multiple sclerosis. *Annals of Physical and Rehabilitation Medicine*, 63,111-115.
- CHAPMAN, S. B., ZIENTZ, J., WEINER, M., ROSENBERG, R. M, FRAWLEY, W. y BURNS, M. H. (2002). Discourse changes in early Alzheimer disease, mild cognitive impairment, and normal aging. *Alzheimer Disease & Associated Disorders*, 16, 177-186.
- CHEESMAN, M. F. (1997). Speech perception by elderly listeners: Basic knowledge and implications for audiology. *Journal of Speech-Language Pathology and Audiology*, 21, 104-110.
- CHENERY, H.J ., COPLAND, D. A. y MURDOCH, B. E. (2002). Complex language functions and subcortical mechanisms: Evidence from Huntington's disease and patients with non-thalamic subcortical lesions. *International Journal of Language & Communicative Disorders*, 37, 459-474.
- CHERTKOW, H. (2002). Mild cognitive impairment. *Current Opinion in Neurobiology*, 15, 401-407.
- CHOW, M. L., BRAMBATI, S. M., GORNO-TEMPINI, M. L., MILLER, B. L. y JOHNSON, J. K. (2010). Sound naming in neurodegenerative disease. *Brain and Cognition*, 72, 423-429.
- CLAGUE, F., GRAHAM, K. S., THOMPSON, S. A. y HODGES, J. R. (2011). Is knowledge of famous people compromised in mild cognitive impairment? *Cognitive and Behavioral Neurology*, 24,134-144.

- CLAVERÍA, L. E., DUARTE, J., SEVILLANO, M. D., PÉREZ-SEMPERE, A., CABEZAS, C., RODRÍGUEZ, F. y DE PEDRO-CUESTA, J. (2002). Prevalence of Parkinson's disease in Cantalejo, Spain: A door-to-door survey. *Movement Disorders*, 17, 242-249.
- COBBLE, M. (1998). Language impairment in motor neurone disease. *Journal of the Neurological Sciences*, 160, S47-S52.
- COLARUSSO, R. P. y HAMMILL, D.D. (1972). *Motor-free visual perception test*. Academic Therapy [versión en castellano: Panamericana, 1980].
- COLMAN, K., KOERTS, J., VAN BEILEN, M., LEENDERS, K. L. y BASTIAANSE, R. (2006). The role of cognitive mechanisms in sentence comprehension in Dutch speaking Parkinson's disease patients: Preliminary data. *Brain and Language*, 99, 120-121.
- COLMAN, K., KOERTS, J., VAN BEILEN, M., LEENDERS, K. L., POST, W. J. y BASTIAANSE, R. (2009). The impact of executive functions on verb production in patients with Parkinson's disease. *Cortex*, 45, 930-942.
- COLOMBO, L., FONTI, C. y STRACCIARI, A. (2009). Italian verb inflection in Alzheimer dementia. *Neuropsychologia*, 47, 1069-1078.
- COMESAÑA, A. y GARCÍA, A. (2013). Análisis de tareas de fluidez verbal en enfermos de Alzheimer y adultos sanos. *Temas en Psicología*, 21. <http://dx.doi.org/10.9788/TP2013.1-19>
- CONSTANTINIDES, V. C., PARASKEVAS, G. P., PARASKEVAS, P. G., STEFANIS, L. y KAPAKI, E. (2019). Corticobasal degeneration and corticobasal syndrome: A review. *Clinical Parkinsonism & Related Disorders*, 1, 66-71.
- CONTRERAS-PULACHE, H. (2014). Esbozo de Alois Alzheimer. *Revista Peruana de Epidemiología*, 1, 1-5.
- COOPER, E., ORANGE, J., STRONG, M., GRACE, G., ROWE, A. y MURPHY, M. (2008). *Generative naming in amyotrophic lateral sclerosis*. Póster presentado en el London Health Science Centre. https://www.researchgate.net/publication/241145484_Generative_Naming_in_Amyotrophic_Lateral_Sclerosis
- COPELAND, D. E., BIES-HERNANDEZ, N. J. y GUNAWAN, K. (2016). The role of cognition on age-related changes in language, memory, and mental models. En H. H. Wright (ed.), *Cognition, language and aging* (pp. 135-163). John Benjamins Publ. Co.
- COPLAND, D. (2003). The basal ganglia and semantic engagement: Potential insights from semantic priming in individuals with subcortical vascular lesions, Parkinson's disease, and cortical lesions. *Journal of the International Neuropsychological Society*, 9, 1041-1052.
- CORTESE, M. J., BALOTA, D. A., SERGENT-MARSHALL, S. D. y BUCKNER, R. L. (2003). Sublexical, lexical, and semantic influences in spelling: Exploring the effects of age, Alzheimer's disease and primary semantic impairment. *Neuropsychologia*, 41, 952-967.
- CORTESE, M. J., BALOTA, D. A., SERGENT-MARSHALL, S. D., BUCKNER, R. L. y GOLD, B. T. (2006). Consistency and regularity in past-tense verb generation in healthy ageing, Alzheimer's disease, and semantic dementia. *Cognitive Neuropsychology*, 6, 856-876.
- COSTA, A., PEPPE, A., MARTINI, M., COLETTA, K., OLIVERI, M., CALTAGIRONE, C. y CARLESIMO, C. A (2013). Parkinsonian patients with deficits in the dysexecutive spectrum are impaired on theory of mind tasks. *Behavioural Neurology*, 27, 523-533.
- COTELLI, M., BORRONI, B., MANENTI, R., GINEX, V., CALABRIA, M., MORO, A., ALBERICI, A., ZANETTI, M., ZANETTI, O., CAPPÀ, S. F. y PADOVANI, A. (2007). Universal grammar in the frontotemporal dementia spectrum: Evidence of a selective disorder in the corticobasal degeneration syndrome. *Neuropsychologia*, 45, 3015-3023.

- COTELLI, M., BORRONI, B., MANENTI, R., ALBERICI, A., CALABRIA, M., AGOSTI, C., ARÉVALO, A., GINEX, V., ORTELLI, P., BINETTI, G., ZANETTI, O., PADOVANI, A. y CAPPA, S. F. (2006). Action and object naming in frontotemporal dementia, progressive supranuclear palsy, and corticobasal degeneration. *Neuropsychology*, 20, 558-565.
- COTTER, J., FIRTH, J., ENZINGER, C., KONTOPANTELIS, E., YUNG, A.R., ELLIOTT, R. y DRAKE, R. J. (2016). Social cognition in multiple sclerosis: A systematic review and meta-analysis. *Neurology*, 87, 1727-1736.
- COUGHLIN, M., KEWLEY-PORT, D. y HUMES, L. E. (1998). The relation between identification and discrimination of vowels in young and elderly listeners. *Journal of the Acoustical Society of America*, 104, 3597-3607.
- COUSINS, K. A. Q., ASH, S. y GROSSMAN, M. (2018). Production of verbs related to body movement in amyotrophic lateral sclerosis (ALS) and Parkinson's disease (PD). *Cortex*, 100, 127-139.
- COVO TORRES, P. C. (2015). *Introducción a la historia de la esclerosis múltiple*. *Acta Neurológica Colombiana*, 31(1), 119-124. <https://doi.org/10.22379/2422402217>
- COYLE-GILCHRIST, I. T., DICK, K. M., PATTERSON, K., VÁZQUEZ RODRÍQUEZ, P., WEHMANN, E., WILCOX, A., LANSDALL, C. J., DAWSON, K. E., WIGGINS, J., MEAD, S., BRAYNE, C. y ROWE, J. B. (2016). Prevalence, characteristics, and survival of frontotemporal lobar degeneration syndromes. *Neurology*, 86, 1736-1743.
- CRAIK, F. I. M. y SALTHOUSE, T. A. (eds.) (2008). *The handbook of aging and cognition*. Psychology Press.
- CROISILE, B. (2005). Ecriture, vieillissement, Alzheimer. *Gériatrie et Psychologie Neuropsychiatrie du Vieillessement*, 3, 183-197.
- CROISILE, B., SKA, B., BRABANT, M. J., DUCHENE, A., LEPAGE, Y., AIMARD, G. y TRILLET, M. (1996). Comparative study of oral and written picture description in patients with Alzheimer's disease. *Brain and Language*, 53, 1-19.
- CROOK, T., BARTUS, R. T., FERRIS, S. H., WHITEHOUSE, P., COHEN, G. D. y GERSHON, S. (1986). Age-associated memory impairment: Proposed diagnostic criteria and measures of clinical change. Report of a National Institute of Mental Health Work Group. *Developmental Neuropsychology*, 2, 261-276.
- CROOT, K., HODGES, J. R. y PATTERSON, K. (1999). Evidence for impaired sentence comprehension in early Alzheimer's disease. *Journal of the International Neuropsychological Society*, 5, 393-404.
- CROOT, K., HODGES, J. R., XUEREBA, J. y PATTERSON, K. (2000). Phonological and articulatory impairment in Alzheimer's disease: A case series. *Brain and Language*, 75, 277-309.
- CUBO, E. (2016). La enfermedad de Huntington. Un recorrido a través de la historia. *Neurosciences and History*, 4, 160-163.
- CUERVA, A. G., SABE, L., KUZIS, G., TIBERTI, C., DORREGO, F. y STARKSTEIN, S. (2001). Theory of Mind and pragmatic abilities in dementia. *Neuropsychiatry, Neuropsychology y Behavioral Neurology*, 14, 153-158.
- CUETOS, F., RODRÍGUEZ FERREIRO, J. y MENÉNDEZ, M. (2009). Semantic markers in the diagnosis of neurodegenerative dementias. *Dementia and Geriatric Cognitive Disorders*, 28, 267-274.
- CUETOS-VEGA, F., MARTÍNEZ, T., MARTÍNEZ, C., IZURA, C. y ELLIS, A. W. (2003). Lexical processing in Spanish patients with probable Alzheimer's disease. *Cognitive Brain Research*, 17, 549-561.

- CUETOS-VEGA, F., MENÉNDEZ-GONZÁLEZ, M. y CALATAYUD-NOGUERA, T. (2007). Descripción de un nuevo test para la detección precoz de la enfermedad de Alzheimer. *Revista de Neurología*, 44, 469-474.
- CUMMINGS, L. (2019). Narrating the Cinderella story in adults with primary progressive aphasia. En A. Capone, M. Carapezza y F. Lo Piparo (eds.), *Further advances in pragmatics and philosophy (part 2): Theories and applications* (Series: Perspectives in pragmatics, philosophy & psychology, vol. 20, pp. 301-329). Springer International Publishing.
- (2020). *Language in dementia*. Cambridge University Press.
- CUMMINGS, J. L., DARKIMS, A., MÉNDEZ, M., HILL, M. A. y BENSON, D. F. (1988). Alzheimer's disease and Parkinson's disease: Comparison of speech and language alterations. *Neurology*, 38, 680-684.
- CUMMINGS, J. L., HOULIHAN, J. P. y HILL, M. A. (1986). The pattern of reading deterioration in dementia of the Alzheimer type: Observations and implications. *Brain and Language*, 29, 315-323.
- CUNJE, A., MOLLOY, W., STANDISH, T. I. y LEWIS, D. L. (2007). Alternate forms of logical memory and verbal fluency tasks for repeated testing in early cognitive changes. *International Psychogeriatrics*, 19, 65-75.
- CUPIP, J., LEONARD, C., GRAHAM, N., SEIXAS LIMA, B., TANG-WAI, D., BLACK, S. y ROCHON, E. (2015). Investigating the possibility of a syntactic impairment in the semantic variant of PPA using a constrained production task: Preliminary findings. *Frontiers in Psychology. Conference Abstract: Academy of Aphasia 53rd Annual Meeting*. https://www.researchgate.net/publication/282417512_Investigating_the_possibility_of_a_syntactic_impairment_in_the_semantic_variant_of_PPA_using_a_constrained_production_task_Preliminary_findings
- CUSTODIO, N., HERRERA, E., LIRA, D., MONTESINOS, R., LINARES, J. y BENDEZÚ, L. (2012). Deterioro cognitivo leve: ¿dónde termina el envejecimiento normal y empieza la demencia? *Anales de la Facultad de Medicina*, 73
- DAGERMAN, K. S., MACDONALD, M. C. y HARM, M.W. (2006). Aging and the use of context in ambiguity resolution: Complex changes from simple slowing. *Cognitive Science*, 30, 311-345.
- DANIELE, A., BARBIER, A., DI GIUDA, D., VITA, M.G., PICCININI, CH., SPINELLI, P., TONDO, G., FASANO, A., COLOSIMO, C., GIORDANO, A. y GAINOTTI, G. (2013). Selective impairment of action-verb naming and comprehension in progressive supranuclear palsy, *Cortex*, 49, 948-960.
- DARLEY, F. L., ARONSON, A. E. y BROWN, J. R. (1969a). Differential diagnostic patterns of dysarthria. *Journal of Speech and Hearing Research*, 12, 246-269.
- (1969b). Clusters of deviant dimensions in the dysarthrias. *Journal of Speech and Hearing Research*, 12, 462-496.
- DARLEY, F. L., BROWN, J. R. y GOLDSTEIN, N. P. (1972). Dysarthria in multiple sclerosis. *Journal of Speech and Hearing Research*, 15, 229-245.
- DARLEY, F. L., ARONSON, A. E. y BROWN, J. R. (1975). *Motor speech disorders*. Saunders.
- DAVIDSDOTTIR, S., CRONIN-GOLOMB, A. y LEE, A. (2005). Visual and spatial symptoms in Parkinson's disease, *Vision Research*, 45, 1285-1296.
- DAVIDSON, D. J., ZACKS, R. T. y FERREIRA, F. (2003). Age preservation of the syntactic processor in production. *Journal of Psycholinguistic Research*, 32, 541-566.

- DAY, J. T., FISHER, A. G. y MASTAGLIA, F. L. (1987). Alexia with agraphia in multiple sclerosis. *Journal of the Neurological Sciences*, 78, 343-348.
- DE ALMEIDA, I. J., SILAGI, M. L., PARMERA, J. B., BRUCKI, S. M. D. y SCHOCHAT, E. (2021). Language in corticobasal syndrome: A systematic review. *Dementia e Neuropsychologia*, 15, 16-27.
- DE JAGER, C. A., HOGERVORST, E., COMBRINCK, M. y BUDGE, M. M. (2003). Sensitivity and specificity of neuropsychological tests for mild cognitive impairment, vascular cognitive impairment and Alzheimer's disease. *Psychological Medicine*, 33, 1039-1050.
- DE LA SABLONNIÈRE, J., TASTEVIN, M., LAVOIE, M. y LAFORCE, R., JR. (2021). Longitudinal changes in cognition, behaviours and functional abilities in the three main variants of primary progressive aphasia: A literature review. *Brain Sciences*, 11, 1209. <https://doi.org/10.3390/brainsci11091209>
- DE LA SERNA DE PEDRO, I. (2000). Demencias. En I. de la Serna de Pedro (ed.), *Manual de psicogeriatría clínica* (pp. 173-221). Masson.
- DE LIRA, J. O., CIANCIARULLO, T. S., FERREIRA, P. H. y ZAZO, K. (2014). Analysis of word number and content in discourse of patients with mild to moderate Alzheimer's disease. *Dementia e Neuropsychologia*, 8, 260-265.
- DE PEDRO-CUESTA, J., VIRUÉS-ORTEGA, J., VEGA, S., SEJO-MARTÍNEZ, M., SAZ, P., RODRÍGUEZ, F., RODRÍGUEZ-LASO, A., REÑÉ, R., DE LAS HERAS, S. P., MATEOS, R., MARTÍNEZ-MARTÍN, P., MANUBENS, J. M., MAHILLO-FERNANDEZ, I., LÓPEZ-POUSA, S., LOBO, A., REGLÀ, J. L., GASCÓN, J., GARCÍA, F.J., FERNÁNDEZ-MARTÍNEZ, M., BOIX, R., BERMEJO-PAREJA, F., BERGARECHE, A., BENITO-LEÓN, J., DE ARCE, A. y DEL BARRIO, J. L. (2009). Prevalence of dementia and major dementia subtypes in Spanish populations: A reanalysis of dementia prevalence surveys, 1990-2008. *BMC Neurology*, 19, 9-55.
- DE RENZI, E. y FAGLIONI, P. (1978). Normative data and screening power of a shortened version of the Token test. *Cortex*, 14, 41-49.
- DE RENZI, E. y VIGNOLO, L.A. (1962). The Token Test: A sensitive test to detect disturbances in aphasics. *Brain*, 85, 665-678.
- DEDE, G., CAPLAN, D., KEMTES, K. y WATERS, G. (2004). The relationship between age, verbal working memory, and language comprehension. *Psychology and Aging*, 19, 601-616.
- DEDE, G. y KNILAS FLAX, J. (2016). Language comprehension in aging. En H. H. Wright (ed.), *Cognition, language and aging* (pp. 107-134). John Benjamins Publ. Co.
- DE LA HOZ, M., GARRIDO, D. y GARCÍA RETAMERO, R. (2021). Alteraciones lingüísticas en pacientes con deterioro cognitivo leve. Revisión sistemática. *Revista de Neurología*, 72, 67-76.
- DEL BARRIO, J. L., DE PEDRO-CUESTA, J., BOIX R., ACOSTA, J., BERGARECHE, A., BERMEJO-PAREJA, F., GABRIEL, R., GARCÍA DE YÉBENES, M. J., GARCÍA, F. J., LÓPEZ-POUSA, S., MANUBENS, J. M., MATEOS, R., MATÍAS-GUIU, J., OLIVÉ, J. M., REÑÉ, R., RODRÍGUEZ, F. y SAZ, P. (2005). Dementia, stroke and Parkinson's disease in Spanish populations: A review of door-to-door prevalence surveys. *Neuroepidemiology*, 24, 179-188.
- DEL VISO, S. (1990). *Errores espontáneos del habla y producción del lenguaje*. Tesis doctoral. Universidad Complutense de Madrid.
- DELAZER, M., SEMENZA, C., REINER, M., HOFER, R. y BENKE, T. (2003). Anomia for people names in DAT--evidence for semantic and post-semantic impairments. *Neuropsychologia*, 41, 1593-1598.

- DELECLUSE, F. M., ANDERSEN, A., WALDEMAR, G., THOMSEN, A. M., KJAER, L., LASSEN, N. A. y POSTIGLIONE, A. (1990). Cerebral blood flow in progressive aphasia without dementia. *Brain*, 113, 1395-1404.
- DELIA SALA, S. y SPINLER, H. (1998). Echolalia in a case of progressive supranuclear palsy. *Neurocase*, 4, 155-165.
- DESMOND, D. W. (2004). The neuropsychology of vascular cognitive impairment: is there a specific cognitive deficit? *Journal of the Neurological Sciences*, 226, 3-7.
- DEVRESE, L. P., NERI, M., SALVIOLI, G. y CIPOLLI C. (1996). Bihemispheric language disorders in early-stage dementia of the Alzheimer type: Evidence from a novel metalinguistic task. *International Psychogeriatrics*, 8, 63-81.
- DI STEFANO, F., KAS, A., HABERT, M. O., DECAZES, P., LAMARI, F., LISTA, S., HAMPEL, H. y TEICHMANN, M. (2016). The phenotypical core of Alzheimer's disease-related and non-related variants of the corticobasal syndrome: A systematic clinical, neuropsychological, imaging, and biomarker study. *Alzheimers & Dementia*, 12, 786-795.
- DÍAZ, M., SAILOR, K., CHEUNG, D. y KUSLANSKY, G. (2004). Category size effects in semantic and letter fluency in Alzheimers patients. *Brain and Language*, 89, 108-114.
- DÍAZ-OLAVARRIETA, C., CUMMINGS, J. L., VELÁZQUEZ, J. y GARCÍA DE LA CADENA, C. (1999). Neuropsychiatric manifestations of multiple sclerosis. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 11, 51-57.
- DIÉGUEZ-VIDE, F. (2020). Desmontando “mitos” de y desde la patología bilingüe. *Pragmalingüística*, n.º extra 2. <https://dialnet.unirioja.es/servlet/articulo?codigo=7558843>
- DIÉGUEZ-VIDE, F. y PEÑA-CASANOVA, J. (2012). *Cerebro y lenguaje: sintomatología neurolingüística*. Editorial Médica Panamericana.
- DIÉGUEZ-VIDE, F., PEÑA-CASANOVA, J., BÖHM, P. y LECOURS, A. R. (1998). Las palabras del español escrito. En A. R. Lecours, J. Peña-Casanova y F. Diéguez-Vide (eds.), *Dislexias y disgrafías. Teoría, formas clínicas y exploración* (pp.19-30). Masson.
- DIESFELDT, H. (2004). Syntactic comprehension of reversible sentences in semantic dementia. *Aphasiology*, 18, 715-742.
- DIJKSTRA, K., YAXLEY, R. H., MADDEN, C. J. y ZWAAN, R. A. (2004). The role of age and perceptual symbols in language comprehension. *Psychology and Aging*, 19, 352-356.
- DILOKTHORNSAKUL, P., VALUCK, R. J., NAIR, K. V., CORBOY, J. R., ALLEN, R. R. y CAMPBELL, J. D. (2016). Multiple sclerosis prevalence in the United States commercially insured population. *Neurology*, 86, 1014-1021.
- DIRECCIÓN GENERAL DE SALUD PÚBLICA Y PARTICIPACIÓN DEL PRINCIPADO DE ASTURIAS (2010). Enfermedades raras en Asturias. Informe 04 Enfermedad de Huntington. https://www.astursalud.es/documents/35439/39378/ER+IB+04+ENFERMEDAD+DE+HUNTINGTON_DL.pdf/53e6f6b8-2603-7c65-17fc-44a0d6836a11?t=1585899266042
- DIRNBERGER, G. y JAHANSHAHI, M. (2013). Executive dysfunction in Parkinson's disease: A review. *Journal of Neuropsychology*, 7,193-224.
- DUDAS, R. B., CLAGUE, F., THOMPSON, S. A., GRAHAM, K. S. y Hodges, J. R. (2005). Episodic and semantic memory in mild cognitive impairment. *Neuropsychologia*, 43, 1266-1276.
- DUFF CANNING, S. J., LEACH, L., STUSS, D., NGO, L. y BLACK, S. E. (2004). Diagnostic utility of abbreviated fluency measures in Alzheimer disease and vascular dementia. *Neurology*, 62, 556-562.

- DUFF, K., HOBSON, V. L., BEGLINGER, L. J. y O'Bryant, S. E. (2010). Diagnostic accuracy of the RBANS in mild cognitive impairment: Limitations on assessing milder impairments. *Archives of Clinical Neuropsychology*, 25, 429-441.
- DUFFY, J. R. (2005). *Motor speech disorders: Substrates, differential diagnosis and management*. Mosby.
- (2006). Apraxia of speech in degenerative neurologic disease. *Aphasiology*, 20, 511-527.
- (2013). *Motor speech disorders: Substrates, differential diagnosis, and management*. Elsevier.
- DUFFY, J. R., PEACH, R. K. y STRAND, E. A. (2007). Progressive apraxia of speech as a sign of motor neuron disease. *American Journal of Speech-Language Pathology*, 16, 198-208.
- DUFFY, J. R., STRAND, E. A. y JOSEPHS, K. A. (2014). Motor speech disorders associated with primary progressive aphasia. *Aphasiology*, 28, 1004-1017.
- DUONG, A., WHITEHEAD, V., HANRATTY, K. y CHERIKOW, H. (2006). The nature of lexico-semantic processing deficits in mild cognitive impairment. *Neuropsychologia*, 44, 1928-1935.
- DVASH, J. y SHAMAY-TSOORY, S. B. (2014). Theory of mind and empathy as multidimensional constructs: Neurological foundations. *Topics in Language Disorders*, 34, 282-295.
- EBRAHIMPOUR, M., WEISI, F., REZAEI, M., MOTAMED, MOHAMMAD, R., ASHAYERI, H., MODARRRESI, Y. y KAMALI, M. (2017) Word finding difficulties in multiple sclerosis. *Neurology Asia*, 22, 143-148.
- ECHVERRÍA, M. y URRUTIA MARTÍNEZ, M. (2004). Incidencia del envejecimiento en el acceso al léxico. *Revista Chilena de Fonoaudiología*, 5, 7-23.
- EIZAGUIRRE, M. B., VANOTTI, S., MERINO, Á., YASTREMIZ, C., SILVA, B., ALONSO, R. y GARCEA, O. (2018). The role of information processing speed in clinical and social support variables of patients with multiple sclerosis. *Journal of Clinical Neurology*, 14, 472-477.
- EL TAWIL, S., CHOHAN, G., MACKENZIE, J., ROWE, A., WELLER, B., WILL, R. G. y KNIGHT, R. (2017). Isolated language impairment as the primary presentation of sporadic Creutzfeldt Jakob Disease. *Acta Neurologica Scandinavica*, 135, 316-323.
- ELLIS, C., CROSSON, B., GONZALEZ ROTH, L. J., OKUN, M. S. y ROSENBEK, J. C. (2015). Narrative discourse cohesion in early stage Parkinson's disease. *Journal of Parkinson's Disease*, 5, 403-411.
- ELORRIAGA-SANTIAGO, S., TAPIA-DE JESÚS, A., RODRÍGUEZ-CAMACHO, M. A., CARRASCO-VARGAS, H., FERNÁNDEZ-HARMONY, TH. y SILVA-PEREYRA, J. F. (2012). Phonological processing during reading: A priming study in patients with Parkinson's disease. *Journal of Behavior, Health & Social Issues*, 4, 45-58.
- EMERY, O. B. (1985). Language and aging. *Experimental Aging Research*, 11, 3-60.
- EMERY, O. B. y BRESLAU, L. D. (1988). The problem of naming in SDAT: A relative deficit. *Experimental Aging Research*, 14, 181-193.
- EMERY, V. O. (2000). Language impairment in dementia of the Alzheimer type: A hierarchical decline? *International Journal of Psychiatry Medicine*, 30, 145-164.
- EMERY, V. O., GILLIE, E. X. y SMITH, J. A. (2006). Interface between vascular dementia and Alzheimer syndrome: Nosologic redefinition. *Annals of the New York Academy of Sciences*, 903, 229-238.
- EMRE, M., AARSLAND, D., BROWN, R., BURN, D. J., DUYCKAERTS, C., MIZUNO, Y., BROE, G. A., CUMMINGS, J., DICKSON, D. W., GAUTHIER, S., GOLDMAN, J., GOETZ, C., KORCZYN, A., LEES, A., LEVY, R., LITVAN, I., MCKEITH, I., OLANOW, W., POEWE, W., QUINN, N.,

- SAMPAIO, C., TOLOSA, E. y DUBOIS, B. (2007). Clinical diagnostic criteria for dementia associated with Parkinson's disease. *Movement Disorders*, 22, 1689-1707.
- ENGELMAN, M., AGREE, E. M., MEONI, L. A. y KLAG, M. J. (2010). Propositional density and cognitive function in later life: Findings from the Precursors Study. *The Journals of Gerontology: Series B*, 65B: 706-711.
- ERKINJUNTTI, T., LAAKSONEN, R., SULKAVA, R., SYRJÄLÄINEN, R. y PALO, J. (1986). Neuropsychological differentiation between normal aging, Alzheimer's disease and vascular dementia. *Acta Neurologica Scandinavica*, 74, 393-403.
- ERKINJUNTTI, T., INZITARI, D., PANTONI, L., WALLIN, A., SCHELTENS, P., ROCKWOOD, K., ROMAN, G. C., CHUI, H. y DESMOND, D. W. (2000). Research criteria for subcortical vascular dementia in clinical trials. *Journal of Neural Transmission. Supplementa*, 59, 23-30.
- ERREA, J. M., ARA, J. R., AIBAR, C. y DE PEDRO-CUESTA, J. (1999). Prevalence of Parkinson's disease in lower Aragon, Spain. *Movement Disorders*, 14, 596-604.
- ESMONDE, T., GILES, E., XUEREBA, J. y HODGES, J. (1996). Progressive supranuclear palsy presenting with dynamic aphasia. *Journal of Neurology, Neurosurgery, and Psychiatry*, 60, 403-410.
- ESPERT, R., NAVARRO, J. F., DEUS YELA, J., GADEA, M. y CHIRIVELLA, J. (1996). Afasia progresiva primaria (síndrome de Mesulam): 1982-1996. *Psicología conductual*, 4, 437-452. <https://ddd.uab.cat/record/142828>
- ESTÉVEZ-GONZÁLEZ, A., GARCÍA-SÁNCHEZ, C., BOLTES, A., OTERMIN, P., PASCUAL-SEDANO, B., GIRONELL, A. y KULISEVSKY, J. (2004). Semantic knowledge of famous people in mild cognitive impairment and progression to Alzheimer's disease. *Dementia and Geriatric Cognitive Disorders*, 17, 188-195.
- EVANS, S. J., DOUGLAS, I., RAWLINS, M. D., WESLER, N. S., TABRIZI, S. J. y SMEETH, L. (2013). Prevalence of adult Huntington disease in the UK based on diagnoses recorded in general practice records. *Journal of Neurology, Neurosurgery, and Psychiatry*, 84, 1156-1160.
- EVRRARD, M. (2002). Ageing and lexical access to common and proper names in picture naming. *Brain and Language*, 81, 174-179.
- FATEMI, Y., BOEVE, B. F., DUFFY, J., PETERSEN, R. C., KNOPMAN, D. S., CEJKA, V., SMITH, G. E. y GEDA, Y. E. (2011). Neuropsychiatric aspects of primary progressive aphasia. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 23, 168-172.
- FACAL MAYO, D., JUNCOS RABADÁN, O., ÁLVAREZ, M., PEREIRO ROZAS, A. X. y DÍAZ, F. (2006). Efectos del envejecimiento en el acceso al léxico. El fenómeno de la punta de la lengua en los nombres propios. *Revista de Neurología*, 43, 719-723.
- FEDERMEIER, K. D., MCLENNAN, D. B., DE OCHOA, E. y KUTAS, M. (2002). The impact of semantic memory organization and sentence context on spoken language processing by younger and older adults: An ERP study. *Psychophysiology*, 39, 133-146.
- FEENAUGHTY, L., TJADEN, K., BENEDICT, R. H. B. y WEINSTOCK-GUTTMAN, B. (2013). Speech and pause characteristics in multiple sclerosis: A preliminary study of speakers with high and low neuropsychological test performance. *Clinical Linguistics & Phonetics*, 27, 134-151.
- FEIJÓ, A. V., PARENTE, M. A., BEHLAU, M., HAUSSEN, S., DE VECCINO, M. C. y DE FARIA MARTIGNAGO, B. C. (2004). Acoustic analysis of voice in multiple sclerosis patients. *Journal of Voice*, 18, 341-347.
- FELDMAN, H., SCHELTENS, P., SCARPINI, E., HERMANN, N., MESENBRINK, P., MANCIONE, L., TEKIN, S., LANE, R. y FERRIS, S. (2004). Behavioral symptoms in mild cognitive impairment. *Neurology*, 62, 1199-1201.

- FERGUSON, J. H. y BOLLER, F. (1977). A different form of agraphia: Syntactic writing errors in patients with motor speech and movement disorders. *Brain and Language*, 4, 382-389.
- FERNÁNDEZ, O., FERNÁNDEZ, V. y GUERRERO, M. (2015). Esclerosis múltiple. *Medicine*, 11, 4610-4621.
- FERNÁNDEZ, M., CASTRO-FLORES, J., PÉREZ-DE LAS HERAS, S., MANDALUNIZ-LEKUMBERRI, A., GORDEJUELA, M. y ZARRANZM J. (2008). Prevalencia de la demencia en mayores de 65 años en una comarca del País Vasco. *Revista de Neurología*, 46, 89-96.
- FERNÁNDEZ, T., RÍOS, C., SANTOS, S., CASADELVALL, T., TEJERO, C., LÓPEZ, E.: FABRE-PI, O., GARCÉS-REDONDO, M., MAURI-LLERDA, J. A., ÍÑIGUEZ-MARTÍNEZ, C. y PASCUAL-MILLÁN, L. F. (2002). ‘Cosas en una casa’, una tarea alternativa a ‘animales’ en la exploración de la fluidez verbal semántica: estudio de validación. *Revista de Neurología*, 35, 520-523.
- FERRERO-ARIAS, J., SÁNCHEZ-SAUDINÓS, M. B. y LAMET-GIL, I. (2001). El test ‘cinco por cinco’. Un instrumento breve para la detección de impedimento cognitivo en contextos clínicos. *Neurología*, 16, 254-261.
- FEYEREISEN, P. (1997). A meta-analytic procedure shows an age-related decline in picture-naming: Comments on Goulet, Ska, and Kahn. *Journal of Speech and Hearing Research*, 40, 1328-1333.
- FEYEREISEN, P., BERREWAERTS, J. y HUPET, M. (2007). Pragmatic skills in the early stages of Alzheimer’s disease: An analysis by means of a referential communication task. *International Journal of Language & Communication Disorders*, 42, 1-17.
- FISHER, F., PHILPOTT, A., ANDREWS, S. C., MAULE, R. y DOUGLAS, J. (2017). Characterizing social communication changes in amyotrophic lateral sclerosis. *International Journal of Language and Communication Disorders*, 52, 137-142.
- FLEMING, V. B. y HARRIS, J. L. (2008). Complex discourse production in mild cognitive impairment: Detecting subtle changes. *Aphasiology*, 22, 730-740.
- FLICKER, C., FERRIS, S. H. y REISBERG, B. (1991). Mild cognitive impairment in the elderly: Predictors of dementia. *Neurology*, 41, 1006-1009.
- FLINT, A. J., BLACK, S. E., CAMPBELL-TAYLOR, I. y LEVINTON, C. (1992). Acoustic analysis in the differentiation of Parkinson’s disease and major depression. *Journal of Psycholinguistic Research*, 21, 83-399.
- FOLSTEIN, M.F., FOLSTEIN, S.E. y MCHUGH, P.R. (1975). Mini-mental state. A practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12, 189-198.
- FOONG, J., ROZEWICZ, L., QUAGHEBEUR, G., DAVIE, C. A., KARTSOUNIS, L. D., THOMPSON, A. J., MILLER, D. H. y RON, M. A. (1997). Executive function in multiple sclerosis. The role of frontal lobe pathology. *Brain*, 120, 15-26.
- FORBES, K. E. y VENNERI, A. (2003). A case for case: Handling letter case selection in written spelling. *Neuropsychologia*, 41, 16-24.
- FORBES, K. E., VENNERI, A. y SHANKS, M. F. (2002). Distinct patterns of spontaneous speech deterioration: An early predictor of Alzheimer’s disease. *Brain and Cognition*, 48, 356-361.
- (2004). The evolution of dysgraphia in Alzheimer’s disease. *Brain Research Bulletin*, 63, 19-24.
- FORBES-McKAY, K. E. y VENNERI, A. (2005). Detecting subtle spontaneous language decline in early Alzheimer’s disease with a picture description task. *Neurological Sciences*, 26, 243-254.

- FORREST, K., WEISMER, G. y TURNER, G. S. (1989). Kinematic, acoustic, and perceptual analyses of connected speech produced by parkinsonian and normal geriatric adults. *The Journal of the Acoustical Society of America*, 85, 2608-2622.
- FOX, C. M. y RAMIG, L. O. (1997). Vocal sound pressure level and self-perception of speech and voice in men and women with idiopathic Parkinson disease. *American Journal of Speech-Language Pathology*, 6, 85-94.
- FOXE, D., LEYTON, C. E., HODGES, J. R., BURRELL, J. R., IRISH, M. y PIGUET, O. (2016). The neural correlates of auditory and visuospatial span in logopenic progressive aphasia and Alzheimer's disease. *Cortex*, 83, 39-50.
- FOZARD, J. L. y GORDON-SALANT, S. (2001). Changes in vision and hearing with aging. En J. E. Birren y K. Warner Schaie (eds.), *Handbook of the psychology of aging* (pp. 214-266). Academic Press.
- FRANCH VALVERDE, J. I. (1993). *La enfermedad de Huntington*. Servicio de Publicaciones de la Universidad de Valladolid.
- FRANK, E. M., MCDADE, H. L. y SCOTT, W. K. (1996). Naming in dementia secondary to Parkinson's, Huntington's, and Alzheimer's diseases. *Journal of Communication Disorders*, 29, 183-197.
- FRASER, K. C., MELTZER, J. A. y RUDZICZ, F. (2016). Linguistic features identify Alzheimer's disease in narrative speech. *Journal of Alzheimers Disease*, 49, 407-422.
- FRASER, K. C., MELTZER, J. A., GRAHAM, N. L., LEONARD, C., HIRST, G., BLACK, S. E. y ROCHON, E. (2014). Automated classification of primary progressive aphasia subtypes from narrative speech transcripts. *Cortex*, 55, 43-60.
- FRIEND, K. B., RABIN, B. M., GRONINGER, L., DELUTY, R. H., BEVER, C. y GRATTAN, L. (1999). Language functions in patients with multiple sclerosis. *The Clinical Neuropsychologist*, 13, 78-94.
- FRUCHT, S., FAHN, S., CHIN, S., DHAWAN, V. y EIDELBERG, D. (2000). Levodopa-induced dyskinesias in autopsy-proven cortical-basal ganglionic degeneration. *Movement Disorders*, 15, 340-343.
- FUENTES, P. (2003). Enfermedad de Alzheimer: una nota histórica. *Revista Chilena de Neuropsiquiatría*, 41, 9-12.
- FUKUI, T., SUGITA, K., KAWAMURA, M., SHIOTA, J. y NAKANO, I (1996). Primary progressive apraxia in Pick's disease. A clinicopathologic study. *Neurology*, 47m 467-473.
- FUNAYAMA, M., NAKAGAWA, Y., YAMAYA, Y., YOSHINO, F., MIMURA, M. y KATO, M. (2013). Progression of logopenic variant primary progressive aphasia to apraxia and semantic memory deficits. *BMC Neurol*, 13, 158. <https://doi.org/10.1186/1471-2377-13-158>
- FYNDANIS, V., MANOULIDOU, C., KOUFOU, E., KARAMPEKIOS, S. y TSAPAKIS, E. M. (2013). Agrammatic patterns in Alzheimer's disease: Evidence from tense, agreement, and aspect. *Aphasiology*, 27, 178-200.
- FYNDANIS, V., MESSINIS, L., NASIOS, G., DARDIOTIS, E., MARTZOUKOU, M., PITOPOULOU, M., NTOSKOU, A., y MALEFAKI, S. (2020). Impaired verb-related morphosyntactic production in multiple sclerosis: Evidence from Greek. *Frontiers in Psychology*, 11, 2051. <https://doi.org/10.3389/fpsyg.2020.02051>
- GALASKO, D., BENNETT D., SANO, M., ERNESTO, C., THOMAS, R., GRUNDMAN, M. y FERRIS, S. (1997). An inventory to assess activities of daily living for clinical trials in Alzheimer's disease. The Alzheimer's Disease Cooperative Study. *Alzheimer Disease & Associated Disorders*, 11, S33-39.

- GALLARDO, B. (2009). Valoración del componente pragmático a partir de datos orales. *Revista de Neurología*, 48, S57-S61.
- GAN, J. J., LIN, A., SAMIMI, M. S. y MÉNDEZ, M. F. (2016). Somatic symptom disorder in semantic dementia: The role of alexisomia. *Psychosomatics*, 57, 598- 604.
- GALEOTE MORENO, M. A. y PERAITA ADRADOS, H. (1999). Memoria semántica y fluidez verbal en demencias. *Revista Española de Neuropsicología*, 1, 3-17
- GARCÉS, M., SANTOS, S., PÉREZ, C. y PASCUAL-MILLÁN, L. F. (2004). Test del supermercado: datos normativos preliminares en nuestro medio. *Revista de Neurología*, 39, 415-418.
- GARCÍA, A. M., CARRILLO, F., OROZCO-ARROYAVE, J. R., TRUJILLO, N., VARGAS BONILLA, J. F., FITTIPALDI, S., ADOLFI, F., NÖTH, E., SIGMAN, M., FERNÁNDEZ SLEZAK, D., IBÁÑEZ, A. y CECCHI, G. A. (2016). How language flows when movements don't: An automated analysis of spontaneous discourse in Parkinson's disease. *Brain and Language*, 162, 19-28.
- GARCÍA, A. M., BOCANEGRA, Y., HERRERA, E., PINO, M., MUÑOZ, E., SEDENO, L. e IBÁÑEZ, A. (2018). Action-semantic and syntactic deficits in subjects at risk for Huntington's disease. *Journal of Neuropsychology*, 12, 389-408
- GARCÍA GARCÍA, F. J., SÁNCHEZ AYALA, M. I., PÉREZ MARTÍNA, A., MARTÍN CORREA, E., MARSAL ALONSO, C., RODRÍGUEZ FERRERA, G., GARCÍA COLMENERO, C., ROMERO RIZOS, L., RODRÍGUEZ BARQUERO, M. J. y GUTIÉRREZ ÁVILA, G. (2001). Prevalencia de demencia y de sus subtipos principales en sujetos mayores de 65 años: efecto de la educación y ocupación. Estudio Toledo. *Medicina Clinica*, 116, 401-407.
- GARCÍA-ESTÉVEZ, D. A., LÓPEZ-DÍAZ, L. M., PARDO-PARRADO, M., CID-RODRÍGUEZ, M. C. y OZAITA-ARTECHE, G. (2018). Disartria y disfagia aisladas como forma de presentación de un ictus isquémico agudo lacunar bilateral y simultáneo. *Revista de Neurología*, 66, 33.
- GARRARD, P., MALONEY, L. M., HODGES, J. R. y PATTERSON, K. (2005). The effects of very early Alzheimer's disease on the characteristics of writing by a renowned author. *Brain*, 128, 250-260.
- GARRE-OLMO, J. (2018). Epidemiología de la enfermedad de Alzheimer y otras demencias. *Revista de Neurología*, 66, 377-386.
- GASCÓN-BAYARRI, J., REÑÉ, R., DEL BARRIO, J. L., DE PEDRO-CUESTA, J., RAMÓN, J. M., MANUBENS, J. M., SÁNCHEZ, C., HERNÁNDEZ, M., ESTELA, J., JUNCADILLA, M. y RUBIO, F. R. (2007). Prevalence of dementia subtypes in El Prat de Llobregat, Catalonia, Spain: The PRATICON Study. *Neuroepidemiology*, 28, 224-234
- GAVRILA, D., ANTÚNEZ, C., TORMO, M. J., CARLES, R., GARCÍA-SANTOS, J. M., PARRILLA, G., FORTUNA, L., JIMÉNEZ, J., SALMERÓN, D. y NAVARRO, C. (2009). Prevalence of dementia and cognitive impairment in Southeastern Spain: the Ariadna study. *Acta Neurologica Scandinavica*, 120, 300-307.
- GAWRON, N.; ŁOJEK, E.; HINTZE, B. y EGBERT, A. (2008). Neuropsychological evaluation of narrative discourse patterns in individuals with early stage vascular dementia vs. patients with early stage Alzheimer's disease. *Acta Neuropsychologica*, 19, 187-207.
- GELADÓ, S., GÓMEZ-RUIZ, M. I. y DIÉGUEZ-VIDE, F. (2022). Gestures analysis during a picture description task: Capacity to discriminate between healthy controls, mild cognitive impairment, and Alzheimer's disease. *Journal of Neurolinguistics*, 61.
- GENOVA, H. M., CAGNA, C. J., CHIARAVALLOTI, N. D., DELUCA, J. y LENGENFELDER, J. (2016). Dynamic assessment of social cognition in individuals with multiple sclerosis: A pilot study. *Journal of the International Neuropsychological Society*, 22, 83-88.

- GERALD, F. J. F., MURDOCH, B. E. y CHENERY, H. J. (1987). Multiple sclerosis: Associated speech and language disorders. *Australian Journal of Human Communication Disorders*, 15, 15-35.
- GERSTENECKER, A., MAST, B., DUFF, K., FERMAN, T. J., LITVAN, I. y ENGEL-PSP STUDY GROUP. (2013). Executive dysfunction is the primary cognitive impairment in progressive supranuclear palsy. *Archives of Clinical Neuropsychology*, 28, 104-113.
- GERSTNER, E., LAZAR, R. M., KELLER, CH., HONIG, L., LAZAR, G. y MARSHALL, R. S. (2007). A case of progressive apraxia of speech in pathologically verified Alzheimer disease. *Cognitive and Behavioral Neurology*, 20, 15-20.
- GEYER, H. L. y GROSSMAN, M. (1994). Investigating the basis for the sentence comprehension deficit in Parkinson's disease. *Journal of Neurolinguistics*, 8, 191-205.
- GHOSH, B. C., CALDER, A. J., PEERS, P. V., LAWRENCE, A.D., ACOSTA-CABRONERO, J., PEREIRA, J. M., HODGES, J. R. y ROWE, J. B. (2012). Social cognitive deficits and their neural correlates in progressive supranuclear palsy. *Brain*, 135, 2089-2102.
- GIANNINI, L. A. A., IRWIN, D. J., McMILLAN, C. T., ASH, S., RASCOVSKY, K., WOLK, D. A., VAN DEERLIN, V. M., LEE, E. B., TROJANOWSKI, J. Q. y GROSSMAN, M. (2017). Clinical marker for Alzheimer disease pathology in logopenic primary progressive aphasia. *Neurology*, 88, 2276-2284. <https://doi.org/10.1212/WNL.0000000000004034>
- GIAVAZZI, M., DALAND, R., PALMINTERI, S., PEPERKAMP, S., BRUGIERES, P., JACQUEMOT, CH., SCHRAMM, C., CLERET DE LANGAVANT, L. y BACHOUD-LÉVI, A. C. (2018). The role of the striatum in linguistic selection: Evidence from Huntington's disease and computational modeling. *Cortex*, 109, 189-204.
- GIBB, W. R., LUTHERT, P. J. y MARSDEN, C. D. (1989). Corticobasal degeneration. *Brain*, 112, 1171-1192.
- GIBSON, E. (1998). Linguistic complexity: Locality of syntactic dependencies. *Cognition*, 68, 1-76.
- GIFFARD, B., DESGRANGES, B. y KERROUCHE, N. (2003). The hyperpriming phenomenon in normal aging: A consequence of cognitive slowing? *Neuropsychology*, 17, 594-601.
- GIFFARD, B., LAISNEY, M., DESGRANGES, B. y EUSTACHE, F. (2015). An exploration of the semantic network in Alzheimer's disease: Influence of emotion and concreteness of concepts. *Cortex*, 69, 201-211.
- GILLIVAN-MURPHY, P. y MILLER, N. (2011). Voice tremor: What we know and what we don't know. *Current Opinion in Otolaryngology & Head and Neck Surgery*, 19, 155-159.
- GIMÉNEZ-ROLDÁN, S. (2013). The history of Huntington disease in Spain: First observations. *Sociedad Española de Neurología*, 1, 71-79.
- GIOVANNETTI, T., HOPKINS, M. W., CRAWFORD, J., MAGOURIK BETTCHER, B., SCHMIDT, K. S. y LIBON, D. J. (2008). Syntactic comprehension deficits are associated with MRI white matter alterations in dementia. *Journal of the International Neuropsychological Society*, 14, 542-551.
- GLOSSER, G., FRIEDMAN, R. B., GRUGAN, P. K., LEE, J. H. y GROSSMAN, M. (1998). Lexical semantic and associative priming in Alzheimer's disease. *Neuropsychology*, 12, 218-224.
- GOCER MARCH, E. y PATTISON, P. (2006). Semantic verbal fluency in Alzheimer's disease: Approaches beyond the traditional scoring system. *Journal of Clinical and Experimental Neuropsychology*, 28, 549-566.
- GOEDERT, M. y GHETTI, B. (2007). Alois Alzheimer: His life and times. *Brain Pathology*, 17, 57-62.

- GOETZ, C. G., LEURGANS, S., LANG, A. E. y LITVAN, I. (2003). Progression of gait, speech and swallowing deficits in progressive supranuclear palsy. *Neurology*, 60, 917-922.
- GOLBE, L. I. (2018). *A clinician's guide to progressive supranuclear palsy*. Rutgers University Press.
- GOLBE, L. I., DAVIS, P. H., SCHOENBERG, B. S. y DUVOISIN, R. C. (1988). Prevalence and natural history of progressive supranuclear palsy. *Neurology*, 38, 1031-1034.
- GÓMEZ, R. G. (2002). Word frequency effects in priming performance in young and older adults. *Journal of Gerontology: Psychological Sciences*, 57B, P233-P240.
- GÓMEZ, R. G. y WHITE, D. A. (2006). Using verbal fluency to detect very mild dementia of the Alzheimer type. *Archives of Clinical Neuropsychology*, 21, 771- 775.
- GÓMEZ AGUDELO, L. F. (2011). Criterios diagnósticos para esclerosis múltiple. Una revisión desde Charcot hasta los nuevos criterios de McDonald. *Medicina*. 30, 76-83.
- GÓMEZ-HARO, C., ESPERT-TORTAJADA, R., GADEA-DOMÉNECH, M. y NAVARRO-HUMANES, J. F. (1999). Parálisis supranuclear progresiva: Aspectos neurológicos, neuropatológicos y neuropsicológicos. *Revista de Neurología*, 29, 936-956.
- GONZÁLEZ PARRA, N. (2010). *Fluencia verbal en la enfermedad de Alzheimer*. Trabajo de fin de máster. Facultad de Psicología. Universidad de Salamanca.
- GOODGLASS, H. y KAPLAN, E. (1972). The assessment of aphasia and related disorders. Lea and Febiger [versión actualizada: Goodglass, H., Kaplan, E. y Barresi, B. (2001). The assessment of aphasia and related disorders (3rd ed.) Lippincott Williams and Wilkins] [Versión en castellano: García Albea, J.E. y Sánchez Bernardos, M^a.L. (1996). *La evaluación de la afasia y de trastornos asociados*. Editorial Médica Panamericana]
- GORDON, P. C., LOWDER, M. W. y HOEDEMAKER, R. S. (2016). Reading in normally aging adults. En H. H. Wright (ed.), *Cognition, language and aging* (pp. 165-191). John Benjamins Publ. Co.
- GORDON, W. P. e ILLES, J. (1987). Neurolinguistic characteristics of language production in Huntington's disease: A preliminary report. *Brain and Language*, 31, 1-10.
- GORDON-SALANT, S. y FITZGIBBONS, P. J. (2001). Sources of age-related recognition difficulty for time-compressed speech. *Journal of Speech, Language, and Hearing Research*, 44, 709-719.
- GORELICK, P. B., SCUTERI, A., BLACK, S. E., DECARLI, C., GREENBERG, S. M., IADECOLA, C., LAUNER, L. J., LAURENT, S., LOPEZ, O. L., NYENHUIS, D., PETERSEN, R. C., SCHNEIDER, J. A., TZOURIO, C., ARNETT, D. K., BENNETT, D. A., CHUI, H. C., HIGASHIDA, R. T., LINDQUIST, R., NILSSON, P. M., ROMAN, G. C., SELKE, F. W., SESHADRI, S, AMERICAN HEART ASSOCIATION STROKE COUNCIL, COUNCIL ON EPIDEMIOLOGY AND PREVENTION, COUNCIL ON CARDIOVASCULAR NURSING, COUNCIL ON CARDIOVASCULAR RADIOLOGY AND INTERVENTION, y COUNCIL ON CARDIOVASCULAR SURGERY AND ANESTHESIA. (2011). Vascular contributions to cognitive impairment and dementia: A statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*, 42, 2672-2713.
- GORNO-TEMPINI, M. L. y PRESSMAN, P. (2016). Introduction to primary progressive aphasia. En G. Hickok y S.L. Small (eds.), *Neurobiology of Language* (pp. 935-952). Academic Press.
- GORNO-TEMPINI, M. L., BRAMBATI, S. M., GINEX, V., OGAR, J., DRONKERS, N. F., MARCONE, A., PERANI, D., GARIBOTTO, V., CAPPAS, S. F. y MILLER, B. L. (2008). The logopenic/phonological variant of primary progressive aphasia. *Neurology*, 71, 1227-1234.

- GORNO-TEMPINI, M. L., DRONKERS, N. F., RANKIN, K. P., OGAR, J. M., PHENGRASAMY, L., ROSEN, H. J., JOHNSON, J. K., WEINER, M. W. y MILLER, B. L. (2004). Cognition and anatomy in three variants of primary progressive aphasia. *Annals of Neurology*, 55, 335-346.
- GRAFF-RADFORD, N. R., DAMASIO, A. R., HYMAN, B.T., HART, M. N., TRANEL, D., DAMASIO, H., VAN HOESSEN, G. W. y REZAI, K. (1990). Progressive aphasia in a patient with Pick's disease: A neuropsychological, radiologic, and anatomic study. *Neurology*, 40, 620-626.
- GRAHAM, N. L. (2000). Dysgraphia in dementia. *Neurocase*, 6, 365-376.
- GRAHAM, N. L., PATTERSON, K. y HODGES, J. R. (2000). The impact of semantic memory impairment on spelling: Evidence from semantic dementia. *Neuropsychologia*, 38, 143-163.
- (2004). When more yields less: Speaking and writing deficits in nonfluent progressive aphasia. *Neurocase*, 10, 141e155. <https://doi.org/10.1080/13554790409609945>
- GRAHAM, N. L., BAK, T., PATTERSON, K. y HODGES, J. R. (2003). Language function and dysfunction in corticobasal degeneration. *Neurology*, 61, 493-499.
- GRAHAM, N. L., EMERY, T. y HODGES, J. R. (2004). Distinctive cognitive profiles in Alzheimer's disease and subcortical vascular dementia. *Journal of Neurology, Neurosurgery, and Psychiatry*, 75, 61-71.
- GREEN, D. W. y ABUTALEBI, J. (2013). Language control in bilinguals: The adaptive control hypothesis. *Journal of Cognitive Psychology*, 25, 515-530.
- GRICE, H. P. (1975). Logic and Conversation. En P. Cole y J. L. Morgan (eds.), *Syntax and Semantics: Speech acts* (vol. 3, pp. 41-58). Academic Press.
- GROSSMAN, A. B., WOOLLEY-LEVINE, S., BRADLEY, W. G. y MILLER R. G. (2007). Detecting neurobehavioral changes in amyotrophic lateral sclerosis. *Amyotrophic Lateral Sclerosis*, 8, 56-61.
- GROSSMAN, M. (2012). The non-fluent/agrammatic variant of primary progressive aphasia. *The Lancet Neurology*, 11, 545-555.
- GROSSMAN, M. y ASH, S. (2004). Primary progressive aphasia: A review. *Neurocase*, 10, 3-18.
- GROSSMAN, M., RHEE, J. y MOORE, P. (2005). Sentence processing in frontotemporal dementia. *Cortex*, 41, 764-777.
- GROSSMAN, M., CARVELL, S., STERN, M. B., GOLLOMP, S. y HURDIG, H. I. (1992). Sentence comprehension in Parkinson's disease: The role of attention and memory. *Brain and Language*, 42, 347-384.
- GROSSMAN, M., D'ESPOSITO, M., HUGHES, E., ONISHI, K., BIASSOU, N., WHITE-DEVINE, T. y ROBINSON, K. M. (1996). Language comprehension profiles in Alzheimer's disease, multi-infarct dementia and frontotemporal degeneration. *Neurology*, 47, 183-189.
- GROSSMAN, M., ROBINSON, K. M., ONISHI, K., THOMPSON, H., COHEN, J y D'Esposito, M. (1995). Sentence comprehension in multiple sclerosis. *Acta Neurologica Scandinavica*, 92, 324-331.
- GROSSMAN, N., MICKANIN, J., ONISHI, K. y HUGHES, E. (1995). An aspect of sentence processing in Alzheimer's disease: Quantifier-noun disagreement. *Neurology*, 45, 85-91.
- GROVES-WRIGHT, K., NEILS-STRUNJAS, J., BURNETT, R. y O'NEILL, M. J. (2004). A comparison of verbal and written language in Alzheimer's disease. *Journal of Communication Disorders*, 37, 109-130.
- GURD, J. M. (2000). Verbal fluency deficits in Parkinson's disease: Individual differences in underlying cognitive mechanisms. *Journal of Neurolinguistics*, 13, 47-55.
- GUSTAFSON, L. (1987). Frontal lobe degeneration of non-Alzheimer type: II. Clinical picture and differential diagnosis. *Archives of Gerontology and Geriatrics*, 6, 209-223.
- GUTIÉRREZ-REXACH, J. y SCHATZ, S. (2016). *Cognitive impairment and pragmatics*. SpringerPlus.

- HACHINSKI, V. C. y BOWLER, J. V. (1994). Vascular dementia. *Neurology*, 43, 2159-2160.
- HAGOORT, P. (1998). The shadows of lexical meaning in patients with semantic impairments. En B. Stemmer y H. A. Whitaker (eds.), *Handbook of neurolinguistics* (pp. 236-249). Academic Press.
- HALL, D., OUYANG, B., LONNQUIST, E. y NEWCOMBE, J. (2011). Pragmatic communication is impaired in Parkinson disease. *International Journal of Neuroscience*, 121, 254-256.
- HALLING, D. C. y HUME, L. E. (2000). Factors affecting the recognition of reverberant speech by elderly listeners. *Journal of Speech, Language, and Hearing Research*, 43, 414-439.
- HALPEM, H., DARLEY, F. L. y BROWN, R. (1973). Differential language and neurological characteristics in cerebral involvement. *Journal of Speech and Hearing Disorders*, 38, 162-173.
- HAMILTON, A., FERM, U., HEEMSKERK, A. W., TWISTON-DAVIES, R., MATHESON, K. Y., SIMPON, S. A. y RAE, D. (2012). Management of speech, language and communication difficulties in Huntington's disease. *Neurodegenerative Disease Management*, 2, 67-77.
- HÄNNINEN, T., HALLIKAINEN, M., TUOMAINEN, S., VANHANEN, M. y SOININEN, H. (2002). Prevalence of mild cognitive impairment: A population-based study in elderly subjects. *Acta Neurologica Scandinavica*, 106, 148-154.
- HANSON, E., YORKSTON, K. y BRITTON, D. (2011). Dysarthria in amyotrophic lateral sclerosis: A systematic review of characteristics, speech treatment, and augmentative and alternative communication. *Journal of Medical Speech-Language Pathology*, 19, 12-30.
- HARBISON, J., KENNELLY, S. P. y KENNY, R.A. (2016). Dementia and cerebrovascular disease. En O. Hardiman, C. Doherty, M. Elamin y P. Bede (eds.), *Neurodegenerative disorders* (pp. 75-93). Springer.
- HAREL, B., CANNIZZARO, M. y SNYDER, P.J. (2004). Variability in fundamental frequency during speech in prodromal and incipient Parkinson's disease: A longitudinal case study. *Brain and Cognition*, 56, 24-29.
- HARRIS, J. M., GALL, C., THOMPSON, J. C., RICHARDSON, A. M., NEARY, D., DU PLESSIS, D., PAL, P., MANN, D. M., SNOWDEN, J. S. y JONES, M. (2013). Classification and pathology of primary progressive aphasia. *Neurology*, 81, 1832-1839.
- HARRIS, J. M., JONES, M., GALL, C., RICHARDSON, A. M., NEARY, D., DU PLESSIS, D., PAL, P., MANN, D. M., SNOWDEN, J. S. y THOMPSON, J. C. (2016). Co-occurrence of language and behavioural change in frontotemporal lobar degeneration. *Dementia and Geriatric Cognitive Disorders Extra*, 6, 205-213.
- HART, R. (2019). *Naming impairment in patients with multiple sclerosis. An explorative study*. Tesis doctoral. Utrecht University. <https://studenttheses.uu.nl/handle/20.500.12932/34186>
- HARTELIUS, L., CARLSTEDT, A., YTTERBERG, M., LILLVIK, M. y LAAKSO, K. (2003). Speech disorders in mild and moderate Huntington disease: Results of dysarthria assessments of 19 individuals. *Journal of Medical Speech-Language Pathology*, 11, 1-14.
- HARTELIUS, L. y LILLVIK, M. (2003). Lip and tongue function differently affected in individuals with multiple sclerosis. *Folia Phoniatica et Logopaedica*, 55, 1-9.
- HARTELIUS, L., RUNMARKER B. y ANDERSEN, O. (2000). Prevalence and characteristics of dysarthria in a multiple-sclerosis incidence cohort: Relation to neurological data. *Folia Phoniatica et Logopaedica*, 52, 160-177.

- HARTELIUS, L., RUNMARKER, B., ANDERSEN, O. y NORD, L. (2000). Temporal speech characteristics of individuals with multiple sclerosis and ataxic dysarthria: 'Scanning speech' revisited. *Folia Phoniatica et Logopaedica*, 52, 228-233.
- HASSAN, A., WHITWELL, J. L. y BOEVE, B. F. (2010). Symmetric corticobasal degeneration (S-CBD). *Parkinsonism & Related Disorders*, 16, 208-214.
- HAYS, S., NIVEN, B., GIDFREY, H. y LINSKOTT, R. (2004). Clinical assessment of pragmatic language impairment: A generalisability study of older people with Alzheimer disease. *Aphasiology*, 18, 693-714.
- HEBERT, L. E., SCHERR, P. A., MCCANN, J. J., BECKETT, L. A. y EVANS, D.A. (2001). Is the risk of developing Alzheimer's disease greater for women than for men? *American Journal of Epidemiology*, 153, 132-136.
- HEDDEN, T. y GABRIELI, J. D. (2010). Shared and selective neural correlates of inhibition, facilitation, and shifting processes during executive control. *Neuroimage*, 51, 421-431.
- HEINE, M. K., OBER, B. A. y SHENAUT, G. K. (1999). Naturally occurring and experimentally induced tip-of-the-tongue experiences in three adult age groups. *Psychology and Aging*, 14, 445-457.
- HENLEY, S. M., WILD, E. J., HOBBS, N. Z., WARREN, J. D., FROST, C., SCAHILL, R. I., RIDGWAY, G. R., MACMANUS, D. G., BARKER, R. A., FOX, N. C. y TABRIZI, S. J. (2008). Defective emotion recognition in early HD is neuropsychologically and anatomically generic. *Neuropsychologia*, 46, 2152-2160.
- HENRY, A., TOURBAH, A., CHAUNU, M. P., RUMBACH, L., MONTREUIL, M. y BAKCHINE, S. (2011). Social cognition impairments in relapsing remitting multiple sclerosis. *Journal of the International Neuropsychological Society*, 17, 1122-1131.
- HENRY, J. D. y BEATTY, W. W. (2006). Verbal fluency deficits in multiple sclerosis. *Neuropsychologia*, 44, 1166-1174.
- HENRY, J. D. y CRAWFORD, J. R. (2004). Verbal fluency deficits in Parkinson's disease: A meta-analysis. *Journal of the International Neuropsychological Society*, 10, 608-622.
- HENRY, J. D., CRAWFORD, J. R. y PHILLIPS, L. H. (2004). Verbal fluency performance in dementia of the Alzheimer's type: A meta-analysis. *Neuropsychologia*, 42, 1212-1222.
- (2005). A meta-analytic review of verbal fluency deficits in Huntington's disease. *Neuropsychology*, 19, 243-252.
- HENRY, J. D., PHILLIPS, L. H., BEATTY, W. W., McDONALD, S., LONGLEY, W. A., JOSCELYNE, A. y RENDELL, P. G. (2009). Evidence for deficits in facial affect recognition and Theory of Mind in multiple sclerosis. *Journal of the International Neuropsychological Society*, 15, 277-285.
- HENRY, M. L., BEESON, P. M., ALEXANDER, G. E. y RAPCSAK, S. Z. (2012). Written language impairments in primary progressive aphasia: A reflection of damage to central semantic and phonological processes. *Journal of Cognitive Neuroscience*, 24, 261-275.
- HENRY, M. L., WILSON, S. M., BABIAK, M. C., MANDELLI, M. L., BEESON, P. M., MILLER, Z. A. y GORNO-TEMPINI, M. L. (2016). Phonological processing in primary progressive aphasia. *Journal of Cognitive Neuroscience*, 28, 210-222.
- HERBERT, V., BROOKES, R., MARKUS, H. y MORRIS, R. (2014). Verbal fluency in cerebral small vessel disease and Alzheimer's disease. *Journal of the International Neuropsychological Society*, 20, 413-421.

- HERNÁNDEZ-FERNÁNDEZ, A. y DIÉGUEZ-VIDE, F. (2013). La ley de Zipf y la detección de la evolución verbal en la enfermedad de Alzheimer. *Anuario de Psicología / The UB Journal of Psychology*, 43, 67-82.
- HERRERA, E. y CUETOS, F. (2013). Semantic disturbance for verbs in Parkinson's disease patients off medication. *Journal of Neurolinguistics*, 26, 737-744.
- HERRERA, E., CUETOS, F. y RIBACOBIA, R. (2012). Verbal fluency in Parkinson's disease patients on/off dopamine medication. *Neuropsychologia*, 50, 3636-3640.
- HERRERA, E., RODRÍGUEZ-FERREIRO, J. y CUETOS, F. (2012). The effect of motion content in action naming by Parkinson's disease patients. *Cortex*, 48, 900-904.
- HERTRICH, I. y ACKERMANN, H. (1993). Acoustics analysis of speech prosody in Huntington's and Parkinson's disease: A preliminary report. *Clinical Linguistics & Phonetics*, 7, 258-297.
- (1994). Acoustic analysis of speech timing in Huntington's disease. *Brain and Language*, 47, 182-196.
- HILGER, A., RAMSBERGER, G., GILLEY, P., MENN, L. y KONG, A. (2014). Analysing speech problems in a longitudinal case study of logopenic variant PPA. *Aphasiology*, 7, 840-861.
- HILLIS, A. E., TUFFIASH, E. y CARAMAZZA, A. (2002). Modality-specific deterioration in naming verbs in nonfluent primary progressive aphasia. *Journal of Cognitive Neuroscience*, 14, 1099-1108.
- HILLIS, A. E., OH, S. y KEN, L. (2004). Deterioration of naming nouns versus verbs in primary progressive aphasia. *Annals of Neurology*, 55, 268-275.
- HINZEN, W., ROSSELLO, J., MOREY, C., CAMARA, E., GARCÍA-GORRO, C., SALVADOR, R. y DE DIEGO BALAGUER, R. (2018). A systematic linguistic profile of spontaneous narrative speech in presymptomatic and early stage Huntington's disease. *Cortex*, 100, 71-83.
- HIRANO, M. (1981). *Clinical examination of voice (series 5): Disorders of human communication*. Springer-Verlag.
- HIRSCH, L., JETTE, N., FROLKIS, A., STEEVES, TH. y PRINGSHEIM, T. (2016). The incidence of Parkinson's disease: A systematic review and meta-analysis. *Neuroepidemiology*, 46, 292-300.
- HIRSH K. W. y TREE, J. J. (2001). Word association norms for two cohorts of British adults. *Journal of Neurolinguistics*, 14, 1-44.
- HO, A., SAHAKIAN, B. J., ROBBINS, T. W., BARKER, R. A., ROSSER, A. E. y HODGES, J. R. (2002). Verbal fluency in Huntington's disease: A longitudinal analysis of phonemic and semantic clustering and switching. *Neuropsychologia*, 40, 1277-1284.
- HOCHSTADT, J., NAKANO, H., LIEBERMAN, P. y FRIEDMAN, J. (2006). The roles of sequencing and verbal working memory in sentence comprehension deficits in Parkinson's disease. *Brain and Language*, 97, 243-257.
- HODGES, J. R., ERZINCILIOGLU, S. y PATTERSON, K. (2006). Evolution of cognitive deficits and conversion to dementia in patients with mild cognitive impairment: A very-long-term follow-up study. *Dementia Geriatric Cognitive Disorders*, 21, 380-3391.
- HODGES, J. R., GRAHAM, N. y PATTERSON, K. (1995). Charting the progression in semantic dementia: Implications for the organization of semantic memory. *Memory*, 3, 463-495.
- HODGES, J. R. y PATTERSON, K. (2007). Semantic dementia: a unique clinicopathological syndrome. *The Lancet Neurology*, 6, 1004-1014.
- HODGES, J. R., PATTERSON, K., GRAHAM, N. y DAWSON, K. (1996). Naming and knowing in dementia of Alzheimer's type. *Brain and Language*, 54, 302-325.

- HODGES, J. R., PATTERSON, K., OXBURY, S. y FUNNELL, E. (1992). Semantic dementia. Progressive fluent aphasia with temporal lobe atrophy. *Brain*, 115, 1783-1806.
- HODGES, J. R., SALMON, D. P. y BUTTERS, N. (1990). Differential impairment of semantic and episodic memory in Alzheimer's and Huntington's diseases: A controlled prospective study. *Journal of Neurology, Neurosurgery & Psychiatry*, 53, 1089-1095.
- (1991). The nature of the naming deficit in Alzheimer's and Huntington's disease. *Brain*, 114, 1547-1558.
- HOEHN, M. M. y YAHR, M. D. (1967). Parkinsonism: Onset, progression and mortality. *Neurology*, 17, 427-442.
- HOGAN, D. B., JETTÉ, N., FIEST, K. M., ROBERTS, J. I., PEARSON, D., SMITH, E. E., ROACH, P., KIRK, A., PRINGSHEIM, T. y MAXWELL, C. J. (2016). The prevalence and incidence of frontotemporal dementia: A systematic review. *Canadian Journal of Neurological Sciences*, 43, S96-S109.
- HOLLAND, A. L., MCBURNEY, D. H., MOOSSY, J. y REINMUTH, O. M. (1985). The dissolution of language in Pick's disease with neurofibrillary tangles: A case study. *Brain and Language*, 24, 36-58.
- HOLTGRAVES, T. y MCNAMARA, P. (2010a). Pragmatic comprehension deficit in Parkinson's disease. *Journal of Clinical Experimental Neuropsychology*, 32, 388-397.
- (2010b). Parkinson's disease and politeness. *Journal of Language and Social Psychology*, 29, 178-193.
- HOPPITT, T., PALL, H., CALVERT, M., GILL, P., YAO, G., RAMSAY, J., JAMES, G., CONDUIT, J. y SACKLEY, C. (2011). A systematic review of the incidence and prevalence of long-term neurological conditions in the UK. *Neuroepidemiology*, 36, 19-28.
- HORCAJUELO, C., CRIADO-ÁLVAREZ, J. J., CORREA, S. y ROMO, C. (2014). Análisis de tareas de fluidez verbal semántica en personas diagnosticadas de la enfermedad de Alzheimer y adultos sanos. *Revista de Investigación en Logopedia*, 2, 112-131.
- HOUGH, M. S. (2004). Generative word fluency skills in adults with Parkinson's disease. *Aphasiology*, 18, 581-588.
- HOWARD, D. y PATTERSON, K. (1992). *Pyramids and Palm Trees: A test of semantic access from pictures and words*. Thames Valley Publishing.
- HUANG, N., HORNBERGER, M., HODGES, J. R. y BURRELL, J. R. (2014). Measuring disease progression in corticobasal syndrome. *Journal of Neurology*, 261, 1598-1605.
- HUDON, C., BELLEVILLE, S., SOUCHAY, C., GELY-NARGEOT, M. C., CHERTKOW, H. y GAUTHIER, S. (2006). Memory for gist and detail information in Alzheimer's disease and mild cognitive impairment. *Neuropsychology*, 20, 566-577.
- HUGUES, C.P., BERG, L., DANZINGER, W.L., COBEN, L.A. y MARTIN, R.L. (1982). A new clinical scale for the staging of dementia. *British Journal of Psychiatry*, 140, 566-572 [versión actualizada: Morris, J.C. (1993). The Clinical Dementia Rating (CDR): Current version and scoring rules. *Neurology*, 43, 2412-2414].
- HUGHES, J. C., GRAHAM, N., PATTERSON, K. y HODGES, J. R. (1997). Dysgraphia in mild dementia of Alzheimer's type. *Neuropsychologia*, 35, 533-545.
- HUNTINGTON, G. (1872) On Chorea, *Medical and Surgical Reporter*, 26, 320-321.
- HUTCHINSON, J. y JENSEN, M. (1980). A pragmatic evaluation of discourse communication in normal and senile elderly in a nursing home. En L. Obler y M. Albert (eds.), *Language and communication in the elderly* (pp. 59-73). Lexington Books.

- ICHIKAWA, H., MILLER, M.W. y KAWAMURA, M. (2011). Amyotrophic lateral sclerosis and language dysfunction: Kana, kanji and a prescient report in Japanese by Watanabe (1893). *European Journal of Neurology*, 65, 144-149.
- ICHIKAWA, H., HIEDA, S., TAKAHASHI, N., OHNO, H. y KAWAMURA, M. (2008a). Agraphia in bulbar-onset amyotrophic lateral sclerosis: Not merely a consequence of dementia or aphasia. *Behavioural Neurology*, 20, 91-99.
- ICHIKAWA H., KOYAMA S., OHNO H., ISHIHARA K., NAGUMO K. y Kawamura M. (2008b). Writing errors and anosognosia in amyotrophic lateral sclerosis with dementia. *Behavioural Neurology*, 19, 107-116.
- ILLES, J. (1989). Neurolinguistic features of spontaneous language production dissociate three forms of neurodegenerative disease: Alzheimer's, Huntington's, and Parkinson's. *Brain and Language*, 37, 628-642.
- ILLES, J., METTER, E. J., HANSON, W. R. e IRITANI, S. (1988). Language production in Parkinson's disease: Acoustic and linguistic considerations. *Brain and Language*, 33, 146-160.
- IOANNIDIS, P., KONSTANTINOPOULOU, E., MAIOVIS, P. y KARACOSTAS, D. (2012). The fronto-temporal dementias in a tertiary referral center: Classification and demographic characteristics in a series of 232 cases. *Journal of the Neurological Sciences*, 318, 171-173
- ISAACOWITZ, D. M., CHARLES, S. T. y CARSTENSEN, L. L. (2000). Emotion and cognition. En F. I. M., Craik and T. A. Salthouse (eds.), *The Handbook of aging and cognition* (pp. 593-631). Lawrence Erlbaum Associates.
- IVANOVA, O., GARCÍA MEILÁN, J. J., MARTÍNEZ-NICOLÁS, I. y LLORENTE, Th. E. (2020). La habilidad léxico-semántica en la enfermedad de Alzheimer: un estudio de la fluidez verbal con categorías semánticas. *Revista Signos*, 53, 319-342.
- IVNIK, R. J. (1978). Neuropsychological stability in multiple sclerosis. *Journal of Consulting and Clinical Psychology*, 46, 913-923.
- IZQUIERDO, G., VENEGAS, A., SANABRIA, C. y NAVARRO, G. (2015). Long-term epidemiology of multiple sclerosis in the Northern Seville District. *Acta Neurologica Scandinavica*, 132, 111-117.
- JACOBY, R. y OPPENHEIMER, C. (2005). *Psiquiatría en el anciano*. Masson.
- JAMES, L. E. (2006). Specific effects of aging on proper name retrieval: Now you see them, now you don't. *Journal of Gerontology: Psychological Sciences*, 61, P180-P183.
- JAMES, L. E. y MACKEY, D. G. (2001). H. M., word knowledge and aging: Support for a new theory of long-term retrograde amnesia. *Psychological Science*, 12, 485-492.
- JAMES, L. E., BURKE, D. M., AUSTIN, A. y HULME, E. (1998). Production and perception of "verbosity" in younger and older adults. *Psychology and Aging*, 13, 355-367.
- JEFFERIES, E., ROGERS, T. T., HOPPER, S. y LAMBON RALPH, M. A. (2010). "Pre-semantic" cognition revisited: Critical differences between semantic aphasia and semantic dementia. *Neuropsychologia*, 48, 248-261.
- JENSEN, A. M., CHENERY, H. J. y COPLAND, D. A. (2006). A comparison of picture description abilities in individuals with vascular subcortical lesions and Huntington's disease. *Journal of Communication Disorders*, 39, 62-77.
- JOHARI, K., ASHRAFI, F., ZALI, A., ASHAYERI, H., FABBRO, F y ZANINI, S. (2013). Grammatical deficits in bilingual Azari-Farsi patients with Parkinson's disease. *Journal of Neurolinguistics*, 26, 22-30.

- JOHNSON, M. y LIN, F. (2014). Communication difficulty and relevant interventions in mild cognitive impairment: Implications for neuroplasticity. *Topics in Geriatric Rehabilitation*, 30, 18-34.
- JOHNSON, J. K., HEAD, E., KIM, R., STARR, A. y COTMAN, C. W. (1999). Clinical and pathological evidence for a frontal variant of Alzheimer disease. *Archives of Neurology*, 56, 1233-1239.
- JONGEN, P. J., WESNES, K., VAN GEEL, B., POP, P., SANDERS, E., SCHRIJVER, H., VISSER, L. H., GILHUIS, H. J., SINNIGE, L. G., BRANDS, A. M. y THE COGNISEC STUDY GROUP. (2014). Relationship between working hours and power of attention, memory, fatigue, depression and self-efficacy one year after diagnosis of clinically isolated syndrome and relapsing remitting multiple sclerosis. *PLoS One*, 9, e96444. <https://doi.org/10.1371/journal.pone.0096444>
- JORGENSEN, C., BARRETT, M., HUISINGH, R. y ZACHMAN, L. (1981) *The Word Test: A test of expressive vocabulary and semantics*. LinguiSystems Inc.
- JOSEPHS, K. A. y DUFFY, J. R. (2008). Apraxia of speech and nonfluent aphasia: A new clinical marker for corticobasal degeneration and progressive supranuclear palsy. *Current Opinion in Neurology*, 21, 688-692.
- JOSEPHS, K. A., DUFFY, J. R., FOSSETT, T. R., STRAND, E. A., CLAASSEN, D. O., WHITWELL, J. L. y PELLER, P. J. (2010). Fluorodeoxyglucose F18 positron emission tomography in progressive apraxia of speech and primary progressive aphasia variants. *Archives of neurology*, 67, 596-605.
- JOSEPHS, K. A., DUFFY, J. R., STRAND, E. A., MACHULDA, M. M., SENJEM, M. L., LOWE, V. J., JACK, C.R. JR. y WHITWELL, J. L. (2013). Syndromes dominated by apraxia of speech show distinct characteristics from agrammatic PPA. *Neurology*, 81, 337-345.
- JOSEPHS, K.A., DUFFY, J. R., STRAND, E. A., WHITWELL, J. L., LAYTON, K. F., PARISI, J. E., HAUSER, M. F., WITTE, R. J., BOEVE, B. F., KNOPMAN, D. S., DICKSON, D. W., JACK, C. R. JR. y PETERSEN, R. C. (2006). Clinicopathological and imaging correlates of progressive aphasia and apraxia of speech. *Brain*, 129, 1385-1398.
- JOUBERT, S., BRAMBATI, S. M., ANSADO, J., BARBEAU, E. J., FELICIAN, O., DIDIC, M., LACOMBE, J., GOLDSTEIN, R., CHAYER, C. y KERGOAT, M. J. (2010). The cognitive and neural expression of semantic memory impairment in mild cognitive impairment and early Alzheimer's disease. *Neuropsychologia*, 48, 978-988.
- JOUBERT, S., VALLET, G. T., MONTEBEAULT, M., BOUKADI, M., WILSON, M. A., LAFORCE, R. J., ROULEAU, I. y BRAMBATI, S. M. (2017). Comprehension of concrete and abstract words in semantic variant Primary Progressive Aphasia and Alzheimer's disease: A behavioral and neuroimaging study. *Brain and Language*, 170, 93-102.
- JUNCOS RABADÁN, O., FACAL, D., ÁLVAREZ, M. y RODRÍGUEZ, M. S. (2006). The phenomenon of the tip of the tongue in aging. *Psicothema*, 18, 501-506.
- JUNCOS RABADÁN, O., FACAL, D., LOJO SEOANE, C. y PEREIRO, A. X. (2013). Does tip-of-the-tongue for proper names discriminate amnesic mild cognitive impairment? *International Psychogeriatrics*, 25, 627-634.
- JUNCOS RABADÁN, O. e IGLESIAS, F. J. (1994). Decline in the elderly's language: Evidence from cross-linguistic data. *Journal of Neurolinguistics*, 8, 183-190.
- JUNCOS RABADÁN, O. y PEREIRO, A. X. (1998). Lenguaje narrativo. En O. Juncos (comp.), *Lenguaje y envejecimiento: bases para la intervención* (pp. 47-72). Masson.
- JUNCOS RABADÁN, O., PEREIRO, A. X. y RODRÍGUEZ, M. S. (2005). Narrative speech in aging: Quantity, information content, and cohesion. *Brain and Language*, 95, 423-434.

- JUNCOS RABADÁN, O., RODRÍGUEZ, N., FACAL, D., CUBA, J. y PEREIRO, A. X. (2011). Tip-of-the-tongue for proper names in mild cognitive impairment. Semantic or post-semantic impairments? *Journal of Neurolinguistics*, 24, 636-651.
- KALARIA, R. N., MAESTRE, G. E., ARIZAGA, R., FRIEDLAND, R. P., GALASKO, D., HALL, K., LUCHSINGER, J. A., OGUNNIYI, A., PERRY, E. K., POTOCNIK, F., PRINCE, M., STEWART, R., WIMO, A., ZHANG, Z. X., ANTUONO, P. y WORLD FEDERATION OF NEUROLOGY DEMENTIA RESEARCH GROUP. (2008). Alzheimer's disease and vascular dementia in developing countries: Prevalence, management, and risk factors. *The Lancet Neurology*, 7, 812-826.
- KAMBANAROS, M. y GROHMANN, K.K. (2015). Grammatical class effects across impaired child and adult populations. *Frontiers in Psychology*, 6, 1670. <https://doi.org/10.3389/fpsyg.2015.01670>
- KAMPMAN, M. T., AARSETH, J. H., GRYTEN, N., BENJAMINSEN, E., CELIUS, E. G., DAHL, O. P., HOLMØY, T., LØKEN-AMSRUD, K., MIDGARD, R., MYHR, K. M., RISBERG, G., VATNE, A. y TORKILDSEN, O. (2013). Sex ratio of multiple sclerosis in persons born from 1930 to 1979 and its relation to latitude in Norway. *Journal of Neurology*, 260, 1481-1488.
- KAPLAN, E., GOODGLASS, H. y WEINTRAUB, S. (1978). *The Boston Naming Test, experimental edition*. Lea and Febiger [versión actualizada: Kaplan, E., Goodglass, H y Weintraub, S. (2001). *The Boston Naming Test* (2nd ed.). Lippincott Williams and Wilkins]
- KAPLOUN, L. R., SAXMAN, J. H., WASSERMAN, P. y MARDER, K. (2011). Acoustic analysis of voice and speech characteristics in presymptomatic gene carriers of Huntington's disease: Biomarkers for preclinical sign on set? *Journal of Medical Speech-Language Pathology*, 19, 49-63.
- KARGIEMAN, L., HERRERA, E., BAEZ, S., GARCÍA, A. M., DOTTORI, M., GELORMINI, C., MANES, F., GERSHANIK, O. e IBÁÑEZ, A. (2014). Motor-language coupling in Huntington's disease families. *Frontiers in Aging Neuroscience*, 6, 122. <https://doi.org/10.3389/fnagi.2014.00122>
- KARRASCH, M., SINERVÄ, E., GRÖNHOLM, P., RINNE, J. y LAINE, M. (2005). CERAD test performances in amnesic mild cognitive impairment and Alzheimer's disease. *Acta Neurologica Scandinavica*, 111, 172-179.
- KAVÉ, G., HEINIK, J. y BIRAN, I. (2012). Preserved morphological processing in semantic dementia. *Cognitive Neuropsychology*, 29, 550-568.
- KAVÉ, G. y LEVY, Y. (2003). Morphology in picture descriptions provided by persons with Alzheimer's disease. *Journal of Speech, Language, and Hearing Research*, 46, 341-352.
- (2004). Preserved morphological decomposition in persons with Alzheimer's disease. *Journal of Speech, Language, and Hearing Research*, 47, 835-847.
- (2005). The processing of morphology in old age: Evidence from Hebrew. *Journal of Speech, Language, and Hearing Research*, 48, 1442-1451.
- KAWANO, N., UMEGAKI, H., SUZUKI, Y., YAMAMOTO, S., MOGI, N. e IGUCHI A. (2010). Effects of educational background on verbal fluency task performance in older adults with Alzheimer's disease and mild cognitive impairment. *International Psychogeriatrics*, 22, 995-1002.
- KAY, D. W. K., BEAMISH, P. y ROTH, M. (1964). Old age mental disorders in Newcastle upon Tyne. Part I: A study of prevalence. *The British Journal of Psychiatry*, 110, 146-158.
- KEMMERER, D. (1999). Impaired comprehension of raising-to-subject constructions in Parkinson's disease. *Brain and Language*, 66, 311-328.

- KEMPLER, D., ALMOR, A., TYLER, L. K., ANDERSEN, E. S y MACDONALD, M. C. (1998). Sentence comprehension in Alzheimer's disease: A comparison of off-line vs. on-line sentence processing. *Brain and Language*, 64, 297-316.
- KEMPLER, D., CURTISS, S. y JACKSON, C. (1987). Syntactic preservation in Alzheimer's disease. *Journal of Speech and Hearing Research*, 30, 343-350.
- KEMPLER, D., METTER, E. J., RIEGE, W. H., JACKSON, C., BENSON, D. F. y HANSON, W. R. (1990). Slowly Progressive Aphasia: Three cases with language, memory, CT y PET data. *Journal of Neurology, Neurosurgery and Psychiatry*, 53, 987-993.
- KEMPER, S. (1987). Life-span changes in syntactic complexity. *Journal of Gerontology*, 42, 323-328.
- (1992). Adults' sentence fragments: Who, what, when, where, and why. *Communication Research*, 19, 444-458.
- KEMPER, S., GREINER, L., MARQUIS, J., PRENOVOST, K. y MITZNER, T. (2001). Language decline across the life span: Findings from the Nun Study. *Psychology and Aging*, 16, 227-239.
- KEMPER, S. y HARDEN, T. (1999). Disentangling what is beneficial about elderspeak from what is not. *Psychology and Aging*, 14, 656-670.
- KEMPER, S., HERMAN, R. y LIAN, C. (2003). Age differences in sentence production. *Journal of Gerontology: Psychological Sciences*, 58B: P260-P268.
- KEMPER, S., HERMAN, R. E. y LIU, C. J. (2004). Sentence production by young and older adults in controlled contexts. *Journal of Gerontology: Psychological Sciences*, 59B: P220-P224.
- KEMPER, S. y KEMTES, K. (1999). Limitations on syntactic processing. En S. Kemper y R. Kliegl (eds.), *Constraints on language: Aging, grammar, and memory* (pp. 79-106). Kluwer Academic Publishers.
- KEMPER, S., KYNETTE, D., RASH, S., SPROTT, R. A. y O'BRIEN, K. (1989). Life-span changes to adults' language: Effects of memory and genre. *Applied Psycholinguistics*, 10, 49-66.
- KEMPER, S., LABARGE, E., FARRARO, R., CHEUNG, H. y STORANDT, M. (1993). On the preservation of syntax in Alzheimer's disease. *Archives of Neurology*, 50, 81-86.
- KEMPER, S. y MCDOWD, J. (2006). Eye movements of young and older adults while reading with distraction. *Psychology and Aging*, 21, 32-39.
- KEMPER, S. y SUMNER, A. (2001). The structure of verbal abilities in young and older adults. *Psychology and Aging*, 16, 312-322.
- KEMPER, S., THOMPSON, M. y MARQUIS, J. (2001). Longitudinal change in language production: Effects of aging and dementia on grammatical complexity and propositional content. *Psychology and Aging*, 16, 600-614.
- KEMTES, K. A. y KEMPER, S. (1997). Younger and older adults' on-line processing of syntactically ambiguous sentences. *Psychology and Aging*, 12, 362-371.
- KERTESZ, A. (2011). The overlapping syndromes of the pick complex. *Current Alzheimer Research*, 8, 224-228.
- KERTESZ, A. y CLYDESDALE, S. (1994). Neuropsychological deficits in vascular dementia vs Alzheimer's disease: Frontal lobe deficits prominent in vascular dementia. *Archives of Neurology*, 51, 1226-1231.
- KERTESZ, A., DAVIDSON, W., MCCABE, P., TAKAGI, K. y MUÑOZ, D. (2003). Primary progressive aphasia: Diagnosis, varieties, evolution. *Journal of the International Neuropsychological Society*, 9, 710-719.
- KEW, J. J., GOLDSTEIN, L. H., LEIGH, P. N., ABRAHAMS, S., COSGRAVE, N., PASSINGHAM, R. E., FRACKOWIAK, R. S. y BROOKS, D. J. (1993). The relationship between abnormalities of

- cognitive function and cerebral activation in amyotrophic lateral sclerosis. A neuropsychological and positron emission tomography study. *Brain*, 116, 1399-1423.
- KIM, J. H. y McCANN, C. M. (2015). Communication impairments in people with progressive supranuclear palsy: A tutorial. *Journal of Communication Disorders*, 56, 76-87.
- KINDELL, J., SAGE, K., KEADY, J. y WILKINSON, R. (2013). Adapting to conversation with semantic dementia: Using enactment as a compensatory strategy in everyday social interaction. *International Journal of Language & Communication Disorders*, 48, 497-507.
- KINTZ, S., FERGADIOTIS, G. y WRIGHT, H. H. (2016). Aging effects on discourse production. En H. H. Wright (ed.), *Cognition, language and aging* (pp. 81-106). John Benjamins Publ. Co.
- KLONOFF, H., CLARK, C., OGER, J., PATY, D. y LI, D. (1991). Neuropsychological performance in patients with mild multiple sclerosis. *The Journal of Nervous and Mental Disease*, 179, 127-131.
- KLUGMAN, T. M. y ROSS, E. (2002). Perceptions of the impact of speech, language, swallowing, and hearing difficulties on quality of life of a group of South African persons with multiple sclerosis. *Folia Phoniatrica et Logopaedica*, 54, 201-221.
- KLUIN, K., GILMAN, S., FOSTER, N., SIMA, A., D'AMATO, C., BRUCH, L., BLUEMLEIN, L., LITTLE, R. y JOHANNIS, J. (2001). Neuropathological correlates of dysarthria in progressive supranuclear palsy. *Archives of Neurology*, 58, 265-269.
- KNIBB, J. A., WOOLLAMS, A. M., HODGES, J. R. y PATTERSON, K. (2009). Making sense of progressive non-fluent aphasia: An analysis of conversational speech. *Brain*, 132, 2734-2746.
- KOENIG, K. A., BEALL, E., PHILLIPS, M., STONE, L., ZIMBELMAN, J., RAO, S., RUTH, A. M. y LOWE, M. J. (2008). Phonological fluency and functional connectivity in multiple sclerosis. *Proceedings of the International Society for Magnetic Resonance in Medicine*, 16, 2134.
- KOFF, E., ZAITCHIK, D., MONTEPARE, J. y ALBERT, M. S. (1999). Emotion processing in the visual and auditory domains by patients with Alzheimer's disease. *Journal of the International Neuropsychological Society*, 5, 32-40.
- KONTIOLA, P., LAAKSONEN, R., SULKAVA, R. y ERKINJUNTTI, T. (1990). Pattern of language impairment is different in Alzheimer's disease and multi-infarct dementia. *Brain and Language*, 38, 364-383.
- KRAEMER, M., HEROLD, M., UEKERMANN, J., KIS, B., WILTFANG, J., DAUM, I., DZIOBEK, I., BERLIT, P., DIEHL, R. R. y ABDEL-HAMID, M. (2013). Theory of mind and empathy in patients at an early stage of relapsing remitting multiple sclerosis. *Clinical Neurology and Neurosurgery*, 115, 1016-1022.
- KRAL, V. A. (1962). Senescent forgetfulness: Benign and malignant. *Canadian Medical Association Journal*, 86, 257-260.
- KRAUS, J. A., SCHUTZE, C., BROKATE, B., KROGER, B., SCHWENDEMANN, G. y HILDEBRANDT, H. (2005). Discriminant analysis of the cognitive performance profile of MS patients differentiates their clinical course. *Journal of Neurology*, 252, 808-813.
- KUJALA, P., PORTIN, R. y RUUTIAINEN, J. (1996). Language functions in incipient cognitive decline in multiple sclerosis. *Journal of Neurological Sciences*, 141, 79-86.
- LAAKSO, K., BRUNNEGÅRD, K., HARTELIUS, L. y AHLSEN, E. (2000). Assessing high-level language in individuals with multiple sclerosis: A pilot study. *Clinical Linguistics & Phonetics*, 14, 329-349.

- LAATU, S., HAMALAINEN, P., REVONSUO, A., PORTIN, R. y RUUTIAINEN, J. (1999). Semantic memory deficit in multiple sclerosis; impaired understanding of conceptual meanings. *Journal of Neurological Sciences*, 162, 152-161.
- LABARGE, E., SMITH, D., DICK, L. y STORANDT, M. (1992). Agraphia in dementia of the Alzheimer type. *Archives of Neurology*, 49, 1151-1156.
- LACOUR, A., DE SEZE, J., REVENCO, E., LEBRUN, C., MASMOUDI, K., VIDRY, E., RUMBACH, L., CHATEL, M., VERIER, A. y VERMERSCH, P. (2004). Acute aphasia in multiple sclerosis: A multicenter study of 22 patients. *Neurology*, 62, 974-977.
- LAI, Y. (2014). Discourse features of Chinese-speaking seniors with and without Alzheimer's disease. *Language and Linguistics*, 15, 411-434.
- LAINNE, M., GOODGLASS, H., NIEMI, J., KOIVUSELKA-SALLINEN, P., TUOMAINEN, J. y MARTILA, R. (1993). Adaptation of the Boston Diagnostic Aphasia Examination and the Boston Naming Test into Finnish. *Scandinavian Journal of Logopedics and Phoniatrics*, 18, 83-92.
- LAINNE, M., LAAKSO, M., VUORINEN, E. y RINNE, J. (1998). Coherence and informativeness of discourse in two dementia types. *Journal of Neurolinguistics*, 11, 79-87.
- LAISNEY, M., BON, L., GUIZIOU, C., DALUZEAU, N., EUSTACHE, F. y DESGRANGES, B. (2013). Cognitive and affective theory of mind in mild to moderate Alzheimer's disease. *Journal of Neuropsychology*, 7, 107-120.
- LAMBERT, J., EUSTACHE, F., VIADER, F., DARY, M., RIOUX, P., LECHEVALIER, B. y TRAVERE, J. M. (1996). Agraphia in Alzheimer's disease: An independent lexical impairment. *Brain and Language*, 53, 222-233.
- LAMBERT, J., GIFFARD, B., NORE, F., DE LA SAYETTE, V., PASQUIER, F. y EUSTACHE, F. (2007). Central and peripheral agraphia in Alzheimer's disease: From the case of Auguste D. to a cognitive neuropsychology approach. *Cortex*, 43, 935-951.
- LAMBON RALPH, M. A., PATTERSON, K., GRAHAM, N., DAWSON, K. y HODGES, J. R. (2003). Homogeneity and heterogeneity in mild cognitive impairment and Alzheimer's disease: A cross-sectional and longitudinal study of 55 cases. *Brain*, 126, 2350-2362.
- LAMBON RALPH, M. A., SAGE, K., GREEN HEREDIA, C., BERTHIER, M. L., MARTINEZ-CUITINO, M., TORRALVA, T. y MANES, F. (2011). The impact of degraded semantic representations on knowledge of grammatical gender in semantic dementia. *Acta Neuropsychologica*, 9, 115-132.
- LANCASHIRE, I. y HIRST, G. (2009). Vocabulary changes in Agatha Christie's mysteries as an indication of dementia: A case study. *19th Annual Rotman Research Institute Conference, Cognitive Aging: Research and Practice*. https://www.researchgate.net/publication/242107161_Vocabulary_Changes_in_Agatha_Christie's_Mysteries_as_an_Indication_of_Dementia_A_Case_Study
- LANDAU, S. M., LAL, R., O'NEIL, J. P., BAKER, S. y JAGUST, W. J. (2009). Striatal dopamine and working memory. *Cerebral Cortex*, 19, 445-454.
- LANG, A. E. (1992). Cortical basal ganglionic degeneration presenting with "progressive loss of speech output and orofacial dyspraxia". *Journal of Neurology, Neurosurgery, and Psychiatry*, 55, 1101.
- LANGER-GOULD, A., BRARA, S. M., BEABER, B. E. y ZHANG, J. L. (2013). Incidence of multiple sclerosis in multiple racial and ethnic groups. *Neurology*, 80, 1734-1739.
- LARA, E. (2017). *Deterioro cognitivo leve y reserva cognitiva en una muestra representativa de la población española*. Tesis doctoral. Universitat de Barcelona.

- LARSSON, M. U., ALMKVIST, O., LUSZCZ, M. A. y WAHLIN, T.B. (2008). Phonemic fluency deficits in asymptomatic gene carriers for Huntington's disease. *Neuropsychology*, 22, 596-605.
- LAUNER, L. J., ANDERSEN, K., DEWEY, M. E., LETENNEUR, L., OTT, A., AMADUCCI, L. A., BRAYNE, C., COPELAND, J. R., DARTIGUES, J. F., KRAGH-SORENSEN, P., LOBO, A., MARTINEZ-LAGE, J. M., STIJNEN, T. y HOFMAN, A. (1999). Rates and risk factors for dementia and Alzheimer's disease: Results from EURODEM pooled analyses. EURODEM Incidence Research Group and Work Groups. *European Studies of Dementia. Neurology*, 52, 78-84.
- LAVER, G. D. y BURKE, D.M. (1993). Why do semantic priming effects increase in old age? A meta-analysis. *Psychology and Aging*, 8, 34-43.
- LE, X., LANCASHIRRE, I., HIRST, G. y JOKEL, R. (2011). Longitudinal detection of dementia through lexical and syntactic changes in writing: A case study of three British novelists. *Literary and Linguistic Computing*, 26, 435-461.
- LEBRUN, Y., DEVREUX, F. y ROUSSEAU, J. J. (1986). Language and speech in a patient with a clinical diagnosis of progressive supranuclear palsy. *Brain and Language*, 27, 47-56.
- LEE, J. (2017). Time course of lexicalization during sentence production in Parkinson's disease: Eye-tracking while speaking. *Journal of Speech, Language, and Hearing Research*, 60, 924-936.
- LEPOW, L., VAN SWERINGEN, J., STRUTT, A. M., JAWAID, A., MACADAM, C., HARATI, Y., SCHULZ, P. E. y YORK, M. K. (2010). Frontal and temporal lobe involvement on verbal fluency measures in amyotrophic lateral sclerosis. *Journal of Clinical and Experimental Neuropsychology*, 32, 913-922.
- LEPRON, E., PÉRAN, P., CARDEBAT, D. y DÉMONET, J. F. (2009). A PET study of word generation in Huntington's disease: Effects of lexical competition and verb-noun category. *Brain and Language*, 110, 49-60.
- LERAY, E., MOREAU, T., FROMONT, A. y EDAN, G. (2016). Epidemiology of multiple sclerosis. *Revue Neurologique*, 172, 3-13.
- LESLIE, F. V., HSIEH, S., CAGA, J., SAVAGE, S. A., MIOSHI, E., HORNBERGER, M., KIERNAN, M. C., HODGES, J. R. y BURRELL, J. R. (2015). Semantic deficits in amyotrophic lateral sclerosis. *Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration*, 16, 46-53.
- LETHLEAN, J. B. y MURDOCH, B. E. (1993). Language problems in multiple sclerosis. *Journal of Medical Speech-Language Pathology*, 1, 47-50.
- (1994). Naming errors in multiple sclerosis; support for a combined semantic-perceptual deficit. *Journal of Neurolinguistics*, 8, 207-223.
- (1997). Performance of subjects with multiple sclerosis on test of high-level language. *Aphasiology*, 11, 39-57.
- LEVY, R. (1994). Aging-associated cognitive decline. *International Psychogeriatrics*, 6, 63-68.
- (2008). Expectation-based syntactic comprehension. *Cognition*, 106, 1126-1177.
- LEWIS, R. L. y VASISHTH, S. (2005). An activation-based model of sentence processing as skilled memory retrieval. *Cognitive Sciences*, 29, 1-45.
- LEWIS, F. M., LAPOINTE, L. L., MURDOCH, B. E. y CHENERY, H. J. (1998). Language impairment in Parkinson's disease. *Aphasiology*, 12, 193-206.
- LHERMITTE, J., BOLLACK, J. y NICOLAS, M. (1924). Les douleurs à type décharge électrique consécutives à la flexion céphalique dans la sclérose en plaques. Un cas de la sclérose multiple. *Revue de Neurologie*, 31, 56-62.
- LIEBERMAN, P., FRIEDMAN, J. y FELDMAN, L. S. (1990). Syntax comprehension deficits in Parkinson's disease. *The Journal of Nervous and Mental Disease*, 178, 360-365.

- LIEBERMAN, P., KAKO, E., FRIEDMAN, J., TAICHMAN, G., FELDMAN, L. S. y JIMINEZ, E. B. (1992). Speech production, syntax comprehension, and cognitive deficits in Parkinson's disease. *Brain and Language*, 43, 169-189.
- LITVAN, I., AGID, Y., CALNE, D., CAMPBELL, G., DUBOIS, B., DUVOISIN, R. C., GOETZ, C. G., GOLBE, L. I., GRAFMAN, J., GROWDON, J. H., HALLETT, M., JANKOVIC, J., QUINN, N. P., TOLosa, E. y ZEE, D. S. (1996). Clinical research criteria for the diagnosis of progressive supranuclear palsy (Steele-Richardson-Olszewski syndrome): Report of the NINDS-SPSP International Workshop. *Neurology*, 47, 1-9.
- LITVAN, I., BHATIA, K. P., BURN, D. J., GOETZ, C. G., LANG, A. E., MCKEITH, I., QUINN, N., SETHI, K.D., SHULTS, C., WENNING, G. K. y MOVEMENT DISORDERS SOCIETY SCIENTIFIC ISSUES COMMITTEE. (2003). Movement Disorders Society Scientific Issues Committee report: SIC task force appraisal of clinical diagnostic criteria for Parkinsonian disorders. *Movement Disorders*, 18, 467-486.
- LLAU, M. J. y GONZÁLEZ, J. (2004). Medida de la inteligibilidad en el habla disártrica. *Revista de Logopedia, Foniatría y Audiología*, 24, 33-43.
- LOBO, A., LAUNER, L. J., FRATIGLIONI, L., ANDERSEN, K., DI CARLO, A., BRETILER, M. M., COPPELAND, J. R., DARTIGUES, J. F., JAGGER, C., MARTÍNEZ-LAGE, J., SOININEN, H. y HOFMAN, A. (2000). Prevalence of dementia and major subtypes in Europe: A collaborative study of population-based cohorts. Neurologic Diseases in the Elderly Research Group. *Neurology*, 54, S4-9.
- LOBO, A., LÓPEZ-ANTÓN, R., SANTABARBARA, J., DE LA CAMARA, C., VENTURA, T., QUINTANILLA, M. A., ROY, J. F., CAMPAYO, A. J., LOBO, E., PALOMO, T., RODRIGUEZ-JIMÉNEZ, R., SAZ, P. y MARCOS, G. (2011). Incidence and lifetime risk of dementia and Alzheimer's disease in a Southern European population. *Acta Psychiatrica Scandinavica*, 124, 372-383.
- LOGEMANN, J. A. y FISHER, H. B. (1981). Vocal tract control in Parkinson's disease: Phonetic feature analysis of misarticulations. *Journal of Speech and Hearing Disorders*, 46, 348-352.
- LOGEMANN, J. A., FISHER, H. B., BOSHES, B. y BLONSKY, E. R. (1978). Frequency and cooccurrence of vocal tract dysfunctions in the speech of a large sample of Parkinson patients. *Journal of Speech and Hearing Disorders*, 43, 47-57.
- LOGSDON, R. G., GIBBONS, L. E., MCCURRY, S. M. y TERI, L. (1999). Quality of life in Alzheimer's disease: Patient and caregiver reports. *Journal of Mental Health and Aging*, 5, 21-32.
- LONGWORTH, C. E., KEENAN, S. E., BARKER, R. A., MARSLÉN-WILSON, W. D. y TYLER, L. K. (2005). The basal ganglia and rule-governed language use: Evidence from vascular and degenerative conditions. *Brain*, 128, 584-596.
- (2005). The basal ganglia and rule-governed language use: Evidence from vascular and degenerative conditions. *Brain*, 128, 584-596.
- LONIE, J. A., TIERNEY, K. M., HERRMANN, L. L., DONAGHY, C., O'CARROLL, R. E., LEE, A. y EBMEIER, K. P. (2009). Dual task performance in early Alzheimer's disease, amnesic mild cognitive impairment and depression. *Psychological Medicine*, 39, 23-31.
- LOPES, R., MOLDES, P., PINTO, A. y FERNANDES, L. (2011). Caso de demencia vascular. *Psicogeriatría*, 3, 45-49.
- LÓPEZ-ÁLVAREZ, J. y AGÜERA-ORTIZ, L. F. (2015). Nuevos criterios diagnósticos de la demencia y la enfermedad de Alzheimer: una visión desde la psicogeriatría. *Psicogeriatría*, 5, 3-14.

- LÓPEZ-HIGES, R., PRADOS, J. M., MONTEJO, P., MONTENEGRO, M y LOZANO, M. (2014). Is there a grammatical comprehension deficit in multidomain mild cognitive impairment? *Universitas Psychologica*, 13, 1569-1579.
- LÓPEZ-POUSA, S., VILALTA-FRANCH, J., LLINAS-REGLA, J., GARRE-OLMO, J. y ROMAN, G. C. (2004). Incidence of dementia in a rural community in Spain: The Girona cohort study. *Neuroepidemiology*, 23, 170-177.
- LÓPEZ-VEGA, J. M., CALLEJA, J., COMBARROS, O., POLO, J. M. y BERCIANO, J. (1988). Motor neuron disease in Cantabria. *Acta Neurologica Scandinavica*, 77, 1-5.
- LOVE, T. y OSTER, E. (2002). On the categorization of aphasic typologies: The SOAP (a test of syntactic complexity). *Journal of Psycholinguist Research*, 31, 503-529.
- LU, C. S., IKEDA, A., TERADA, K., MIMA, T., NAGAMINE, T., FUKUYAMA, H., KOHARA, N., KOJIMA, Y., YONEKURA, Y., CHEN, R. S., TSAI, C. H., CHU, N. S., KIMURA, J. y SHIBASAKI, H. (1998). Electrophysiological studies of early stage corticobasal degeneration. *Movement Disorders*, 13, 140-146.
- LUCE, P. A. y PISONI, D. B. (1998). Recognizing spoken words: The neighborhood activation model. *Ear & Hearing*, 19, 1-36.
- LUCK, T., RIEDEL-HELLER, S. G., KADUSZKIEWICZ, H., BICKEL, H., JESSEN, F., PENTZEK, M., WIESE, B., KOELSCH, H., VAN DEN BUSSCHE, H., ABHOLZ, H. H., MOESCH, E., GORFER, S., ANGERMEYER, M. C., MAIER, W., WEYERER, S. y THE AGECoDe GROUP. (2007). Mild cognitive impairment in general practice: Age-specific prevalence and correlate results from the German study on ageing, cognition and dementia in primary care patients (AgeCoDe). *Dementia and Geriatric Cognitive Disorders*, 24, 307-316.
- LUCK, T., RIEDEL-HELLER, S. G., LUPPA, M., WIESE, B., WOLLNY, A., WAGNER, M., BICKEL, H., WEYERER, S., PENTZEK, M., HALLER, F., MOESCH, E., WERLE, J., EISELE, M., MAIER, W., VAN DEN BUSSCHE, H. y KADUSZKIEWICZ, H. (2010). AgeCoDe Study Group. Risk factors for incident mild cognitive impairment--results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *Acta Psychiatrica Scandinavica*, 121, 260-272.
- LUDLOW, C. L., CONNOR, N. P. y BASSICH, C. J. (1987). Speech timing in Parkinson's and Huntington's disease. *Brain and Language*, 32, 195-214.
- LUKATELA, K., MALLOY, P., JENKINS, M. y COHEN, R. (1998). The naming deficit in early Alzheimer's and vascular dementia. *Neuropsychology*, 12, 565-572.
- LUZZATTI, C., LAIACONA, M. y AGAZZI, D. (2003). Multiple patterns of writing disorders in dementia of the Alzheimer type and their evolution. *Neuropsychologia*, 41, 759-772.
- LYKETSOS, C., LOPEZ, O., JONES, B., FITZPATRICK, A., BREITNER, J. y DEKOSKY, S. (2002). Prevalence of neuropsychiatric symptoms in dementia and mild cognitive impairment: Results from the Cardiovascular HealthStudy. *JAMA*, 288, 1475-1483.
- LYONS, K., KEMPER, S., LABARGE, E., FERRARO, F. R., BALOTA, D. y STORANDT, M. (1994). Oral language and Alzheimer's disease: A reduction in syntactic complexity, *Aging, Neuropsychology, and Cognition*, 1, 271-281.
- MA, J., ZHANG, Y y GUO, Q. (2015). Comparison of vascular cognitive impairment - no dementia by multiple classification methods. *International Journal of Neuroscience*, 125, 823-830.
- MACHADO-GOYANO MAC-KAY, A. P., MARTÍNEZ SOTELO, C., GUTIÉRREZ, D. y FIGUEROA, A. (2018). Análisis de la funcionalidad discursivo-pragmática en adultos mayores sanos y con demencia leve. *Logos*, 28, 192-205

- MACDONALD, P. A., MACDONALD, A. A., SEERGOBIN, K. N., TAMJEEDI, R., GANJAVI, H., PROVOST, J. S. y MONCHI, O. (2011). The effect of dopamine therapy on ventral and dorsal striatum-mediated cognition in Parkinson's disease: Support from functional MRI. *Brain*, 134, 1447-1463.
- MACK, J. E., CHANDLER, S. D., MELTZER-ASSCHER, A., ROGALSKI, E., WEINTRAUB, S., MESULAM, M. M. y THOMPSON, C. K. (2015). What do pauses in narrative production reveal about the nature of word retrieval deficits in PPA? *Neuropsychologia*, 77, 211-222.
- MACK, J. E., MELTZER-ASSCHER, A., CHANDLER, S., WEINTRAUB, S., MESULAM, M. M. y THOMPSON, C. K. (2013). Word-finding pauses in primary progressive aphasia (PPA): Effects of lexical category. *Procedia Social and Behavioral Sciences*, 94. <https://doi.org/10.1016/j.sbspro.2013.09.062>
- MACKEY, A., CONNOR, L. T. y STORANDT, M. (2005). Dementia does not explain correlation between age and scores on Boston Naming Test. *Archives of Clinical Neuropsychology*, 20, 129-133.
- MACKEY, D. G. y ABRAMS, L. (1998). Age-linked declines in retrieving orthographic knowledge: Empirical, practical, and theoretical implications. *Psychology and Aging*, 13, 647-662.
- MACKEY, D. G. y JAMES, L. E. (2004). Sequencing, speech production, and selective effects of aging on phonological and morphological speech errors. *Psychology and Aging*, 19, 93-107.
- MACKENZIE, C. (2000). The relevance of education and age in the assessment of discourse comprehension. *Clinical Linguistics and Phonetics*, 14, 151-161.
- MACKENZIE, C. y GREEN, J. (2009). Cognitive-linguistic deficit and speech intelligibility in chronic progressive multiple sclerosis. *International Journal of Language & Communication Disorders*, 44, 401-420.
- MACOIR, J., FOSSARD, M., MÉRETTE, C., LANGLOIS, M., CHANTAL, S. y AUCLAIR-OUELLET, N. (2013). The role of basal ganglia in language production: Evidence from Parkinson's disease. *Journal of Parkinson's Disease*, 3, 393-397.
- MACOIR, J., LAVOIE, M., LAFORCE, R. JR., BRAMBATI, S. M. y WILSON, M. A. (2017). Dysexecutive symptoms in primary progressive aphasia: Beyond diagnostic criteria. *Journal of Geriatric Psychiatry and Neurology*, 30, 151-161.
- MADDEN, D. G. (1992). Four to ten milliseconds per year: Age-related slowing of visual word identification. *Journal of Gerontology: Psychological Sciences*, 47, P59-P68.
- MAGHZI, A. H., ETEMADIFAR, M. y SAADATNIA, M. (2007). Clinical and demographical characteristics of primary progressive multiple sclerosis in Isfahan, Iran. *European Journal of Neurology*, 14, 403-407.
- MAGNIN, E., DÉMONET, J. F., WALLON, D., DUMURGIER, J., TROUSSIÈRE, A. C., JAGER, A., DURON, E., GABELLE, A., DE LA SAYETTE, V., VOLPE-GILLOT, L., TIO, G., EVAIN, S., BOUTOLEAU-BRETONNIÈRE, C., ENDERLE, A., MOUTON-LIGER, F., ROBERT, P., HANNEQUIN, D., PASQUIER, F., HUGON, J., PAQUET, C. y ePLM COLLABORATORS. (2016). Primary progressive aphasia in the network of French Alzheimer Plan Memory Centers. *Journal of Alzheimer's Disease*, 54, 1459-1471.
- MAHANT, N., MCCUSKER, E. A., BYTH, K., GRAHAM, S. y THE HUNTINGTON STUDY GROUP. (2003). Huntington's disease: Clinical correlates of disability and progression. *Neurology*, 61, 1085-1092.

- MAHAPATRA, R. K., EDWARDS, M. J., SCHOTT, J. M. y BHATIA, K. P. (2004). Corticobasal degeneration. *The Lancet Neurology*, 3, 736-743.
- MAHER, E. R., SMITH, E. M. y LEES, A. J. (1985). Cognitive deficits in the Steele-Richardson-Olszewski syndrome (progressive supranuclear palsy). *Journal of Neurology, Neurosurgery, and Psychiatry*, 48, 1234-1239.
- MAK, E., CHIN, R., NG., L. T., YEO, D. y HAMEED, S. (2015). Clinical associations of anosognosia in mild cognitive impairment and Alzheimer's disease. *International Journal of Geriatric Psychiatry*, 30, 1207-1214.
- MAKI, Y., YAMAGUCHI, T., KOEDA, T. y YAMAGUCHI, H. (2013). Communicative competence in Alzheimer's disease: Metaphor and sarcasm comprehension. *American Journal of Alzheimer's Disease & Other Dementias*, 28, 69-74.
- MAKKONEN, T., RUOTTINEN, H., PUHTO, R., HELMINEN, M. y PALMIO, J. (2018). Speech deterioration in amyotrophic lateral sclerosis (ALS) after manifestation of bulbar symptoms. *International Journal of Language and Communication Disorders*, 53, 385-392.
- MANLY, J. J., BELL-McGINTY, S., TANG, M. X., SCHUPF, N., STERN, Y. y MAYEUX, R. (2005). Implementing diagnostic criteria and estimating frequency of mild cognitive impairment in an urban community. *Archives of Neurology*, 62, 1739-1746.
- MANLY, J. J., TANG, M. X., SCHUPF, N., STERN, Y., VONSATTEL, J. P. G. y MAYEUX, R. (2008). Frequency and course of mild cognitive impairment in a multiethnic community. *Annals of Neurology*, 63, 494-506.
- MANOUILIDOU, C., DOLENC, B., MARVIN, T. y PIRTOŠEK, Z. (2015). Processing complex pseudo-words in mild cognitive impairment: The interaction of preserved morphological rule knowledge with compromised cognitive ability. *Clinical Linguistics & Phonetics*. <https://doi.org/10.3109/02699206.2015.1102970>.
- MANTOVAN, M. C., BAGGIO, L., DALLA BARBA, G., SMITH, P., PEGORARO, E., SORARU, G., BONOMETTO, P. y ANGELINI, C. (2003). Memory deficits and retrieval processes in ALS. *European Journal of Neurology*, 10, 221-227.
- MAO-DRAAYER, Y. y PANITCH, H. (2004). Alexia without agraphia in multiple sclerosis: Case report with magnetic resonance imaging localization. *Multiple Sclerosis*, 10, 705-707.
- MARCH, E. G., WALES, R. y PATTISON, P. (2006). The uses of nouns and deixis in discourse production in Alzheimer's disease. *Journal of Neurolinguistics*, 19, 311-340.
- MARCÓ-GARCÍA, S., FERRER-QUINTERO, M., USALL, J., OCHOA, S., DEL CACHO, N. y HUERTA-RAMOS, E. (2019). Reconocimiento facial de emociones en trastornos neurológicos: una revisión narrativa. *Revista de Neurología*, 69, 207-219.
- MARCOTTE, K., GRAHAM, N. L., FRASER, K.C., MELTZER, J. A., TANG-WAI, D. F., CHOW, T. W., FREDMAN, M., LEONARD, C., BLACK, S. E. y ROCHON, E. (2017). White matter disruption and connected speech in non-fluent and semantic variants of primary progressive aphasia. *Dementia and Geriatric Cognitive Disorders Extra*, 7, 52-73.
- MARINI, A., BOEWE, A., CALTAGIRONE, C. y CARLOMAGNO, S. (2005). Age-related differences in the production of textual descriptions. *Journal of Psycholinguistic Research*, 34, 439-463.
- MARSHALL, C. R., HARDY, C. J. D., VOLKMER, A., RUSSELL, L. L., BOND, R. L., FLETCHER, P. D., CLARK, C. N., MUMMERY, C. J., SCHOTT, J. M., ROSSOR, M. N., FOX, N. C., CRUTCH, S. J., ROHRER, J. D. y WARREN, J.D. (2018). Primary progressive aphasia: A clinical approach. *Journal of Neurology*, 265, 1474-1490.

- MARTÍN-SÁNCHEZ, V. M. (2020). Similitudes y diferencias en el déficit lingüístico de dos casos de Huntington con variables médicas similares. *Pragmalingüística*, iextra 2.14. <https://doi.org/10.25267/Pragmalinguistica.2020.iextra2.14>
- MARTÍNEZ-ALTARRIBA, M. C., RAMOS-CAMPOY, O., LUNA-CALCAÑO, I. M. y ARRIETA-ANTÓN, E. (2015). Revisión de la esclerosis múltiple (2). Diagnóstico y tratamiento. *Medicina de Familia*, 41,324-328.
- MARTÍNEZ, C. y NOEMI PADILLA, C. (2016). Reformulación conversacional en adultos mayores. *Humanidades Médicas*, 16, 227-245.
- MARTÍNEZ-HORTA, S., PÉREZ-PÉREZ, J., DUIJN, E., FERNÁNDEZ-BOBADILLA, R., CARCELLER, M., PAGONABARRAGA, J., PASCUAL-SEDANO, B., CAMPOLONGO, A., RUIZ-IDIAGO, J., SAMPE-DRO,F., LANDWEHRMEYER, G. B. y SPANISH REGISTRY INVESTIGATORS OF THE EUROPEAN HUNTINGTON'S DISEASE NETWORK JAIME KULISEVSKY. (2016). Neuropsychiatric symptoms are very common in premanifest and early stage Huntington's disease. *Parkinsonism & Related Disorders*, 25, 58-64.
- MARTÍNEZ RODRÍGUEZ, C. (2015). *El deterioro de la escritura en lengua española en la enfermedad de Alzheimer*. Tesis doctoral. Universidad de Oviedo.
- MARTÍNEZ-SÁNCHEZ, F. (2010). Trastornos del habla y la voz en la enfermedad de Parkinson. *Revista de Neurología*, 51, 542-550.
- MASSOUD, F., CHERTKOW, H., WHITEHEAD, V., OVERBURY, O. y BERGMAN, H. (2002). Word-reading thresholds in Alzheimer disease and mild memory loss: A pilot study. *Alzheimer Disease and Associated Disorders*, 16, 31-39.
- MATÍAS-GUIU, J. A., CUETOS, F., CABRERA-MARTÍN, M.^a N., VALLES-SALGADO, M., MORENO-RAMOS, T., CARRERAS, J. L. y MATÍAS-GUIU, J. (2017). Reading difficulties in primary progressive aphasia in a regular language-speaking cohort of patients. *Neuropsychologia*, 101, 132-140.
- MATÍAS-GUIU, J. A. y GARCÍA-RAMOS, R. (2013). Primary progressive aphasia: From syndrome to disease. *Neurología*, 28, 366-374.
- MATÍAS-GUIU, J. A., CABRERA-MARTÍN, M. N., MORENO-RAMOS, T., GARCÍA-RAMOS, R., PORTA-ETESSAM, J., CARRERAS, J. L. y MATÍAS-GUIU, J. (2015). Clinical course of primary progressive aphasia: Clinical and FDG-PET patterns. *Journal of Neurology*, 262, 570-577.
- MATÍAS-GUIU, J. A., SUÁREZ-COALLA, P., PYTEL, V., CABRERA-MARTÍN, M. N., MORENO-RAMOS, T., DELGADO-ALONSO, C., DELGADO-ÁLVAREZ, A., MATÍAS-GUIU, J. y CUETOS, F. (2020). Reading prosody in the non-fluent and logopenic variants of primary progressive aphasia. *Cortex*, 132, 63-78.
- MATISON, R., MAYEUX, R., ROSEN, J. y FAHN, S. (1982). "Tip-of-the-tongue" phenomenon in Parkinson disease. *Neurology*, 32, 567-570.
- MAURAGE, P., HEEREN, A., LAHAYE, M., JEANJEAN, A., GUETTAT, L., VERELLEN-DUMOULIN, C., HALKIN, S., BILLIEUX, J. y CONSTANT, E. (2017). Attentional impairments in Huntington's disease: A specific deficit for the executive conflict. *Neuropsychology*, 31, 424-436.
- MAXIM, J. y BRYAN, K. (1994). *Language of the elderly: A clinical perspective*. Whurr.
- MCCARTHY, R. A. y WARRINGTON, E. K. (2001). Repeating without semantics: surface dysphasia? *Neurocase*, 7, 1-77.
- MCDONALD, W. I., COMPSTON, A., EDAN, G., GOODKIN, D., HARTUNG, H. P., LUBLIN, F. D., MCFARLAND, H. F., PATY, D. W., POLMAN, C.H., REINGOLD, S. C., SANDBERG-WOLLHEIM, M., SIBLEY, W., THOMPSON, A., VAN DEN NOORT, S., WEINSHENKER, B. Y. y WOLINSKY, J. S. (2001). Recommended diagnostic criteria for multiple sclerosis: Guidelines from

- the International Panel on the diagnosis of multiple sclerosis. *Annals of Neurology*, 50, 121-127.
- MCDONNELL, G. V. y HAWKINS, S. A. (1998). Clinical study of primary progressive multiple sclerosis in Northern Ireland, UK. *Journal of Neurology, Neurosurgery, and Psychiatry*, 64, 451-454.
- MCGINNIS, D. y ZELINSKI, E. M. (2003). Understanding unfamiliar words in young, young-old, and old-old adults: Inferential processing and the abstraction-deficit hypothesis. *Psychology and Aging*, 18, 497-509.
- MCGUINNESS, B., BARRETT, S. L., CRAIG, D., LAWSON, J. y PASSMORE, A. P. (2010). Executive functioning in Alzheimer's disease and vascular dementia. *International Journal of Geriatric Psychiatry*, 25, 562-568.
- MCKINLAY, A., GRACE, R. C., DALRYMPLE-ALFORD, J. C. y ROGER, D. (2010). Characteristics of executive function impairment in Parkinson's disease patients without dementia. *Journal of the International Neuropsychological Society*, 16, 268-277.
- MENAMARA, P. y DURSO, R. (2003). Pragmatic communication skills in patients with Parkinson's disease. *Brain and Language*, 84, 414-423.
- MENAMARA, P., KRUEGER, M., O'QUIN, K., CLARK, J. y DURSO, R. (1996). Grammaticality judgments and sentence comprehension in Parkinson's disease: A comparison with Broca's aphasia. *International Journal of Neuroscience*, 86, 151-166.
- MENICHOLAS, N., O'CONNELL, K., YAP, S. M., KILLEEN, R. P., HUTCHINSON, M. y MCGUIGAN, C. (2018). Cognitive dysfunction in early multiple sclerosis: A review. *QJM*, 111, 359-364.
- MENTIS, M., BRIGGS-WHITTAKER, J. y GRAMIGNA, G. (1995). Discourse topic management in senile dementia of the Alzheimer's type. *Journal of Speech and Hearing Research*, 38, 1054-1066.
- MESSER, R. (2015). Pragmatic language changes during normal aging: Implications for health care. *Healthy Aging & Clinical Care in the Elderly*, 7, 1-7.
- MESULAM, M. M. (1982). Slowly progressive aphasia without generalized dementia. *Annals of Neurology*, 11, 592-598.
- (2001). Primary progressive aphasia. *Annals of Neurology*, 49, 425-432.
- (2003). Primary progressive aphasia—a language-based dementia. *New England Journal of Medicine*, 349, 1535-1542.
- MESULAM, M., WICKLUND, A., JOHNSON, N., ROGALSKI, E., LEGER, G. C., RADEMAKER, A. y BIGIO, E. H. (2008). Alzheimer and frontotemporal pathology in subsets of primary progressive aphasia. *Annals of Neurology*, 63, 709-719.
- MESULAM, M. M., ROGALSKI, E. J., WIENEKE, C., HURLEY, R. S., GEULA, C., BIGIO, E. H., THOMPSON, C. K. y WEINTRAUB, S. (2014). Primary progressive aphasia and the evolving neurology of the language network. *Nature Reviews Neurology*, 10, 554-569.
- METTER, E. J. y HANSON, W. R. (1986). Clinical and acoustical variability in hypokinetic dysarthria. *Journal of Communication Disorders*, 19, 347-366.
- MIDI, I., DOGAN, M., PATAM Y. S., KOCAK, I., MOLLAHANNOGLU, A. y TUNCER, N. (2011). The effects of verbal reaction time in Alzheimer's disease. *Laryngoscope*, 121, 1495-1503.
- MIKE, A., STRAMMER, E., ARADI, M., ORSI, G., PERLAKI, G., HAJNAL, A., SANDOR, J., BANATI, M., ILLES, E., ZAITSEV, A., HEROLD, R., GUTTMANN, C. R. G. e ILLES, Z. (2013). Disconnection mechanism and regional cortical atrophy contribute to impaired processing of facial expressions and theory of mind in multiple sclerosis: A structural MRI study. *PLoS One*, 8, e82422. <https://doi.org/10.1371/journal.pone.0082422>

- MIKOL, J. (2018). History of Pick's disease. *Revue Neurologique*, 174, 740-741.
- MILLER, L. M. S., STINE-MORROW, E. A. L., KIRKORIAN, H. L. y CONROY, M. L. (2004). Adult age differences in knowledge-driven reading. *Journal of Educational Psychology*, 96, 811-821.
- MILLER, M. D. y JOHNSON, J. S. (2004). Phonological and lexical-semantic short-term memory and their relationship to sentence production in older adults. *Aging, Neuropsychology, and Cognition*, 11, 395-415.
- MILLER, Z. A., MANDELLI, M. L., RANKIN, K. P., HENRY, M. L., BABIAK, M. C., FRAZIER, D. T., LOBACH, I. V., BETTCHER, B. M., WU, T. Q., RABINOVICI, G. D., GRAFF-RADFORD, N. R., MILLER, B. L. y GORNO-TEMPINI, M. L. (2013). Handedness and language learning disability differentially distribute in progressive aphasia variants. *Brain*, 136, 3461-3473.
- MINISTERIO DE SANIDAD (2017). *Guía para la atención de la esclerosis lateral amiotrófica (ELA) en España*. <https://www.sanidad.gob.es/profesionales/prestacionesSanitarias/publicaciones/ELA.htm>
- MIRANDA-SIVELO, A., CÁMARA-BARRIO, S. y MARTÍN-POLO, J. (2012). Aspectos neuropsiquiátricos de la parálisis supranuclear progresiva: análisis de un caso. *Psiquiatría Biológica*, 19, 62-64.
- MISHRA, S. K., KHOSA, S. y MURTHY, K. (2020). Historical perspective of progressive supranuclear palsy (Steele-Richardson-Olszewski syndrome). *Neurology*, 94, 2190. https://n.neurology.org/content/94/15_Supplement/2190
- MITCHELL, A. J. y SHIRI-FESHKI, M. (2008). Temporal trends in the long term risk of progression of mild cognitive impairment: A pooled analysis. *Journal of Neurology, Neurosurgery, and Psychiatry*, 79, 1386-1391.
- MONETTA, L., GRINDROD, C. M. y PELL, M. D. (2009). Irony comprehension and theory of mind deficits in patients with Parkinson's disease. *Cortex*, 45, 972-981.
- MONETTA, L. y PELL, M. D. (2007). Effects of verbal working memory deficits on metaphor comprehension in patients with Parkinson's disease. *Brain and Language*, 101, 80-89.
- MONFORT, M. y JUÁREZ, A. (2001). *Test de inteligibilidad*. Entha.
- MONTALBAN, X., TINTORÉ, M., SWANTON, J., BARKHOF, F., FAZEKAS, F., FILIPPI, M., FREDERIKSEN, J., KAPPOS, L., PALACE, J., POLMAN, C., ROVARIS, M., DE STEFANO, N., THOMPSON, A., YOUSRY, T., ROVIRA, A. y MILLER, D. H. (2010). MRI criteria for MS in patients with clinically isolated syndromes. *Neurology*, 74, 427-434.
- MONTEMBEAULT, M., BRAMBATI, S. M., GORNO-TEMPINI, M. L. y MIGLIACCIO, R. (2018). Clinical, anatomical and pathological features in the three variants of primary progressive aphasia: A review. *Frontiers in Neurology*, 9, 692. <https://doi.org/10.3389/fneur.2018.00692>
- MOORE, P., DENNIS, K. y GROSSMAN, M. (2003). Confrontation naming in aphasic and nonaphasic patients with frontotemporal dementia. *Brain and Language*, 87, 35-36.
- MOREAU, C., OZSANCAK, C., BLATT, J. L., DERAMBURE, P., DESTEE, A. y DEFEBVRE, L. (2007). Oral festination in Parkinson's disease: Biomechanical analysis and correlation with festination and freezing of gait. *Movement Disorders*, 30, 1503-1506.
- MORENO, M. J. G., GARCÍA, M. C., MARASESCU, R., GONZÁLEZ, A. P. y BENITO, Y. A. (2013). Neuropsychological syndromes in multiple sclerosis. *Psicothema*, 25, 452-460.
- MORENO MOYA, L. (2016). *Esclerosis múltiple. Manifestaciones clínicas, diagnóstico, tratamiento y estudio poblacional*. Trabajo de fin de grado. Universidad de Alcalá.

- MORRIS, J. C., STORANDT, M., MILLER, J. P., McKEEL, D. W., PRICE, J. L., RUBIN, E. H. y BERG, L. (2001). Mild cognitive impairment represents early-stage Alzheimer's disease. *Archives of Neurology*, 58, 397-405.
- MORRISON, C. M., HIRSH, K. W. y DUGGAN, G. B. (2003). Age of acquisition, ageing, and verb production: Normative and experimental data. *Quarterly Journal of Experimental Psychology: Human Experimental Psychology*, 56, 705-730.
- MORTENSEN, L., MEYER, A. S. y HUMPHREYS, G. W. (2006). Age-related slowing of object naming: A review. *Language and Cognitive Processes*, 21, 238-290.
- MOSS, S., POLIGNANO, E., WHITE, C., MINICHELLO, M. y SUNDERLAND, T. (2002). Reminiscence group activities and discourse interaction in Alzheimer's disease. *Journal of Gerontological Nursing*, 28, 26-44.
- MUELLER, K. D., HERMANN, B., MECOLLARI, J. y TURKSTRA, L. S. (2018). Connected speech and language in mild cognitive impairment and Alzheimer's disease: A review of picture description tasks. *Journal of Clinical and Experimental Neuropsychology*, 40, 917-939.
- MULET, B., SÁNCHEZ-CASAS, R., ARRUFAT, M. T., FIGUERA, L., LABAD, A. y ROSICH, M. (2005). Deterioro cognitivo ligero anterior a la enfermedad de Alzheimer: tipologías y evolución. *Psicothema*, 17, 250-256.
- MÜLLER, N. y GUENDOUZI, J. (2005). Order and disorder in conversation: Encounters with dementia of the Alzheimer's type. *Clinical Linguistics and Phonetics*, 19, 393-404.
- MÜLLER, J., WENNING, G. K., VERNY, M., MCKEE, A., CHAUDHURI, K. R., JELLINGER, K., POEWE, W. y LITVAN, I. (2001). Progression of dysarthria and dysphagia in postmortem-confirmed parkinsonian disorders. *Archives of Neurology*, 58, 259-264.
- MURDOCH, B., CHENERY, H., WILKS, V. y BOYLE, R. (1987). Language disorders in dementia of the Alzheimer type. *Brain and Language*, 31, 122-137.
- MURILLO-BONILLA, L. M. (2019). Deterioro cognitivo vascular. *Revista de Medicina Clínica*, 3, 137-141.
- MURPHY, D. R., DANEMAN, M. y SCHNEIDER, B.A. (2006). Why do older adults have difficulty following conversations? *Psychology and Aging*, 21, 49-61.
- MURPHY, R., O'DONOGHUE, S., COUNIHAN, T., McDONALD, C., CALABRESI, P. A., AHMED, M. A., KAPLIN, A. y HALLAHAN, B. (2017). Neuropsychiatric syndromes of multiple sclerosis. *Journal of Neurology, Neurosurgery, and Psychiatry*, 88, 697-708.
- MURRAY, L. L. (1998). Longitudinal treatment of primary progressive aphasia: A case study. *Aphasiology*, 12, 651-672.
- (2000). Spoken language production in Huntington's and Parkinson's diseases. *Journal of Speech, Language, and Hearing Research*, 43, 1350-1366.
- (2008). Language and Parkinson's disease. *Annual Review of Applied Linguistics*, 28, 113-127.
- MURRAY, L. L. y LENZ, L. P. (2001). Productive syntax abilities in Huntington's and Parkinson's diseases. *Brain and Cognition*, 46, 213-219.
- MURRAY, L. L. y RUTLEDGE, S. (2014). Reading comprehension in Parkinson's disease. *American Journal of Speech-Language Pathology*, 23, S246-258.
- MURRAY, L. L. y STOUT, J. C. (1999) Discourse comprehension in Huntington's and Parkinson's diseases. *American Journal of Speech Language Pathology*, 8, 137-148.
- MURRAY, R., KOENIG, P., ANTANI, S., MCCAWLEY, G. y GROSSMAN, M. (2007). Lexical acquisition in progressive aphasia and frontotemporal dementia. *Cognitive Neuropsychology*, 24, 48-69.

- MURRAY, R., NEUMANN, M., FORMAN, M. S., FARMER, J., MASSIMO, L., RICE, A., MILLER, B. L., JOHNSON, J. K., CLARK, C. M., HURDIG, H. I., GORNO-TEMPINI, M. L., LEE, V. M., TROJANOWSKI, J. Q. y GROSSMAN, M. (2007). Cognitive and motor assessment in autopsy-proven corticobasal degeneration. *Neurology*, 68, 1274-1283.
- MURRAY, T. J. (2004). *Multiple sclerosis: The history of a disease*. Demos Medical Publ.
- MYERSON, J., FERRARO, F. R., HALE, S. y LIMA, S. D. (1992). The role of general slowing in semantic priming and word recognition. *Psychology and Aging*, 7, 257-270.
- NARME, P., MOURAS, H., ROUSSEL, M., DURU, C., KRYSKOWIAK, P. y GODEFROY, O. (2013). Emotional and cognitive social processes are impaired in Parkinson's disease and are related to behavioral disorders. *Neuropsychology*, 27, 182-192.
- NATH, U., BEN-SHLOMO, Y., THOMSON, R. G., MORRIS, H. R., WOOD, N. W., LEES, A. J. y BURN, D. J. (2001). The prevalence of progressive supranuclear palsy (Steele-Richardson-Olszewski syndrome) in the UK. *Brain*, 124, 1438-1449.
- NEARY, D., SNOWDEN, J. S., MORTHEM, B. y GOULDING, P. (1988). Dementia of frontal lobe type. *Journal of Neurology, Neurosurgery, and Psychiatry*, 51, 353-361.
- NEARY, D., SNOWDEN, J. S., GUSTAFSON, L., PASSANT, U., STUSS, D., BLACK, S., FREEDMAN, M., KERTESZ, A., ROBERT, P. H., ALBERT, M., BOONE, K., MILLER, B. L., CUMMINGS, J. y BENSON, D. F. (1998). Frontotemporal lobar degeneration: A consensus on clinical diagnostic criteria. *Neurology*, 51, 1546-1554.
- NEGREIROS, M. A., MATTOS P., LANDEIRA-FERNÁNDEZ J., PAES R. A. y ALVARENGA, R. P. (2008). A brief neuropsychological screening test battery for cognitive dysfunction in Brazilian multiple sclerosis patients. *Brain Injure*, 22, 419-426.
- NEILS, J., BOLLER, F., GERDEMAN, B. y COLE, M. (1989). Descriptive writing abilities in Alzheimer's disease. *Journal of Clinical and Experimental Neuropsychology*, 11, 692-698.
- NEMETH, D., DYE, C. D., SEFCSIK, T., JANACSEK, K., TURI, Z., LONDE, Z., KLIVENYI, P., KINCSES, Z. T., SZABÓ, N., VECSEI, L. y ULLMAN, M. T. (2012). Language deficits in pre-symptomatic Huntington's disease: Evidence from Hungarian. *Brain and Language*, 121, 248-253.
- NESPOULOUS, J. L. (1985). Neurosemiotics: structures, processes and strategies, *Recherches Semiotiques/SI*, 5, 383-392.
- (1990). Linguistique, neurolinguistique et psycholinguistique: un parcours en quatre étapes. En J. L. Nespoulous y M. Leclercq (eds.), *Linguistique et neuropsycholinguistique: tendances actuelles* (pp. 1-4). Société de Neuropsychologie de Langue française.
- NESTOR, P. J., FRYER, T. D., SMIELEWSKI, P. y HODGES, J. R. (2003). Limbic hypometabolism in Alzheimer's disease and mild cognitive impairment. *Annals of Neurology*, 54, 343-351.
- NILIPOUR, R. (2004). *Farsi Aphasia Naming Test (Persian)*. University of Social Welfare and Rehabilitation Sciences Press.
- NIU, H., ÁLVAREZ-ÁLVAREZ, I., GUILLÉN-GRIMA, F. y AGUINAGA-ONTOSO, I. (2017). Prevalence and incidence of Alzheimer's disease in Europe: A meta-analysis. *Neurología*, 32, 523-532.
- NOBLE, K., GLOSSER, G. y GROSSMAN, M. (2000). Oral reading in dementia. *Brain and Language*, 74, 48-69.
- NOCENTINI, U., ROSSINI, P. M., CARLESIMO, G. A., GRACEFFA, A., GRASSO, M. G., LUPOI, D., OLIVERI, M., ORLACCHIO, A., POZZILLI, C., RIZZATO, B. y CALTAGIRONE, C. (2001). Patterns of cognitive impairment in secondary progressive stable phase of multiple sclerosis: Correlations with MRI findings. *European Neurology*, 45, 11-18.

- NOFFS, G., PERERA, T., KOLBE, S. C., SHANAHAN, C. J., BOONSTRA, F. M. C., EVANS, A., BUTZKUEVEN, H., VAN DER WALT, A. y VOGEL, A. P. (2018). What speech can tell us: A systematic review of dysarthria characteristics in multiple sclerosis. *Autoimmune Reviews*, 17, 1202-1209.
- NORDLUND, A., ROLSTAD, S., GOTHLIN, M., EDMAN, A., HANSEN, S. y WALLIN, A. (2010). Cognitive profiles of incipient dementia in the Goteborg MCI study. *Dementia and Geriatric Cognitive Disorders*, 30, 403-410.
- NOVOA, A., VÉLIZ, M. y GUERRA, E. (2019). Priming semántico directo y mediado ortofonológicamente en pacientes con enfermedad de Parkinson: un estudio de tiempos de reacción. *Revista Chilena de Fonoaudiología*, 18, 1-20.
- NUSSBAUM, J. F., PITTS, M. J., HUBER, F. N., RAUP KRIEGER, J. L. y OHS, J. E. (2005). Ageism and ageist language across the life span: Intimate relationships and non-intimate interactions. *Journal of Social Issues*, 61, 287-305.
- OBA, H., SATO, S., KAZUI, H., NITTA, Y., NASHITANI, T. y KAMIYAMA, A. (2018). Conversational assessment of cognitive dysfunction among residents living in long-term care facilities. *International Psychogeriatrics*, 30, 87-94.
- OBESO, I., CASABONA, E., BRINGAS, M. L., ÁLVAREZ, L. y JAHANSHAHI, M. (2012). Semantic and phonemic verbal fluency in Parkinson's disease: Influence of clinical and demographic variables. *Behavioral Neurology*, 25, 111-118.
- OBLER, L. K. y ALBERT, M. L. (1981). Language and aging: A neurobehavioral analysis. En D.S. Beasley y G.A. Davis (eds), *Aging: Communication processes and disorders* (pp. 107-121). Grune and Stratton.
- OGAR, J. M., DRONKERS, N. F., BRAMBATI, S. M., MILLER, B. L. y GORNO-TEMPINI, M. L. (2007). Progressive nonfluent aphasia and its characteristic motor speech deficits. *Alzheimer Disease and Associate Disorders*, 21, S23-30.
- OH-LEE, J. D., SZYMKOWICZ, S. M., SMITH, S. L. y OTANI, H. (2012). Metacognitive performance, the tip-of-tongue experience, is not disrupted in parkinsonian patients. *Journal of Parkinson's Disease*, 174079. <https://doi.org/10.1155/2012/174079>
- OLIVEIRA, P. M., CARDOSO, F., MAIA, D. P., CUNNINGHAM, M. C. Q., TEIXEIRA, A. L. y REIS, C. (2010). Acoustic analysis of prosody in Sydenham's chorea. *Arquivos de Neuropsiquiatria*, 68, 744-748.
- ORANGE, J. B. (2009). Language and communication disorders in older adults: Selected considerations for clinical audiology. En L. Hickson (ed.), *Hearing care for adults: The challenge of aging. Proceedings of the second international conference* (pp. 87-102). Phonak.
- ORANGE, J. B. y HILLIS, A. E. (2012). Language profiles in amyotrophic lateral sclerosis. En M. J. Strong (ed.), *Amyotrophic lateral sclerosis and the frontotemporal dementias* (pp. 78-92). Oxford University Press.
- ORANGE, J. B. y ZANON, M. (2005). Language and communication in adults with Down syndrome and dementia of the Alzheimer type: A review. *Journal on Developmental Disabilities*, 12, 53-61.
- ORGASS, B. (1976). Eine Revision des Token Tests. *Diagnostica*, 22, 70-87.
- ORPHANET (2021). Prevalencia de las enfermedades raras y sinónimos en orden alfabético. https://www.orpha.net/orphacom/cahiers/docs/ES/Listado_de_enfermedades_raras_por_orden_alfabetico.pdf

- OSSENKOPPELE, R., PIJNENBURG, Y. A., PERRY, D. C., COHN-SHEEHY, B. I., SCHELTENS, N. M., VOGEL, J. W., KRAMER, J. H., VAN DER VLIES, A. E., LA JOIE, R., ROSEN, H. J., VAN DER FLIER, W. M., GRINBERG, L. T., ROZEMULLER, A. J., HUANG, E. J., VAN BERCKEL, B. N., MILLER, B. L., BARKHOF, F., JAGUST, W. J., SCHELTENS, P., SEELEY, W. W. y RABINOVICI, G. D. (2015). The behavioural/dysexecutive variant of Alzheimer's disease: Clinical, neuroimaging and pathological features. *Brain*, 138, 2732-2749.
- ÖSTBERG, P., BOGDANOVIC, N. y WAHLUND, L.O. (2009). Articulatory agility in cognitive decline. *Folia Phoniatica et Logopaedica*, 61, 269-274.
- ÖSTBERG, P., FERNAEUS, S. E., HELLSTRÖM, A., BOGDANOVIC, N. y WAHLUND, L. O. (2005). Impaired verb fluency: A sign of mild cognitive impairment. *Brain and Language*, 95, 273-279.
- OUELLET, J., SCHERZER, P. B., ROULEAU, I., MÉTRAS, P., BERTRAND-GAUVIN, C., DJERROUD, N., BOISSEAU, E. y DUQUETTE, P. (2010). Assessment of social cognition in patients with multiple sclerosis. *Journal of the International Neuropsychological Society*, 16, 287-296.
- OZSANCAK, C., AUZOU, P. y HANNEQUIN, D. (2000). Dysarthria and orofacial apraxia in corticobasal degeneration. *Movement Disorders*, 15, 905-910.
- OZSANCAK, C., AUZOU, P., JAN, M., DEFEVRE, L., DERAMBURE, P. y DESTEE, A. (2006). The place of perceptual analysis of dysarthria in the differential diagnosis of corticobasal degeneration and Parkinson's disease. *Journal of Neurology*, 253, 92-97.
- PAES, R. A., ALVARENGA, R. M. P., VASCONCELOS, C. C. F., NEGREIROS, M. A. y LANDEIRA-FERNÁNDEZ, J. (2009). Neuropsicología de la esclerosis múltiple primaria progresiva. *Revista de Neurología*, 49, 343-348.
- PALMER, K., MITOLO, M., BURGIO, F., MENEGHELLO, F. y VENNERI, A. (2018). Sleep disturbance in mild cognitive impairment and association with cognitive functioning. A case-control study. *Frontiers in Aging Neuroscience*, 10. <https://doi.org/10.3389/fnagi.2018.00360>
- PAOLI, R. A., BOTTURI, A., CIAMMOLA, A., SILANI, V., PRUNAS, C., LUCCHIARI, C., ZUGNO, E. y CALETTI, E. (2017). Neuropsychiatric burden in Huntington's disease. *Brain Sciences*, 16, 67. <https://doi.org/10.3390/brainsci7060067>
- PAPEO, L., CECCHETTO, C., MAZZON, G., GRANELLO, G., CATTARUZZA, T., VERRIELLO, L., ELEOPRA, R. y RUMIATI, R. I. (2015). The processing of actions and action-words in amyotrophic lateral sclerosis patients. *Cortex*, 64, 136-147.
- PARADA, P., MACÍAS, O., AMAYRA, M., LOPEZ-PAZ, I., LÁZARO, J., MARTINEZ, E., JOMETÓN, O., BERROSO, A., SALAZAR, S. y PÉREZ, M. H. (2015). Accuracy and reaction time in recognition of facial emotions in people with multiple sclerosis. *Revista de Neurología*, 61, 433-440.
- PARDES DUARTE, M. J. y ESPINOSA ROSSO, R. (2020). Alteraciones lingüísticas en la enfermedad de Parkinson. Aproximación estadística a un estudio con variantes. *Pragmalingüística*, 2, 272-286.
- PARADÍS, M. (1987). *The assessment of bilingual aphasia*. Erlbaum [versión en castellano: Paradis, M. (1993). *Evaluación de la afasia en los bilingües*. Masson].
- (1994). Neurolinguistic aspects of implicit and explicit memory: Implications for bilingualism and second language acquisition. En N. C. Ellis (ed.), *Implicit and explicit learning of languages* (pp. 292-419). Academic Press.
- PARKIN, A. J. (1993). Progressive aphasia without dementia: A clinical and cognitive neuropsychological analysis. *Brain and Language*, 44, 201-220.

- PARKINSON, J. (1817). *An Essay on the Shaking Palsy*. London: Sherwood, Neely, and Jones [republicada en 2002 en el *Journal of Neuropsychiatry and Clinical Neurosciences*, 14(2): 223-236].
- PARTINGTON, J. E. y LEITER, R. G. (1949). Partington's Pathways Test. *Psychological Service Center Bulletin*, 1, 11-20. (Publicado en 1944 como *Army individual test battery. Manual of directions and scores*).
- PASCUAL-MILLÁN, L. F., MARTÍNEZ-QUIÑONES, J., MODREGO-PARDO, P., MOSTACERO-MIGUEL, E., LÓPEZ DEL VAL, L. J. y MORALES-ASÍN, F. (1990). El *set test* en el diagnóstico de las demencias. *Neurología*, 5, 82-85.
- PATEL, P. G. y SATZ, P. (1994). The language production system and senile dementia of Alzheimer's type: Neuropathological implications. *Aphasiology*, 8, 1-18.
- PATTERSON, K. y MACDONALD, M. (2006). Sweet nothings: Narrative speech in semantic dementia. En S. Andrews (ed.), *From inkmarks to ideas: Current issues in lexical processing* (pp. 299-317). Psychology Press.
- PATTERSON, K., NESTOR, P. J. y ROGERS, T. T. (2007). Where do you know what you know? The representation of semantic knowledge in the human brain. *Nature Reviews Neuroscience*, 8, 976-987.
- PATTERSON, K., LAMBON RALPH, M. A., HODGES, J. R. y McCLELLAND, J. L. (2001). Deficits in irregular past-tense verb morphology associated with degraded semantic knowledge. *Neuropsychologia*, 39, 709-724.
- PATTERSON, K., GRAHAM, N. L., LAMBON RALPH, M. A. y HODGES, J. (2006). Progressive non-fluent aphasia is not a progressive form of non-fluent (poststroke) aphasia. *Aphasiology*, 20, 1018-1034.
- PAULSEN, J. S., LANGBEHN, D. R., STOUT, J. C., AYLWARD, E., ROSS, C. A., NANCE, M., GUTTMAN, M., JOHNSON, S., MACDONALD, M., BEGLINGER, L.J., DUFF, K., KAYSON, E., BIGLAN, K., SHOULSON, I., OAKES, D., HAYDEN, M y PREDICT-HD INVESTIGATORS AND COORDINATORS OF THE HUNTINGTON STUDY GROUP. (2008). Detection of Huntington's disease decades before diagnosis: The Predict-HD Study. *Journal of Neurology, Neurosurgery, and Psychiatry*, 79, 874-880.
- PAULSEN, J. S., NEHL, C., HOTH, K. F., KANZ, J. E., BENJAMIN, M., CONYBEARE, R., McDOWELL, B. y TURNER, B. (2005). Depression and stages of Huntington's disease. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 17, 496-502.
- PEELLE, J. E., COOKE, A., MOORE, P., VESELY, L. y GROSSMAN, M. (2007). Syntactic and thematic components of sentence processing in progressive nonfluent aphasia and nonaphasic frontotemporal dementia. *Journal of Neurolinguistics*, 20, 482-494.
- PENKE, M., JANSSEN, U., INDEFREY, P. y SEITZ, R. (2005). No evidence for a rule/procedural deficit in German patients with Parkinson's disease. *Brain and Language*, 95, 139-140.
- PEÑA-CASANOVA, J. (2007). *Neurología de la conducta y neuropsicología*. Editorial Médica Panamericana.
- PEÑA-CASANOVA, J., GRAMUNT, N. y GICH, J. (2004). *Tests neuropsicológicos*. Masson-Elsevier.
- PEÑA-CASANOVA, J. y ROBLES BAYÓN, A. (coords.) (2002). *Guías en demencias. Conceptos, criterios y recomendaciones para el estudio del paciente con demencia*. Masson.
- PEÑA GALBÁN, L. Y., RODRÍGUEZ ACOSTA, J. C. y CASAS RODRÍGUEZ, L. (2001). Demencia en la enfermedad de Pick. *Revista Cubana de Medicina Militar*, 30, 129-132.
- PÉRAN, P., DÉMONET, J.F., PERNET, C. y CARDEBAT, D. (2004). Verb and noun generation tasks in Huntington's disease. *Movement Disorders*, 19,565-571.

- PERANI, D. y ABUTALEBI, J. (2005). The neural basis of first and second language processing. *Current Opinion in Neurobiology*, 15, 202-206.
- PEREIRO ROZAS, A. X. y JUNCOS RABADÁN, O. (2003). Relación entre cambios cognitivos y lenguaje narrativo en la vejez. *Psicothema*, 15, 71-74.
- PÉREZ-CARMONA, N., FERNÁNDEZ-JOVER E. y SEMPERE, A. P. (2019). Epidemiología de la esclerosis múltiple en España. *Revista de Neurología*, 69, 32-38.
- PÉREZ LANCHO, M. C. y GARCÍA BERCIANOS, S. (2018). Demencia Frontotemporal: fronteras diagnósticas. *International Journal of Developmental and Educational Psychology, INFAD, Revista de Psicología*, 1, 67-76.
- (2020). Caracterización del lenguaje en las variantes lingüísticas de la afasia progresiva primaria. *Revista Signos. Estudios de Lingüística*, 3, 198-218.
- PÉREZ, M., AMAYRA, I., LÁZARO, E., GARCÍA, M., MARTÍNEZ, Ó., CABALLERO, P., BERROCO-SO, S., LÓPEZ-PAZ, J.F., AL-RASHAIDA, M., AURORA RODRÍGUEZ, A., LUNA, P. y VARONA, L. (2020). Intrusions errors during verbal fluency task in amyotrophic lateral sclerosis. *Plos One*, 15. <https://doi.org/10.1371/journal.pone.0233349>
- PÉREZ MANTERO, J. L. (2014). Interacción y predictibilidad: los intercambios conversacionales con hablantes con demencia tipo Alzhéimer. *Revista de Investigación Lingüística*, 17, 97-118.
- PÉREZ-TRULLEN, J. M. y MODREGO-PARDO, P. L. (1996). Comparative study of aprosody in Alzheimer's disease and in multi-infarct dementia. *Dementia and Geriatric Cognitive Disorders*, 7, 59-62.
- PESTELL, S., SHANKS, M. F., WARRINGTON, J. y VENNERI, A. (2000). Quality of spelling breakdown in Alzheimer's disease is independent of disease progression. *Journal of Clinical and Experimental Neuropsychology*, 22, 599-612.
- PETERSEN, R. C. (2003). *Mild Cognitive Impairment*. Oxford University Press
- (2004). Mild cognitive impairment as a diagnostic entity. *Journal of the Internal Medicine*, 256, 183-194.
- PETERSEN, R. C. y MORRIS, J. C. (2003). Clinical features. En R. C. Petersen (ed.), *Mild cognitive impairment* (pp.15-39). Oxford University Press.
- PETERSEN, R. C., DOODY, R., KURZ, A., MOHS, R. C., MORRIS, J. C., RABINS, P. V., RITCHIE, K., ROSSOR, M., THAL, L. y WINBLAD, B. (2001). Current concepts in mild cognitive impairment. *Archives of Neurology*, 58, 1985-1992.
- PETERSEN, R. C., ROBERTS, R. O., KNOPMAN, D. S., GEDA, Y. E., CHA, R. H., PANKRATZ, V. S., BOEVE, B. F., TANGALOS, E. G., IVNIK, R. J. y ROCCA, W. A. (2010). Prevalence of mild cognitive impairment is higher in men. The Mayo Clinic Study of Aging. *Neurology*, 75, 889-897.
- PETERSEN, R. C., SMITH, G. E., WARING, S. C., IVNIK, R. J., TANGALOS, E. G. y KOKMEN, E. (1999). Mild cognitive impairment: Clinical characterization and outcome. *Archives of Neurology*, 56, 303-308.
- PETERSON, K. A. M., PATTERSON, K. y ROWE, J. B. (2021). Language impairment in progressive supranuclear palsy and corticobasal syndrome. *Journal of Neurology*, 268, 796-809.
- PHILPOTT, A. L., ANDREWS, S. C., STAIOS, M., CHURCHYARD, A. y FISHER, F. (2016). Emotion evaluation and social inference impairments in Huntington's disease. *Journal of Huntington's Disease*, 5, 175-183.
- PHUKAN, J., PENDER, N.P. y HARDIMAN, O. (2007). Cognitive impairment in amyotrophic lateral sclerosis. *The Lancet Neurology*, 6, 994-1003.

- PIACENTINI, V., MAURI, I., CATTANEO, D., GILARDONE, M., MONTESANO, A. y SCHINDLER, A. (2014). Relationship between quality of life and dysarthria in patients with multiple sclerosis. *Archives of Physical Medicine and Rehabilitation*, 95, 2047-2054.
- PIATT, A. L., FIELDS, J. A., PAOLO, A. M., KOLLER, W. C. y TRÖSTER, A.I. (1999). Lexical, semantic, and action verbal fluency in Parkinson's disease with and without dementia. *Journal of Clinical and Experimental Neuropsychology*, 21, 435-443.
- PINTO-GRAU, M., HARDIMAN, O. y PENDER, N. (2018). The study of language in the amyotrophic lateral sclerosis-frontotemporal spectrum disorder: A systematic review of findings and new perspectives. *Neuropsychology Review*, 28, 251-268.
- PISTONO, A., JUCLA, M., BARBEAU, E. J., SAINT-AUBERT, L., LEMESLE, B., CALVET, B., KÖPKE, B., PUEL, M. y PARIENTE, J. (2016). Pauses during autobiographical discourse reflect episodic memory processes in early Alzheimer's disease. *Journal of Alzheimer's Disease*, 50, 687-698.
- PLASSMAN, B. L., LANGA, K. M., FISHER, G. G., HEERINGA, S. G., WEIR, D. R., OFSTEDAL, M. B., BURKE, J. R., HURD, M. D., POTTER, G. G., RODGERS, W. L., STEFFENS, D. C., WILLIS, R. J. y WALLACE, R. B. (2007). Prevalence of dementia in the United States: The aging, demographics, and memory study. *Neuroepidemiology*, 29, 125-132.
- PLATEL, H., LAMBERT, J., EUSTACHE, F., CADET, B., DARY, M., VIADER, F. y LECHEVALIER, B. (1993). Characteristics and evolution of writing impairment in Alzheimer's disease. *Neuropsychologia*, 31, 1147-1158.
- PLOWMAN-PRINE, E., SAPIENZA, C., OKUN, M., POLLOCK, S., JACOBSON, C., WU, S. y ROSENBEK, J. (2009). The relationship between quality of life and swallowing in Parkinson's disease. *Movement Disorders*, 24, 1352-1358.
- PODOLL, K., CASPARY, P. M., LANGE, H. W. y NOTH, J. (1988). Language functions in Huntington's disease. *Brain*, 111, 1475-1503.
- PODOLL, K., SCHWARZ, M. y NOTH, J. (1991). Language functions in progressive supranuclear palsy. *Brain*, 114, 1457-1472.
- POLETTI, M. y BONUCCELLI, U. (2013). Alteration of affective Theory of Mind in amnesic mild cognitive impairment. *Journal of Neuropsychology*, 7, 121-131.
- POLETTI, M., VERGALLO, A., ULIVI, M., SONNOLI, A. y BONUCCELLI, U. (2013). Affective theory of mind in patients with Parkinson's disease. *Psychiatry and Clinical Neurosciences*, 67, 273-276.
- POLMAN, C. H., REINGOLD, S. C., BANWELL, B., CLANET, M., COHEN, J.A., FILIPPI, M., FUJIHARA, K., HAVRDOVA, E., HUTCHINSON, M., KAPPOS, L., LUBLIN, F. D., MONTALBAN, X., O'CONNOR, P., SANDBERG-WOLLHEIM, M., THOMPSON, A. J., WAUBANT, E., WEINSHENKER, B. y WOLINSKY, J.S. (2011). Diagnostic criteria for multiple sclerosis: 2010 revisions to the McDonald criteria. *Annals of Neurology*, 69, 292-302.
- POTAGAS, C., GIOGKARAKI, E., KOUTSIS, G., MANDELLOS, D., TSIREMPOLOU, E., SFAGOS, C. y VASSILOPOULOS, D. (2008). Cognitive impairment in different MS subtypes and clinically isolated syndromes. *Journal of the Neurological Sciences*, 267, 100-106.
- PÖTTGEN, J., DZIOBEK, I., REH, S., HEESSEN, C. y GOLD, S. M. (2013). Impaired social cognition in multiple sclerosis. *Journal of Neurology, Neurosurgery, and Psychiatry*, 84, 523-528.
- PREMACK, D. y WOODRUFF, G. (1978). Does the chimpanzee have a 'theory of mind'? *Behavioral and Brain Sciences*. 4, 515-526.

- PRICE, B.: GURVIT, H., WEINTRAUB, S., GEULA, C., LEIMKUEHLER, E. y MESULAM, M. (1993). Neuropsychological patterns and language deficits in 20 consecutive cases of autopsy-confirmed Alzheimer's disease. *Archives of Neurology*, 50, 931-937.
- PRICE, C. C. y GROSSMAN, M. (2005). Verb agreements during on-line sentence processing in Alzheimer's disease and frontotemporal dementia. *Brain and Language*, 94, 217-232.
- PRINCE, M., BRYCE, R., ALBANESE, E., WIMO, A., RIBEIRO, W. y FERRI, C.P. (2013). The global prevalence of dementia: A systematic review and metaanalysis. *Alzheimers & Dementia*, 9, 63-75.
- PRINGSHEIM, T., WILTSHIRE, K., DAY, L., DYKEMAN, J., STEEVES, TH. y JETTE, N. (2012). The incidence and prevalence of Huntington's Disease: A systematic review and meta-analysis. *Movement Disorders*, 27, 1083-1091.
- PRINGSHEIM, T., JETTE, N., FROLKIS, A. y STEEVES, TH. (2014). The prevalence of Parkinson's disease: A systematic review and meta-analysis. *Movement Disorders*, 29, 1583-1590.
- PUGLIATTI, M., HARBO, H. F., HOLMØY, T., KAMPMAN, M. T., MYHR, K. M., RIISE, T. y WOLFSON, C. (2008). Environmental risk factors in multiple sclerosis. *Acta Neurologica Scandinavica*, 188, 34-40.
- PUSHKAR GOLD, D. P. y ARBUCKLE, T. Y. (1995). A longitudinal study of off-target verbosity. *Journal of Gerontology: Psychological Sciences*, 50B, P307-P315.
- QUARRELL, O., O'DONOVAN, K. L., BANDMANN, O. y STRONG, M. (2012). The prevalence of Juvenile Huntington's disease: A review of the literature and meta-analysis. *PLoS Currents*, 4: e4f8606b742ef3. <https://currents.plos.org/hd/article/the-prevalence-of-juvenile-huntingtons-disease-a-review-of-the-literature-and-meta-analysis/>
- RADVANSKY, G. A., COPELAND, D. E. y ZWAAN, R. A. (2003). Brief report: Aging and functional spatial relations in comprehension and memory. *Psychology and Aging*, 18, 161-165.
- RADVANSKY, G. A., ZWAAN, R. A., CURIEL, J. M. y COPELAND, D. E. (2001). Situation models and aging. *Psychology and Aging*, 16, 145-160.
- RAHIMIFAR, P., SOLTANI, M., MORADI, N., MAJDI NASAB, N. y LATIFI, M. (2017). A comparative study of repetition of long sentences skill in Persian-speaking multiple sclerosis patients and healthy subjects. *Koomesh Journal*, 19, 122-128.
- RAIMO, S., TROJANO, L., PAPPACENA, S., ALAIA, R., SPITALERI, D., GROSSI, D. y SANTANGELO, G. (2017). Neuropsychological correlates of theory of mind deficits in patients with multiple sclerosis. *Neuropsychology*, 31, 811-821.
- RAJAGOPAL, R., BATEMAN, R. y VAN STAVERN, G. P. (2012). Visual involvement in corticobasal syndrome. *Journal of Neuro-Ophthalmology*, 32, 338-340.
- RAKOWICZ, W. P. y HODGES, J. R. (1998). Dementia and aphasia in motor neuron disease: An underrecognised association? *Journal of Neurology, Neurosurgery, and Psychiatry*, 65, 881-889.
- RAMIG, L. A. (1986). Acoustic analyses of phonation in patients with Huntington's disease. Preliminary report. *Annals of Otology, Rhinology & Laryngology*, 95, 288-293.
- RAMOS-ARROYO, M. A., MORENO, S. y VALIENTE, A. (2005). Incidence and mutation rates of Huntington's disease in Spain: Experience of 9 years of direct genetic testing. *Journal of Neurology, Neurosurgery, and Psychiatry*, 76, 337-342.
- RANDOLPH, C., BRAUN, A.R., GOLDBERG, T. E. y CHASE, T. N. (1993). Semantic fluency in Alzheimer's, Parkinson's, and Huntington's disease: Dissociation of storage and retrieval failures. *Neuropsychology*, 7, 82-88.

- RAO, S. M. (1995). Neuropsychology of multiple sclerosis. *Current Opinion in Neurology*, 8, 216-220.
- RAPCSAK, S., ARTHUR, S.: BLINKEN, D. y RUBENS, A. (1989). Lexical agraphia in Alzheimer's disease. *Archives of Neurology*, 46, 66-68.
- RAPP, A. M. y WILD, B. (2011). Nonliteral language in Alzheimer dementia: A review. *Journal of the International Neuropsychological Society*, 17, 1-12.
- RASMUSSEN, D. X., CARSON, K. A., BROOKMEYER, A., KAWAS, C. y BRANDT, J. (1996). Predicting rate of cognitive decline in probable Alzheimer's disease. *Brain & Cognition*, 31, 133-147.
- REBEIZ, J. J., KOLODNY, E. H. y Richardson, E. P. JR. (1963). Corticodentatonigral degeneration with neuronal achromasia: A progressive disorder of late adult life. *Transactions of the American Neurological Association*, 92, 23-26.
- (1968). Corticodentatonigral degeneration with neuronal achromasia. *Archives of Neurology*, 18, 20-33.
- REDDY, M. S., RAO, A. P. y NARAYANAN, S. (2016). Narrative discourse in persons with Parkinson's disease. *Speech, Language and Hearing*, 19, 1-9.
- REISBERG, B., FERRIS, S.H., DE LEÓN, M.J. y CROK, T. (1982). The global deterioration scale for assessment of primary degenerative dementia. *American Journal of Psychiatry*, 139, 1136-1139
- RENAULD, S., MOHAMED-SAÏD, L. y MACOIR, J. (2016). Language disorders in multiple sclerosis: A systematic review. *Multiple Sclerosis and Related Disorders*, 10, 103-111.
- RENDELL, P. G., CASTEL, A. D. y CRAIK, F. I. M. (2005). Memory for proper names in old age: A disproportionate impairment? *The Quarterly Journal of Experimental Psychology A: Human Experimental Psychology*, 58A, 54.71.
- RHEE, J., MOORE, P. y GROSSMAN, M. (2001). Verb comprehension in frontotemporal degeneration: The role of grammatical, semantic and executive components. *Neurocase*, 7, 173-178.
- RIBEIRO, F., DE MENDONÇA, A. y GUERREIRO, M. (2006). Mild cognitive impairment: Deficits in cognitive domains other than memory. *Dementia and Geriatric Cognitive Disorders*, 21, 284-290.
- RICH, J. B., TROYER, A. K., BYLSMA, F. W. y BRANDT, J. (1999). Longitudinal analysis of phonemic clustering and switching during word-list generation in Huntington's disease. *Neuropsychology*, 13, 525-531.
- RICHARDSON, J. C., STEELE, J. y OLSZEWSKI, J. (1963). Supranuclear ophthalmoplegia, pseudobulbar palsy. Nuchal dystonia and dementia. *Transactions of the American Neurological Association*, 88, 25-27.
- RIFFO, B. y BENOIT, C. (2007). Procesamiento de oraciones con incrustación central y derecha en adultos jóvenes y adultos mayores. *RLA. Revista de Lingüística Teórica y Aplicada*, 45, 13-31.
- RILEY, K. P., SNOWDON, D. A., DESROSIERS, M. F. y MARKESBERRY, W. R. (2005). Early life linguistic ability, late life cognitive function, and neuropathology: Findings from the Nun Study. *Neurobiology of Aging*, 26, 341-347.
- RIPICH, D. y TERRELL, B. (1988). Patterns of discourse cohesion and coherence in Alzheimer's disease. *Journal of Speech and Hearing Disorders*, 53, 8-15.

- RIPICH, D. N., FRITSCH, T., ZIOL, E. y DURAND, E. (2000). Compensatory strategies in picture description across severity levels in Alzheimer's disease: A longitudinal study. *American Journal of Alzheimer's Disease*, 15, 217-228.
- RITCHIE, K., ARTERO, S. y TOUCHON, J. (2001). Classification criteria for mild cognitive impairment: A population based validity study. *Neurology*, 56, 37-42.
- RITTMAN, T., GHOSH, B. C., MCCOLGAN, P., BREEN, D. P., EVANS, J., WILLIAMS-GRAY, C. H., BARKER, R. A. y ROWE, B. (2013). The Addenbrooke's Cognitive Examination for the differential diagnosis and longitudinal assessment of patients with parkinsonian disorders. *Journal of Neurology, Neurosurgery, and Psychiatry*, 84, 544-555.
- ROBERTS, R. y KNOPMAN, D. S. (2013). Classification and epidemiology of MCI. *Clinics in Geriatric Medicine*, 29, 753-772.
- ROBERTS, R. O., GEDA, Y. E., KNOPMAN, D. S., CHA, R. H., PANKRATZ, V. S., BOEVE, B. F., TANGALOS, E. G., IVNIK, R. J., ROCCA, W. A. y PETERSEN, R. C. (2012). The incidence of MCI differs by subtype and is higher in men: The Mayo Clinic Study of Aging. *Neurology*, 78, 342-351.
- ROBERTS-SOUTH, A., FINDLATER, K., STRONG, M. J. y ORANGE, J.B. (2012). Longitudinal changes in discourse production in amyotrophic lateral sclerosis. *Seminars in Speech and Language*, 33, 79-94.
- ROBINSON, G. y CIPOLOTTI, L. (2001). The selective preservation of color naming in semantic dementia. *Neurocase*, 7, 65-75.
- ROBINSON, G., SHALLICE, T. y CIPOLOTTI, L. (2006). Dynamic aphasia in progressive supranuclear palsy: A deficit in generating a fluent sequence of novel thought. *Neuropsychologia*, 44, 1344-1360.
- ROCA, M., MANES, F., CHADE, A., GLEICHGERRCHT, E., GERSHANIK, O., ARÉVALO, G. G., TORRALVA, T. y DUNCAN, J. (2012). The relationship between executive functions and fluid intelligence in Parkinson's disease. *Psychological Medicine*, 42, 2445-2452.
- ROCA, M., MANES, F., GLEICHGERRCHT, E., IBÁÑEZ, A., GONZÁLEZ DE TOLEDO, M. E., MARENCO, V., BRUNO, D., TORRALVA, T. y SINAY, V. (2014). Cognitive but not affective theory of mind deficits in mild relapsing-remitting multiple sclerosis. *Cognitive and Behavioral Neurology*, 27, 25-30.
- ROCHON, E., KAVÉ, G., CUPIT, J., JOKEL, R. y WINOCUR, G. (2004). Sentence comprehension in semantic dementia: A longitudinal case study. *Cognitive Neuropsychology*, 21, 317-330.
- ROCHON, E., WATERS, G. S. y CAPLAN, D. (1994). Sentence comprehension in patients with Alzheimer's disease. *Brain and Language*, 46, 329-349.
- RODGERS, J. D., TJADEN, K., FEENAUGHTY, L., WEINSTOCK-GUTTMAN, B. y BENEDICT, R. H. (2013). Influence of cognitive function on speech and articulation rate in multiple sclerosis. *Journal of the International Neuropsychological Society*, 19, 173-180.
- RODRÍGUEZ, N., JUNCOS RABADÁN, O. y FACAL MAYO, D. (2008). El fenómeno de la punta de la lengua en el deterioro cognitivo leve. Un estudio piloto. *Revista de Logopedia, Foniatría y Audiología*, 28, 28-33.
- RODRÍGUEZ, J., MARTÍNEZ, H. y VALLES, B. (2015). Las pausas en el discurso de individuos con demencia tipo Alzheimer. Estudio de casos. *Revista de Investigación en Logopedia*, 5, 40-59.
- RODRÍGUEZ-FERREIRO, J. y CUETOS, F. (2010) La comprensión de verbos en los enfermos de Parkinson. *Ciencia Cognitiva*, 4, 14-16.

- RODRÍGUEZ-FERREIRO, J., MENÉNDEZ, M., RIBACOBA, R. y CUETOS, F. (2009). Action naming is impaired in Parkinson disease patients. *Neuropsychologia*, 47, 3271-3274.
- RODRÍGUEZ GARCÍA, P.L. y RODRÍGUEZ GARCÍA, D. (2015). Diagnosis of vascular cognitive impairment and its main categories. *Neurología*, 30, 223-239.
- RODRÍGUEZ RIAÑO, J. y BAQUERO CASTELLANOS, S. (2011). Escritura en enfermedad de Parkinson (EP): revisión sistemática de literatura. *Acta Colombiana de Psicología*, 14, 17-26.
- ROGALSKI, E., RADEMAKER, A., WIENEKE, C., BIGIO, E., WEINTRAUB, S. y MESULAM, M. M. (2014). The prevalence of learning disabilities in primary progressive aphasia is not segregated by pathology or subtype. *JAMA Neurology*, 71, 1576-1577.
- ROHRER, J. D., PAVIOUR, D., BRONSTEIN, A. M., O'SULLIVAN, S. S., LEES, A. y WARREN, J. D. (2010). Progressive supranuclear palsy syndrome presenting as progressive non-fluent aphasia: A neuropsychological and neuroimaging analysis. *Movement Disorders*, 25, 179-188.
- ROHRER, J. D., ROSSOR, M. N. y WARREN, J. D. (2010). Syndromes of nonfluent primary progressive aphasia: A clinical and neurolinguistic analysis. *Neurology*, 75, 603-610.
- ROHRER, J. D., SAUTER, D., SCOTT, S., ROSSOR, M. N. y WARREN, J. D. (2012). Receptive prosody in nonfluent primary progressive aphasias. *Cortex*, 48, 308-316.
- ROLAND, D., DICK, F. y ELMAN, J. L. (2007). Frequency of basic English grammatical structures: A corpus analysis. *Journal of Memory and Language*, 57, 348-379.
- ROMÁN, G. C. (2002). Defining dementia: Clinical criteria for the diagnosis of vascular dementia. *Acta Neurologica Scandinavica*, 106, 6-9.
- ROMÁN, G. C. y PASCUAL, B. (2012). Contribution of neuroimaging to the diagnosis of Alzheimer's disease and vascular dementia. *Archives of Medical Research*, 43, 671-676.
- ROOHANI, P., EMIRU, T., CARPENTER, A., LUZZIO, C., FREEMAN, J., SCARBERRY, S., BEAVER, G., DAVIDSON, L. y PARRY, G. (2014). Late onset multiple sclerosis: Is it really late onset? *Multiple Sclerosis and Related Disorders*, 3, 444-449.
- ROOS, R. A. (2010). Huntington's disease: A clinical review. *Orphanet Journal Rare Diseases*, 20, 40. <https://doi.org/10.1186/1750-1172-5-40>
- ROSEN, K. M., GOOZÉE, J. V. y MURDOCH, B. E. (2008). Examining the effects of multiple sclerosis on speech production: Does phonetic structure matter? *Journal of Communicative Disorders*, 41, 49-69.
- ROSEN, W., MOSH, R. y DAVIS, K. (1984). A new rating scale for Alzheimer's disease. *American Journal of Psychiatry*, 141, 1356-1364.
- ROSS, E. D. (1981). The aprosodias. Functional-anatomic organization of the affective components of language in the right hemisphere. *Archives of Neurology*, 38, 561-569.
- ROSSER, A. y HODGES, J. R. (1994). Initial letter and semantic category fluency in Alzheimer's disease, Huntington's disease, and progressive supranuclear palsy. *Journal of Neurology, Neurosurgery, and Psychiatry*, 57, 1389-1394.
- ROSSOR, M. N., TYRRELL, P. J., WARRINGTON, E. K., THOMPSON, P. D., MARSDEN, C. D. y LANTOS, P. (1999). Progressive frontal gait disturbance with atypical Alzheimer's disease and corticobasal degeneration. *Journal of Neurology, Neurosurgery, and Psychiatry*, 67, 345-352.
- RUMBOS, H. y VALLES, B. (2010). Análisis discursivo de los textos narrativos en el adulto mayor con queja de memoria. En B. Gallardo-Paúls y V. Moreno (eds.), *Estudios de Lingüística Clínica: aplicaciones clínicas* (pp. 203-222). Publicaciones de la Universitat de València.

- RUIZ, A. y OLMEDO, H. (2020). Alteración fonética del VOT en pacientes con Párkinson. *Pragmalingüística*, iextra 2.20. <https://doi.org/10.25267/Pragmalingüística.2020.iextra2.20>
- RUIZ, J. J., ORTÍN, A. y CACHO, J. (1985). *Corea de Huntington: estudio epidemiológico en la provincia de Salamanca. Archivos de Neurobiología: revista de Neurología, Psiquiatría y disciplinas afines*, 48, 302-303.
- RUSZ, J., BENOVA, B., RUZICKOVA, H., NOVOTNY, M., TYKALOVA, T., HLAVNICKA, J., UHER, T., VANECKOVA, M., ANDELOVA, M., NOVOTNA, K., KADRNOZKOVA, L. y HORAKOVA, D. (2018). Characteristics of motor speech phenotypes in multiple sclerosis. *Multiple Sclerosis and Related Disorders*, 19, 62-69.
- RUSZ, J., KLEMPÍŘ, J., BABOROVÁ, E., TYKALOVÁ, T., MAJEROVÁ, V., ČMEJLA, R., RŮŽIČKA, E. y ROTH, J. (2013). Objective acoustic quantification of phonatory dysfunction in Huntington's disease. *PLoS One*, 8, e65881. <https://doi.org/10.1371/journal.pone.0065881>
- RUSZ, J., SAFT, C., SHLEGEL, U., HOFFMAN, R. y SKODDA, S. (2014). Phonatory dysfunction as a preclinical symptom of Huntington Disease. *PLoS One*, 19, e113412. <https://doi.org/10.1371/journal.pone.0113412>
- SABBAGH, M. N., ADLER, C. H., LAHTI, T. J., CONNOR, D. J., VEDDERS, L., PETERSEN, L. K., CAVINESS, J. N., SHILL, H. A., SUE, L. I., ZIABREVA, I., PERRY, E., BALLARD, C. G., AARSLAND, D., WALKER, D. G. y BEACH, T. J. (2009). Parkinson disease with dementia: Comparing patients with and without Alzheimer pathology. *Alzheimer Disease & Associated Disorders*, 23, 295-297.
- SAJJADI, S. A., PATTERSON, K., TOMEK, M. y NESTOR, P. J. (2012). Abnormalities of connected speech in the non-semantic variants of primary progressive aphasia. *Aphasiology*, 26, 1219-1237.
- SAKURAI, Y., MURAYAMA, S., FUKUSAKO, Y., BANDO, M., IWATA, M. e INOUE, K. (1998). Progressive aphemia in a patient with Pick's disease: a neuropsychological and anatomic study. *Journal of the Neurological Sciences*, 159, 156-161.
- SALDERT, C., ERIKSSON, E., PETERSSON, K. y HARTELIUS, L. (2010b). Interaction in conversation in Huntington's disease: An activity-based analysis and the conversation partner's view of change. *Journal of Interactional Research in Communication Disorders*, 1, 169-197.
- SALDERT, C., FORS, A., STRÖBERG, S. y HARTELIUS, L. (2010a). Comprehension of complex discourse in different stages of Huntington's disease. *International Journal of Language & Communication Disorders*, 45, 656-669.
- SALDERT, C. y HARTELIUS, L. (2011). Echolalia or functional repetition in conversation. A case study of an individual with Huntington's disease. *Disability and Rehabilitation*, 33, 253-260.
- SALMAZO-SILVA, H., PARENTE, M.A., ROCHA, M. S., BARADE, L. R. R., CRAVO, A. M., SATO, J. R., GODINHO, F. y CARTHERY-GOULART, M. T. (2017). Lexical-retrieval and semantic memory in Parkinson's disease: The question of noun and verb dissociation. *Brain and Language*, 165, 10-20.
- SALTHOUSE, T. A. y MANDELL, A. R. (2013). Do age-related increases in tip-of-the-tongue experiences signify episodic memory impairments? *Psychological Science*, 24, 2489-2497.
- SAMBIN, S., TEICHMANN, M., DE DIEGO BALAGUER, R., GIAVAZZI, M., SPORTICHE, D., SCHLENKER, P. y BACHOUD-LÉVI, A. C. (2012). The role of the striatum in sentence processing: Disentangling syntax from working memory in Huntington's disease. *Neuropsychologia*, 50, 2625-2635.
- SAMIL, A., NUTT, J. G. y RANSOM, B. R. (2004). Parkinson's disease. *The Lancet*, 363, 1783-1793.

- SAMPER NOA, J. A., LLIBRE RODRÍGUEZ, J. J., SÁNCHEZ CATASES, C. y SOSA PÉREZ, S. (2011). El deterioro cognitivo leve. Un paso antes de la enfermedad de Alzheimer. *Revista Habanera de Ciencias Médicas*, 10, 27-36.
- SÁNCHEZ-BATISTA, I. (2015). Indicadores lingüísticos y trastornos motores: una perspectiva desde la lingüística clínica. En F. Diéguez-Vide (ed.), *Temas de lingüística clínica* (pp. 12-28). BHorsori.
- SANTACRUZ, P., UTTL, B., LITVAN, I. y GRAFMAN, J. (1998). Progressive supranuclear palsy: A survey of the disease course. *Neurology*, 50, 1637-1647.
- SATO, K., HATANO, T., YAMASHIRO, K., KAGOHASHI, M., NISHIOKA, K., IZAWA, N., MOCHIZUKI, H., HATTORI, N., MORI, H., MIZUNO, Y., y JUNTENDO PARKINSON STUDY GROUP (2006). Prognosis of Parkinson's disease: Time to stage III, IV, V, and to motor fluctuations. *Movement Disorders*, 21, 1384-1395.
- SATOH, M., TAKEDA, K. y KUZUHARA, S. (2009). Agraphia in intellectually normal Japanese patients with ALS: Omission of kana letters. *Journal of Neurology*, 256, 1455-1460.
- SAVICA, R., GROSSARDT, B. R., BOWER, J. H., BOEVE, B. F., AHLKOG, J. E. y ROCCA, W. A. (2013). Incidence of dementia with Lewy bodies and Parkinson disease dementia. *JAMA Neurology*, 70, 1396-1402.
- SCIALFA, C. T. (2002). The role of sensory factors in cognitive aging research. *Canadian Journal of Experimental Psychology*, 56, 153-163.
- SCHATZ, S. y GONZÁLEZ-RIVERA, M. (2016). Pragmatic function impairment and Alzheimer's dementia. *Pragmatics & Cognition*, 2, 324-342.
- SCHMITTER-EDGEcombe, M., VESNESKI, M. y JONES, D. (2000). Aging and word finding: A comparison of discourse and nondiscourse tests. *Archives of Clinical Neuropsychology*, 15, 479-493.
- SCHMOLCK, H., SCHULZ, P. y YORK, M. (2012). Overview of cognitive function in ALS, with special attention to the temporal lobe: Semantic fluency and rating the approachability of faces. En M.H. Maurer (ed.), *Amyotrophic lateral sclerosis* (pp. 703-718). IntechOpen. <https://doi.org/10.5772/30298>
- SCHNEIDER, B. A. (1997). Psychoacoustics and aging: implications for everyday listening. *Journal of Speech-Language Pathology and Audiology*, 21, 111-124.
- SCHNEIDER, B. A., DANEMAN, M. y MURPHY, D. R. (2005). Speech comprehension difficulties in older adults: Cognitive slowing or age-related changes in hearing? *Psychology and Aging*, 20, 261-271.
- SCHNEIDER, B. A., DANEMAN, M., MURPHY, D. R. y KWONG SEE, S. (2000) Listening to discourse in distracting settings: The effects of aging. *Psychology and Aging*, 15, 110-125.
- SCHNEIDER, B. A., DANEMAN, M. y PICHORA-FULLER, M. K. (2002). Listening in aging adults: From discourse comprehension to psychoacoustics. *Canadian Journal of Experimental Psychology*, 56, 139-152.
- SCHRAG, A., BEN-SHLOMO, Y. y QUINN, N. P. (1999). Prevalence of progressive supranuclear palsy and multiple system atrophy: A cross-sectional study. *The Lancet*, 354, 1771-1775.
- SCHUMACHERM, G. A., BEEBE, G., KIBLER, R. F., KURLAND, L. T., KURTZKE, J. F., McDOWELL, F., NAGLER, B., SIBLEY, W. A., TOURTELLOTTE, W. W. y WILLMON, T. L. (1965). Problems of experimental trials of therapy in multiple sclerosis: report by the panel on the evaluation of experimental trials of therapy in multiple sclerosis. *Annals of the New York Academy of Sciences*, 31, 552-568.

- SCHWARTZ, M., MANN, O. y SAFFRAN, E. (1979). Dissociations of language function in dementia: A case study. *Brain and Language*, 7, 277-306.
- SCHWARZ, M., DE BLESER, R., POECK, K. y WEIS, J. (1998). A case of primary progressive aphasia. A 14-year follow-up study with neuropathological findings. *Brain*, 121, 115-126.
- SEDDA, A. (2014). Disorders of emotional processing in amyotrophic lateral sclerosis. *Current Opinion in Neurology*, 27, 659-665.
- SEMENZA, C., MONDINI, S., BORGIO, F., PASINI, M. y SGARAMELLA, M. T. (2003). Proper names in patients with early Alzheimer's disease. *Neurocase*, 9, 63-69.
- SEPULCRE, J., PERAITA, H., GONI, J., ARRONDO, G., MARTINCORENA, I., DUQUE, B., VÉLEZ DE MENDIZABAL, N., MASDEU, J. C. y VILLOSLADA, P. (2011). Lexical access changes in patients with multiple sclerosis: A two-year follow-up study. *Journal of Clinical and Experimental Neuropsychology*, 33, 169-175.
- SHAHED, J. y JANKOVIC, J. (2001). Re-emergence of childhood stuttering in Parkinson's disease: A hypothesis. *Movement Disorders*, 16, 114-118.
- SHAMSIAN, F., DASTJERDI, R. M., KAVOSH, A. y ASHTARI, F. (2019). Naming error in multiple sclerosis patients: A pilot study in Isfahan, Iran. *Journal of Research in Medical Sciences*, 24, 105.
- SHANNE, R., SMITH, B., MURDOCH, E. y CHENERY, H. J. (1989). Semantic abilities in dementia of the Alzheimer type: 1. Lexical semantics. *Brain and Language*, 36, 314-324.
- SHANY-UR, T., POORZAND, P., GROSSMAN, S. N., GROWDON, M. E., JANG, J. Y., KETELLE, R. S., MILLER, B. L. y Rankin, K. P. (2012). Comprehension of insincere communication in neurodegenerative disease: Lies, sarcasm, and theory of mind. *Cortex*, 48, 1329-1341.
- SIAFARIKAS, N., SELBAEK, G., FLADBY, T., ŠALTYTĖ BENTH, J., AUNING, E. y AARSLAND, D. (2018). Frequency and subgroups of neuropsychiatric symptoms in mild cognitive impairment and different stages of dementia in Alzheimer's disease. *International Psychogeriatrics*, 30, 103-113.
- SICRAS, A., REJAS, J., ARCO, S., FLORES, E., ORTEGA, G., ESPARCIA, A., SUAREZ, A. y GORDILLO, M. J. (2005). Prevalence, resource utilization and costs of vascular dementia compared to Alzheimer's dementia in a population setting. *Dementia and Geriatric Cognitive Disorders*, 19, 305-315.
- SIGNORINI, M. y VOLPATO, C. (2006). Action fluency in Parkinson's disease: A follow-up study. *Movement Disorders*, 21, 467-472.
- SIMPSON, S. JR., BLIZZARD, L., OTAHAL, P., VAN DER MEI, I. y TAYLOR, B. (2011). Latitude is significantly associated with the prevalence of multiple sclerosis: A meta-analysis. *Journal of Neurology, Neurosurgery & Psychiatry*, 82, 1132-1141.
- SINGER, T., VERHAEGHEN, P., GHISLETTA, P., LINDENBERGER, U. y BALTES, P. B. (2003). The fate of cognition in very old age: Six-year longitudinal findings in the berlin aging study (BASE). *Psychology and Aging*, 18, 318-331.
- SKODDA, S., SCHLEGEL, U., HOFFMANN, R. y SAFT, C. (2014). Impaired motor speech performance in Huntington's disease. *Journal of Neural Transmission*, 121, 399-407.
- SKODDA, S., VISSER, W. y SCHLEGEL, U. (2011). Acoustical analysis of speech in progressive supranuclear palsy. *Journal of Voice*, 25, 725-731.
- SMITH, S., BUTTERS, N., WHITE, E., LYON, L. y GRANHOLM, E. (1988) Priming semantic relations in patients with Huntington's Disease. *Brain and Language*, 33, 27-40.
- SNOWDEN, J. S., GOULDING, P. J. y NEARY, D. (1989). Semantic dementia: A form of circumscribed cerebral atrophy. *Behavioral Neurology*, 2, 167-182.

- SNOWDEN, J. S., NEARY, D. y MANN, D. M. A. (1996). *Fronto-temporal lobar degeneration: Fronto-temporal dementia, progressive aphasia, semantic dementia*. Churchill-Livingstone.
- SNOWDON, D. A. (2003). Healthy aging and dementia: Findings from the Nun Study. *Annals of Internal Medicine*, 139, 450-454.
- SNOWDON, D. A., KEMPER, S. J., MORTIMER, J. A., RILEY, K. P., GREINER, L. H., WEKSTEIN, D. R. y MARKESBERY, W. R. (1996). Linguistic ability in early life and cognitive function and Alzheimer's disease in late life: Findings from the Nun Study. *Journal of the American Medical Association*, 275, 528-532.
- SOLÁNS GARCÍA, M. (2014). "Navegando en la oscuridad": Iris Murdoch y la enfermedad de Alzheimer. *Signa: Revista de la Asociación Española de Semiótica*, 23, 203-230.
- SOLIVERI, P., PIACENTINI, S., PARIDI, D., TESTA, D., CARELLA, F. y GIROTTI, F. (2003). Distal-proximal differences in limb apraxia in corticobasal degeneration but not progressive supranuclear palsy. *Neurological Sciences*, 24, 213-214.
- SOMMERS, M. S., HALE, S., MYERSON, J., ROSE, N., TYE-MURRAY, N. y SPEHAR, B. (2011). Listening comprehension across the adult lifespan. *Ear Hear*, 32, 775-781.
- SONKAYA, A. R. y BAYAZIT, Z. Z. (2018). Language aspects of patients with multiple sclerosis. *Eurasian Journal of Medicine and Investigation*, 2, 133-138. <https://www.ejmi.org/pdf/Language%20Aspects%20of%20Patients%20with%20Multiple%20Sclerosis-96158.pdf>
- SOTRES, Y. DE LOS Á., QUINTERO, R. y PORTUONDO, M. A. (2015). Uso de la escala GRABS en la evaluación perceptual de la voz de pacientes disfónicos. *Revista Cubana de Tecnología de la Salud*, 6, 78-87.
- SOUSA, M., MOREIRA, F., JESUS-RIBEIRO, J., MARQUES, I., CUNHA, F., CANÁRIO, N., FREIRE, A. y JANUÁRIO, C. (2018). Apathy profile in Parkinson's and Huntington's disease: A comparative cross-sectional study. *European Neurology*, 79, 13-20.
- SPACCAVENTO, S., DEL PRETE, M., CRACA, A. y LOVERRE, A. (2014). A case of atypical progressive supranuclear palsy. *Clinical Interventions in Aging*, 9, 31-39.
- SPEED, L. J., VAN DAM, W. O., HIRATF, P., VIGLIOCCO, G. y DESAI, R. H. (2017). Impaired comprehension of speed verbs in Parkinson's disease. *Journal of the International Neuropsychological Society*, 23, 412-420.
- SPEEDIE, L. J., BRAKE, N., FOLSTEIN, S.E., BOWERS, D. y HEILMAN, K. M. (1990). Comprehension of prosody in Huntington's disease. *Journal of Neurology, Neurosurgery, and Psychiatry*, 53, 607-610.
- SPIELER, D. H. y BALOTA, D. A. (2000). Factors influencing word naming in younger and older adults. *Psychology and Aging*, 15, 225-231.
- STAACKENBORG, S. S., VAN STRAATEN, E. C., VAN DER FLIER, W. M., LANE, R., BARKHOF, F. y SCHELTENS, P. (2008). Small vessel versus large vessel vascular dementia: Risk factors and MRI findings. *Journal of Neurology*, 255, 1644-1651.
- STAIOS, M., FISHER, F., LINDELL, A. K., ONG, B., HOWE, J. y REARDON, K. (2013). Exploring sarcasm detection in amyotrophic lateral sclerosis using ecologically valid measures. *Frontiers in Human Neuroscience*, 7, 178. <https://doi.org/10.3389/fnhum.2013.00178>
- STAMELOU, M., ALONSO-CANOVAS, A. y BHATIA, K. P. (2012). Dystonia in corticobasal degeneration: A review of the literature on 404 pathologically proven cases. *Movement Disorders*, 27, 696-702.

- STEELE, J., RICHARDSON, J. C. y OLSZEWSKI, J. (1964). Progressive supranuclear palsy. A heterogeneous system degeneration involving brain stem, basal ganglia and cerebellum with vertical gaze and pseudobulbar palsy, nuchal dystonia and dementia. *Archives of Neurology*, 10, 333-359.
- STEPHAN, B. C. M., HARRISON, S. L., KEAGE, H. A. D., BABATEEN, A., ROBINSON, L. y SIERVO, M. (2017). Cardiovascular disease, the nitric oxide pathway and risk of cognitive impairment and dementia. *Current Cardiology Reports*, 19, 87. <https://link.springer.com/article/10.1007/s11886-017-0898-y>
- STINE-MORROW, E. A. L., MILLER, L. M. S. y HERTZOG, C. (2006). Aging and self-regulated language processing. *Psychological Bulletin*, 132, 582-606.
- STINE-MORROW, E. A. L., MORROW, D. G. y LENO, R. (2002). Aging and the representation of spatial situations in narrative understanding. *Journals of Gerontology: Psychological Sciences*, 57, P91-P97.
- STORANDT, M., GRANT, E. A., MILLER, P. y MORRIS, J. C. (2002). Rates of progression in mild cognitive impairment and early Alzheimer's disease. *Neurology*, 59, 1034-1041.
- STRONG, M. J., GRACE, G. M., ORANGE, J. B. y LEEPER, H. A. (1996). Cognition, language, and speech in amyotrophic lateral sclerosis: A review. *Journal of Clinical and Experimental Neuropsychology*, 18, 291-303.
- STRONG, M. J., GRACE, G. M., ORANGE, J. B., LEEPER, H. A., MENON, R. S. y AERE, C. (1999). A prospective study of cognitive impairment in ALS. *Neurology*, 53, 1665-1670.
- STROOP, J. R. (1935). Studies of interference in serial verbal reactions. *Journal of Experimental Psychology*, 18, 643-662.
- STROUSE, A., ASHMEAN, D. H., OHDE, R. N. y GRANTHAM, D. W. (1998). Temporal processing in the aging auditory system. *Journal of the Acoustical Society of America*, 104, 2385-2399.
- SUNG, J. E., CHOI, S., EOM, B., YOO, J. K. y JEONG, J. H. (2020). Syntactic complexity as a linguistic marker to differentiate mild cognitive impairment from normal aging. *Journal of Speech, Language and Hearing Research*, 63, 1416-1429.
- SWANTON, J. K., FERNANDO, K., DALTON, C. M., MISZKIEL, K. A., THOMPSON, A. J., PLANT, G. T. y MILLER, D. H. (2006). Modification of MRI criteria for multiple sclerosis in patients with clinically isolated syndromes. *Journal of Neurology, Neurosurgery, and Psychiatry*, 77, 830-833.
- SWANTON, J. K., ROVIRA, A., TINTORE, M., ALTMANN, D. R., BARKHOF, F., FILIPPI, M., HUERGA, E., MISZKIEL, K. A., PLANT, G. T., POLMAN, C., ROVARIS, M., THOMPSON, A. J., MONTALBAN, X. y MILLER, D. H. (2007). MRI criteria for multiple sclerosis in patients presenting with clinically isolated syndromes: A multicentre retrospective study. *The Lancet Neurology*, 6, 677-686.
- TABOR CONNOR, L. T., SPIRO, A., OBLER, L. K. y ALBERT, M. L. (2004). Change in object naming ability during adulthood. *The Journal of Gerontology. Series B, Psychological Sciences and Social Sciences*, 59, P203-P209.
- TAKAYANAGI, S., DIRKS, D. D. y MOSHFEGH, A. (2002). Lexical and talker effects on word recognition among native and non-native listeners with normal and impaired hearing. *Journal of Speech, Language and Hearing Research*, 45, 585-597.
- TAKIZAWA, C., THOMPSON, P. L., VAN WALSEM, A., FAURE, C. y MAIER, W. C. (2015). Epidemiological and economic burden of Alzheimer's disease: A systematic literature review of data across Europe and the United States of America. *Journal of Alzheimer's Disease*, 43, 1271-1284.

- TALER, V. y JAREMA, G. (2006). On-line lexical processing in AD and MCI: An early measure of cognitive impairment? *Journal of Neurolinguistics*, 19, 38-55.
- TALER, V. y PHILLIPS, N. A. (2008). Language performance in Alzheimer's disease and mild cognitive impairment: A comparative review *Journal of Clinical and Experimental Neuropsychology*, 30, 501-556.
- TAPIA LADINO, M. (2005). Producción de habla y fenómenos de vacilación en la conversación de adultos jóvenes y adultos mayores. *Anales de Psiquiatría*, 21, 215-222.
- TAYLOR, C., CROOT, K., POWER, E., SAVAGE, S. A., HODGES, J. R. y TOGHER, L. (2014). Trouble and repair during conversations of people with primary progressive aphasia. *Aphasiology*, 28, 1069-1091.
- TAYLOR, J. K. y BURKE, D. M. (2002). Asymmetric aging effects on semantic and phonological processes: Naming in the picture-word interference task. *Psychology and Aging*, 17, 662-676.
- TAYLOR, J. R. y OLICHNEY, J. M. (2007). From amnesia to dementia: ERP studies of memory and language. *Clinical EEG and Neuroscience*, 38, 8-17.
- TAYLOR, L. J., BROWN, R. G., TSERMENTSSELI, S., AL-CHALABI, A., SHAW, C. E., ELLIS, C. M., LEIGH, P. N. y GOLDSTEIN, L. H. (2013). Is language impairment more common than executive dysfunction in amyotrophic lateral sclerosis? *Journal of Neurology, Neurosurgery, and Psychiatry*, 84, 494-498.
- TAYLOR-RUBIN, C., CROOT, K., POWER, E., SAVAGE, S. A., HODGES, J. R. y TOGHER, L. (2017). Communication behaviors associated with successful conversation in semantic variant primary progressive aphasia. *International Psychogeriatrics*, 29, 1619-1632.
- TEICHMANN, M., DARCY, I., BACHOUD-LÉVI, A. C. y DUPOUX, E. (2009). The role of the striatum in phonological processing. Evidence from early stages of Huntington's disease. *Cortex*, 45, 839-849.
- TEICHMANN, M., DUPOUX, E., KOUIDER, S. y BACHOUD-LÉVI, A. C. (2006). The role of the striatum in processing language rules: Evidence from word perception in Huntington's disease. *Journal of Cognitive Neuroscience*, 18, 1555-1569.
- TEICHMANN, M., DUPOUX, E., KOUIDER, S., BRUGIÈRES, P., BOISSÉ M.F., BAUDIC, S., CESARO, P., PESCHANSKI, M. y BACHOUD-LÉVI, A. C. (2005). The role of the striatum in rule application: The model of Huntington's disease at early stage. *Brain*, 128, 1155-1167.
- TEICHMANN, M., GAURA, V., DÉMONET, J. F., SUPLOT, F., DELLIAUX, M., VERNY, C., RENOU, P., REMY, P. y BACHOUD-LÉVI, A. C. (2008). Language processing within the striatum: Evidence from a PET correlation study in Huntington's disease. *Brain*, 131, 1046-1056.
- TERRIN, A., BARP, A., ZANUSSO, G., GALLO, P. y CAGNIN, A. (2017). Creutzfeldt-Jakob disease presenting with isolated progressive non-fluent aphasia in a young woman. *Neurological Sciences*, 38, 1535-1537.
- TERVO, S., KIVIPELTO, M., HÄNNINEN, T., VANHANEN, M., HALLIKAINEN, M., MANNERMAA, A. y SOININEN, H. (2004). Incidence and risk factors for mild cognitive impairment: A population-based three-year follow up study of cognitively healthy elderly subjects. *Dementia and Geriatric Cognitive Disorders*, 17, 196-203.
- TERZI, A., PAPAPETROPOULOS, S. y KOUVELAS, E. D. (2005). Past tense formation and comprehension of passive sentences in Parkinson's disease: Evidence from Greek. *Brain and Language*, 94, 297-303.
- THEODOROS, D. (2011). Speech disorder in Parkinson disease. En D. Theodoros y L. Ramig (eds.). *Communication and swallowing in Parkinson disease* (pp. 51-88). Plural Publis.

- THOMPSON, C. K., BALLARD, K. J., TAIT, M. E., WEINTRAUB, S. y MESULAM, M. M. (1997). Patterns of language decline in nonfluent primary progressive aphasia. *Aphasiology*, 11, 297-321.
- THOMPSON, C. K., CHO, S., HSU, C. J., WIENEKE, C., RADEMAKER, A., WEITNER, B. B. y WEINTRAUB, S. (2012a). Dissociations between fluency and agrammatism in primary progressive aphasia. *Aphasiology*, 26, 20-43.
- THOMPSON, C. K., LUKIC, S., KING, M. C., MESULAM, M. M. y WEINTRAUB, S. (2012b). Verb and noun deficits in stroke-induced and primary progressive aphasia: The Northwestern Naming Battery. *Aphasiology*, 26, 632-655.
- THOMPSON, C. K. y MACK, J. E. (2014). Grammatical impairments in PPA. *Aphasiology*, 28, 1018-1037.
- THOMPSON, C. K., MELTZER-ASSCHER, A., CHO, S., LEE, J., WIENEKE, C., WEINTRAUB, S. y MESULAM, M. M. (2013). Syntactic and morphosyntactic processing in stroke-induced and primary progressive aphasia. *Behavioral Neurology*, 26, 35-54.
- THORNTON, R. y LIGHT, L. L. (2006). Language comprehension and production in normal aging. En J. E. Birren and K. W. Schaie (eds.), *Handbook of the psychology of aging* (pp. 262-287). Elsevier Academic Press.
- TITOS GIL, S., SEGURA AROCA, M., MORENO LÓPEZ, A. B., SÁNCHEZ ESCÁMEZ, A., SÁNCHEZ PARDO, M. E., ABELLÁN PÉREZ, M. V., LÓPEZ DÍEZ, L. M. y PALOMAR, J. (2015). *Prevalencia de enfermedades raras en la Región de Murcia 2013*. Consejería de Sanidad de Murcia.
- TJADEN, K. y WATLING, E. (2003). Characteristics of diadochokinesis in multiple sclerosis and Parkinson's disease. *Folia Phoniatria et Logopaedica*, 55, 241-259.
- TOLA-ARRIBAS, M. A., YUGUEROS, M. I., GAREA, M. J., ORTEGA-VALÍN, F., CERÓN-FERNÁNDEZ, A., FERNÁNDEZ-MALVIDO, B., SAN JOSÉ-GALLEGOS, A., GONZÁLEZ-TOUYA, M., BOTRÁN-VELICIA, A., IGLESIAS-RODRÍGUEZ, V. y DÍAZ-GÓMEZ, B. (2013). Prevalence of dementia and subtypes in Valladolid, northwestern Spain: The DEMINVALL Study. *PLoS One*, 17, 77688. <https://doi.org/10.1371/journal.pone.0077688>
- TOMBAUGH, T. N., KOZAK, J. y REES, L. (1999). Normative data stratified by age and education for two measures of verbal fluency: FAS and animal naming. *Archives of Clinical Neuropsychology*, 14, 167-177.
- TOMIK, B. y GUILOFF, R. J. (2010). Dysarthria in amyotrophic lateral sclerosis: A review. *Amyotrophic Lateral Sclerosis*, 11, 4-15.
- TOODAYAN, N. (2016). Professor Alois Alzheimer (1864-1915): Lest we forget. *Journal of Clinical Neuroscience*, 31, 47-55.
- TORRES RAMÍREZ, L., VILLAFUETTE ESPINOZA, M. V., GUEVARA SILVA, E. y COSENTINO ESQUERRE, C. (2011). Características clínicas de la parálisis supranuclear progresiva en el Instituto Nacional de Ciencias Neurológicas. *Diagnóstico Perú*, 50, 184-190.
- TOVAR, A., GARÍ SOLER, A., RUIZ-IDIAGO, J., MARECA VILADRICH, C., POMAROL-CLOTET, E., ROSSELLÓ, J. y HINZEN, W. (2020). Language disintegration in spontaneous speech in Huntington's disease: A more fine-grained analysis. *Journal of Communication Disorders*, 83, 105970. <https://doi.org/10.1016/j.jcomdis.2019.105970>
- TREE, J. J. y HIRSH, K. W. (2003) Sometimes faster, sometimes, slower: Associative and competitor priming in picture naming with young and elderly participants, *Journal of Neurolinguistics*, 16, 489-514.

- TROMP, D., DUFOUR, A., LITHFOUS, S., PEBAYLE, T. y DESPRÉS, O. (2015). Episodic memory in normal aging and Alzheimer disease: Insights from imaging and behavioral studies. *Ageing Research Reviews*, 24, 232-262.
- TROYER, A. K., MOSCOVITCH, M., WINOCUR, G., LEACH, L. y FREEDMAN, M. (1998). Clustering and switching on verbal fluency tests in Alzheimer's and Parkinson's disease. *Journal of the International Neuropsychological Society*, 4, 137-143.
- TSERMENTSSELI, S., LEIGH, P. N., TAYLOR, L. J., RADUNOVIC, A., CATANI, M. y GOLDSTEIN, L. H. (2015). Syntactic processing as a marker for cognitive impairment in amyotrophic lateral sclerosis. *Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration*, 17, 69-76.
- TSUJI-AKIMOTO, S., HAMADA, S., YABE, I., TAMURA, I., OTSUKI, M., KOBASHI, S. y SASAKI, H. (2010). Writing errors as a result of frontal dysfunction in Japanese patients with amyotrophic lateral sclerosis. *Journal of Neurology*, 257, 2071-2077.
- TUN, P. A., O'KANE, G. y WINGFIELD, A. (2002). Distraction by competing speech in young and older adult listeners. *Psychology and Aging*, 17, 453-467.
- TYRRELL, P. J., KARTSOUNIS, L. D., FRACKOWIAK, R. S. J., FINDLEY, L. J. y ROSSOR, M. N (1991). Progressive loss of speech output and orofacial dyspraxia associated with frontal lobe metabolism. *Journal of Neurology, Neurosurgery, and Psychiatry*, 54, 351-357.
- ULLMAN, M. T. (2001a). The Declarative/Procedural Model of lexicon and grammar. *Journal of Psycholinguistic Research*, 30, 37-69
- (2001b). A neurocognitive perspective on language: The declarative/procedural model. *Nature Reviews Neuroscience*, 2, 717-726.
- (2001c). The neural basis of lexicon and grammar in first and second language: The declarative/procedural model. *Bilingualism: Language and Cognition*, 4, 105-122.
- (2004). Contributions of memory circuits to language: the declarative/procedural model. *Cognition*, 92, 231-270.
- (2016). The Declarative/Procedural Model: A Neurobiological Model of Language Learning, Knowledge, and Use. En G. Hickok y S. L. Small (eds.), *Neurobiology of Language* (pp. 953-968). Academic Press.
- ULLMAN, M. T., CORKIN, S., COPPOLA, M., HICKOK, G., GROWDON, J. H., KOROSHETZ, W. J. y PINKER, S. (1997). A neural dissociation within language: Evidence that the mental dictionary is part of declarative memory, and that grammatical rules are processed by the procedural system. *Journal of Cognitive Neuroscience*, 9, 266-276.
- ULLMAN, M. T., CORKIN, S., PINKER, S., COPPOLA, M., LOCASCIO, J. y GROWDON, J. H. (1993). Neural modularity in language: Evidence from Alzheimer's and Parkinson's diseases. *Society for Neuroscience Abstracts*, 19, 1806.
- ULLMAN, M. T., IZVORSKI, R., LOVE, T. M YEE, E. M, SWINNEY, D. y HICKOK, G. (2005). Neural correlates of lexicon and grammar: Evidence from the production, reading, and judgment of inflection in aphasia. *Brain and Language*, 93, 185-238.
- UTIANSKI, R. L., DUFFY, J. R., CLARK, H. M., STRAND, E. A., BOTHA, H., SCHWARZ, C. G., MACHULDA, M. M., SENJEM, M. L., SPYCHALLA, A. J., JACK, C. R JR., PETERSEN, R. C., LOWE, V. J., WHITWELL, J. L. y JOSEPHS, K. A. (2018). Prosodic and phonetic subtypes of primary progressive apraxia of speech. *Brain and Language*, 184, 54-65.
- VALLES, B. (2006). La cohesión y la coherencia en la conversación del paciente con demencia. Un estudio discursivo. *Revista de la Asociación Colombiana de Gerontología y Geriatria*, 20, 1881-1887.

- (2013). Una aproximación al estudio de la conversación de la persona con Alzheimer y sus interlocutores sanos. *Revista de Investigación en Logopedia* 2, 96-119.
- VARELA-SUÁREZ, A. (2020a). La integración de información contextual en el discurso de personas con demencia. *Pragmalingüística*, 2.21. <https://doi.org/10.25267/Pragmalinguistica.2020.iextra2.21>
- (2020b). El empleo del lenguaje figurado en el discurso de personas con demencia. *Signos*, 53. <http://dx.doi.org/10.4067/S0718-09342020000100272>
- VARLEY, R., COWELL, P. E., GIBSON, A. y ROMANOWSKI, C.A. (2005). Disconnection agraphia in a case of multiple sclerosis: The isolation of letter movement plans from language. *Neuropsychologia*, 43, 1503-1513.
- VASQUEZ, B. P. y ZAKZANIS, K. K. (2015). The neuropsychological profile of vascular cognitive impairment not demented: A meta-analysis. *Journal of Neuropsychology*, 9, 109-136.
- VEGA, J. N. y NEWHOUSE, P. A. (2014). Mild cognitive impairment: Diagnosis, longitudinal course, and emerging treatments. *Current Psychiatry Reports*, 16, 490.
- VEGA ALONSO, T., MIRALLES-ESPÍ, M., MANGAS-REINA, J. M., CASTRILLEJO-PÉREZ, D., RIVAS-PÉREZ, A. I., GIL COSTA, M., LÓPEZ MASIDE, A., ARRIETA ANTÓN, E., LOZANO ALONSO, J. E. y FRAGUA GIL, M. (2018). Prevalencia de deterioro cognitivo en España. Estudio Gómez de Caso en redes centinelas sanitarias. *Neurología*, 33, 491-498.
- VELÁZQUEZ-CARDOSO, J., MAROSI-HOLCZBERGER, E., RODRÍGUEZ-AGUDELO, Y., YAÑEZ-TÉLLEZ, G. y CHÁVEZ-OLIVEROS, M. (2014). Recall strategies for the verbal fluency test in patients with multiple sclerosis. *Neurología*, 29, 139-145.
- VÉLIZ, M., RIFFO, B., AGUILAR, V. y SÁEZ, K. (2011). Procesamiento de oraciones ambiguas de *vía muerta* y envejecimiento: un estudio experimental. *Onómazein*, 24, 199-222.
- VÉLIZ, M., RIFFO, N. y ARANCIBIA, B. (2010). Envejecimiento cognitivo y procesamiento del lenguaje: cuestiones relevantes. *RLA. Revista de lingüística teórica y aplicada*, 48, 75-103.
- VENNERI, A., FORBES-McKAY, K. E. y SHANKS, M. F. (2005). Impoverishment of spontaneous language and the prediction of Alzheimer's disease. *Brain*, 128, E27. <https://doi.org/10.1093/brain/awh419>
- VERGHESE, J., ROBBINS, M., HOLTZER, R., ZIMMERMAN, M., WANG, C., XUE, X. y LIPTON, R. B. (2008). Gait dysfunction in mild cognitive impairment syndromes. *Journal of the American Geriatrics Society*, 56, 1244-1251.
- VERHAEGHEN, P. (2003). Aging and vocabulary score: A meta-analysis. *Psychology and Aging*, 18, 332-339.
- VERKKONIEMI, A., SOMER, M., RINNE, J. O., MYLLYKANGAS, L., CROOK, R., HARDY, J., VIITANEN, M., KALIMO, H. y HALTIA M. (2000). Variant Alzheimer's disease with spastic paraparesis: Clinical characterization. *Neurology*, 54, 1103-1109.
- VIÑES, J. J., LARUMBE, R., GAMINDE, I. y ARTÁZCOZ, M. T. (1991). Incidence of idiopathic and secondary Parkinson disease in Navarre. Population-based case registry. *Neurología*, 14, 16-22.
- VIRUÉS-ORTEGA, J., DE PEDRO-CUESTA, J., VEGA, S., SEIJO-MARTINEZ M., SAZ, P., RODRÍGUEZ, F., RODRÍGUEZ-LASO, A., RENÉ, R., DE LAS HERAS, S. P., MATEOS, R., MARTÍNEZ-MARTÍN, P., MAHILLO-FERNANDEZ, I., LOPEZ-POUSA, S., LOBO, A., REGLA, J. L., GASCON, J., GARCÍA, F. J., FERNÁNDEZ-MARTÍNEZ, M., BOIX, R., BERMEJO PAREJA, F., BERGARECHE, A., SÁNCHEZ-SÁNCHEZ, F., DE ARCE, A. y DEL BARRIO, J. L. (2011) Prevalence and European comparison of dementia in a ≥ 75 -year-old composite population in Spain. *Acta Neurológica Scandinavica*, 123, 316-324.

- VITEVITCH, M. S. y SOMMERS, M.S. (2003). The facilitative influence of phonological similarity and neighborhood frequency in speech production in younger and older adults. *Memory & Cognition*, 31, 491-504.
- VITORINO, J. (2009). Velopharyngeal function in adult speakers of Portuguese diagnosed with multiple sclerosis. *NeuroRehabilitation*, 25, 279-287.
- VLEUGELS, L., LAFOSSE, C., VAN NUNEN, A., NACHTERGAELE, S., KETELAER, P., CHARLIER, M. y VANDENBUSSCHE, E. (2000). Visuo-perceptual impairment in multiple sclerosis patients diagnosed with neuropsychological tasks. *Multiple Sclerosis*, 6, 241-254.
- VOUSDEN, J. I. y MAYLOR, E. A. (2006). Speech errors across the lifespan. *Language and Cognitive Processes*, 21, 48-77.
- VUORINEN, E., LAINE, M. y RINNE, J. (2000). Common pattern of language impairment in vascular dementia and in Alzheimer disease. *Alzheimer Disease and Associated Disorders*, 14, 81-86.
- WAHLIN, T. B. R., LUSZCZ, M. A., WAHLIN, Å. y BYRNE, G. J. (2015). Non-verbal and verbal fluency in prodromal Huntington's disease. *Dementia and Geriatric Cognitive Disorders Extra*, 5, 517-529.
- WALENSKI, M., SOSTA, K., CAPPÀ, S. y ULLMAN, M. T. (2009). Deficits on irregular verbal morphology in Italian-speaking Alzheimer's disease patients. *Neuropsychologia*, 47, 1245-1255.
- WALLACE, G. L. y HOLMES, S. (1993). Cognitive-linguistic assessment of individuals with multiple sclerosis. *Archives of Physical Medicine and Rehabilitation*, 74, 637-643.
- WALLESCH, C. W. y FEHRENBACH, R. A. (1988). On the neurolinguistic nature of language abnormalities in Huntington's disease. *Journal of Neurology, Neurosurgery, and Psychiatry*, 51, 367-373.
- WARD, A., TARDIFF, S., DYE, C. y ARRIGHI, H. M. (2013). Rate of conversion from prodromal Alzheimer's disease to Alzheimer's dementia: A systematic review of the literature. *Dementia and Geriatric Cognitive Disorders*, 3, 320-332.
- WARRINGTON, E.K. (1975). The selective impairment of semantic memory. *Quarterly Journal of Experimental Psychology*, 27, 635-657.
- WARTENBURGER, I., HEEKEREN, H., ABUTALEBI, J., CAPPÀ, S. F., VILLRINGER, A. y PERANI, D. (2003). Early setting of grammatical processing in the bilingual brain. *Neuron*, 37, 159-170.
- WATT, S., JOKEL, R. y BEHRMANN, M. (1997). Surface dyslexia in nonfluent progressive aphasia. *Brain and Language*, 56, 211-233.
- WATERS, G. S. y CAPLAN, D. (2001). Age, working memory and on-line syntactic processing in sentence comprehension. *Psychology and Aging*, 16, 128-144.
- (2005). The relationship between age, processing speed, working memory capacity, and language comprehension. *Memory*, 13, 403-413.
- WEINTRAUB, S., RUBIN, N. P. y MESULAM, M. M. (1990). Primary progressive aphasia. Longitudinal course, neuropsychological profile y language features. *Archives of Neurology*, 47, 1329-1335.
- WEINTRAUB, D., MOBERG, P. J., CULBERTSON, W. C., DUDA, J. E., KATZ, I. R. y STERN, M. B. (2005). Dimensions of executive function in Parkinson's disease. *Dementia and Geriatric Cognitive Disorders*, 20, 140-144.
- WERNER, P., ROSENBLUM, S., BAR-ON, G., HEINIK, J. y KORCZYN, A. (2006). Handwriting process variables discriminating between mild Alzheimer's disease and mild cognitive impairment. *Journal of Gerontology: Psychological Sciences*, 61B: 228-236.

- WESTBURY, C. y BUB, D. (1997). Primary progressive aphasia: A review of 112 cases. *Brain and Language*, 60, 381-406.
- WEXLER, N. S., COLLETT, L., WEXLER, A. R., RAWLINS, M. D., TABRIZI, S. J., DOUGLAS, I., SMEETH, L. y EVANS, S. J. (2016). Incidence of adult Huntington's disease in the UK: A UK-based primary care study and a systematic review. *BMJ Open*, 23, e009070. <https://bmjopen.bmj.com/content/6/2/e009070>
- WHATMOUGH, C., CHERTKOW, H., MURTHA, S., TEMPLEMAN, D., BABINS, L. y KELNER, N. (2003). The semantic category effect increases with worsening anomia in Alzheimer's type dementia. *Brain and Language*, 84, 134-147.
- WHEELDON, L. R. y MONSELL S. (1994). Inhibition of spoken word production by priming a semantic competitor. *Journal of Memory and Language*, 33, 332-357.
- WHITAKER, H. (1976). A case of isolation of language function. En H. Whitaker y H. A. Whitaker (eds.), *Studies in neurolinguistics* (pp. 1-58). Academic Press.
- WICKLUND, A. H., JOHNSON, N. y WEINTRAUB, S. (2004). Preservation of reasoning in primary progressive aphasia: Further differentiation from Alzheimer's disease and the behavioral presentation of frontotemporal dementia. *Journal of Clinical and Experimental Neuropsychology*, 26, 347-355.
- WIIG, E. H. y SECORD, W. (1985) *Test of Language Competence*. Merrill.
- WILKOSZ, P. A., SELTMAN, H. J., DEVLIN, B., WEAMER, E. A., LOPEZ, O. L., DEKOSKY, S. T. y SWEET, R. A. (2010). Trajectories of cognitive decline in Alzheimer's disease. *International Psychogeriatrics*, 22, 281-290.
- WILSON, S. M., DEHOLLAIN, CH., FERRIEUX, S., CHRISTENSEN, L. E. H. y TEICHMANN, M. (2017). Lexical access in semantic variant PPA: Evidence for a post-semantic contribution to naming deficits. *Neuropsychologia*, 106, 90-99.
- WILSON, S. M., GALANTUCCI, S., TARTAGLIA, M. C. y GORNO-TEMPINI, M. L. (2012). The neural basis of syntactic deficits in primary progressive aphasia. *Brain and Language*, 122, 190-198.
- WILSON, S. M., HENRY, M. L., BESBRIS, M., OGAR, J. M., DRONKERS, N. F., JARROLD, W. y GORNO-TEMPINI, M. L. (2010). Connected speech production in three variants of primary progressive aphasia. *Brain*, 133, 2069-2088.
- WILSON, S. M., BRANDT, T. H., HENRY, M. L., BABIAK, M., OGAR, J. M., SALLI, C., WILSON, L., PERALTA, K., MILLER, B. L. y GORNO-TEMPINI, M. L. (2014). Inflectional morphology in primary progressive aphasia: an elicited production study. *Brain and language*, 136, 58-68.
- WINBLAD, B., PALMER, K., KIVIPELTO, M., JELIC, V., FRATIGLIONI, L. y WAHLUND, L.O. (2004). Mild cognitive impairment-beyond controversies, towards a consensus: Report of the International Working Group on mild cognitive impairment. *Journal of Internal Medicine*, 256, 240-246.
- WINGFIELD, A., LINDFIELD, K. C. y GOODGLASS, H. (2000). Effects of age and hearing sensitivity on the use of prosodic information in spoken word recognition. *Journal of Speech, Language, and Hearing Research*, 43, 915-925.
- WINGFIELD, A., MCCOY, S. L., PEELLE, J. E., TUN, P. A. y COX, L. C. (2007). Effects of adult age and hearing loss on comprehension of rapid speech varying in syntactic complexity. *Journal of the American Academy of Audiology*, 17, 487-97.
- WINGFIELD, A., PEELLE, J. E. y GROSSMAN, M. (2003). Speech rate and syntactic complexity as multiplicative factors in speech comprehension by young and older adults. *Aging Neuropsychology and Cognition*, 10, 310-322.

- WISHART, H. y SHARPE, D. (1997). Neuropsychological aspects of multiple sclerosis: A quantitative review. *Journal of Clinical and Experimental Neuropsychology*, 19, 810-824.
- WITTIG, F. (2004). Estructura narrativa en el discurso oral de adultos mayores. *Signos*, 37, 91-10
- WONG, S. B. C., ANAND, R., CHAPMAN, S. B., RACKLEY, A. y ZIENTZ, J. (2009). When nouns and verbs degrade: Facilitating communication in semantic dementia. *Aphasiology*, 23, 286-301.
- WOOLLACOTT, I.O. y ROHRER, J. D. (2016). The clinical spectrum of sporadic and familial forms of frontotemporal dementia. *Journal of Neurochemistry*, 138, 6-31.
- WOOLLAMS, A. M., LAMBON RALPH, M. A., PLAUT, D. C. y PATTERSON, K. (2007). SD-Squared: On the association between semantic dementia and surface dyslexia. *Psychological Review*, 114, 316-339.
- WOOLLEY, S. C. y KATZ, J. S. (2008). Cognitive and behavioral impairment in amyotrophic lateral sclerosis. *Physic Medicine and Rehabilitation Clinics of North America*, 19, 607-617.
- WRIGHT, H. H. (ed.) (2006). *Cognition, language and aging*. John Benjamins Publ. Co.
- WRIGHT, H. H., CAPILOUTO, G. J., SRINIVASAN, C. y FERGADIOTIS, G. (2011). Story processing ability in cognitively healthy younger and older adults. *Journal of Speech, Language, and Hearing Research*, 54, 900-917.
- YAMOUT, B., FULEIHAN, N., HAJJ, T., SIBAI, A., SABRA, O., RIFAI, H. y HAMDAN, A. L. (2009). Vocal symptoms and acoustic changes in relation to the expanded disability status scale, duration and stage of disease in patients with multiple sclerosis. *European Archives of Oto-Rhino-Laryngology*, 266, 1759-1765.
- YAMOUT, B., ISSA, Z., HERLOPIAN, A., EL BEJANI, M., KHALIFA, A., GHADIEH, A. S. y HABIB, R. H. (2013). Predictors of quality of life among multiple sclerosis patients: A comprehensive analysis. *European Journal of Neurology*, 20, 756-764.
- YORKSTON, K. M., BAYLOR, C. y AMTMANN, D. (2014). Communicative participation restrictions in multiple sclerosis: Associated variables and correlation with social functioning. *Journal of Communication Disorders*, 52, 196-206.
- YORKSTON, K. M., BAYLOR, C. R., KLASNER, E. R., DEITZ, J., DUDGEON, B. J., EADIE, T., MILLER, R. M. y AMTMANN, D. (2007). Satisfaction with communicative participation as defined by adults with multiple sclerosis: A qualitative study. *Journal of Communication Disorders*, 40, 433-451.
- YORKSTON, K. M., KLASNER, E. R., BOWEN, J., EHDE, D. M., GIBBONS, L. E., JOHNSON, K. y KRAFT, G. (2003). Characteristics of multiple sclerosis as a function of the severity of speech disorders. *Journal of Medical Speech-Language Pathology*, 11, 73-84.
- YORKSTON, K. M., KLASNER, E. R. y SWANSON, K. M. (2001). Communication in context. A qualitative study of the experiences of individuals with multiple sclerosis. *American Journal of Speech-Language Pathology*, 10, 126-137.
- YOSHIZAWA, K., YASUDA, N., FUKUDA, M., YUKIMOTO, Y., OGINO, M., HATA, W., ISHIZAKA, I. y HIGASHIKAWA, M. (2014). Syntactic comprehension in patients with amyotrophic lateral sclerosis. *Behavioral Neurology*, 2014, 230578. <https://doi.org/10.1155/2014/230578>
- YOU, S. C., GESCHWIND, M. D., SHA, S. J., APPLE, A., SATRIS, G., WOOD, K. A., JOHNSON, E. T., GOOBLAR, J., FEUERSTEIN, J. S., FINKBEINER, S., KANG, G. A., MILLER, B.L., HESS, C.P., KRAMER, J. H. y POSSIN, K. L. (2014). Executive functions in premanifest Huntington's disease. *Movement Disorders*, 29, 405-409.

- YUSPEH, R. L., VANDERPLOEG, R. D., CROWELL, T. A. y MULLAN., M. (2002). Differences in executive functioning between Alzheimer's disease and subcortical ischemic vascular dementia. *Journal of Clinical and Experimental Neuropsychology*, 24, 745-754.
- ZACH, H., JANSSEN, A.M., SNIJDERS, A. H., DELVAL, A., FERRAYE, M. U., AUFF, E., WEERDESTEYN, V., BLOEM, B. R. y NONNEKES, J. (2015). Identifying freezing of gait in Parkinson's disease during freezing provoking tasks using waist-mounted accelerometry. *Parkinsonism & Related Disorders*, 21, 1362-1366.
- ZAKZANIS, K. K. (2000). Distinct neurocognitive profiles in multiple sclerosis subtypes. *Archives of Clinical Neuropsychology*, 15, 115-136.
- ZANINI, S., ANGELI, V. y TAVANO, A. (2011). Primary progressive aphasia in a bilingual speaker: A single-case study. *Clinical Linguistics & Phonetics*, 25, 553-564.
- ZANINI S., MELATINI A., CAPUS L., GIOULIS M., VASSALLO, A. y BAVA, A. (2003). Language recovery following subthalamic nucleus stimulation in Parkinson's disease. *Neuroreport*, 14, 511-516.
- ZANINI, S., TAVANO, A. y FABBRO, F. (2010). Spontaneous language production in bilingual Parkinsons disease patients: Evidence of greater phonological, morphological and syntactic impairments in native language. *Brain and Language*, 113, 84-89.
- ZANINI, S., TAVANO, A., VORANO, L. y Schiavo, F. (2004). Greater syntactic impairments in native language in bilingual Parkinsonian patients. *Journal of Neurology, Neurosurgery and Psychiatry*, 75, 1678-1681.
- ZAPATA-ZAPATA, C. H., FRANCO-DÁGER, E., SOLANO-ATEHORTÚA, J. M. y AHUNCA-VELÁSQUEZ, L F. (2016). Esclerosis lateral amiotrófica: actualización. *Iatreia*, 29, 194-205.
- ZAROWITZ, B. J., O'SHEA, T. y NANCE, M. (2014). Clinical, demographic, and pharmacologic features of nursing home residents with Huntington's disease. *Journal of the American Medical Directors Association*, 15, 423-428.
- ZEC, R. F., BURKETT, N. R., MARKWELL, S. J. y LARSEN, D. L. (2007). A cross-sectional study of the effects of age, education, and gender on the Boston Naming Test. *The Clinical Neuropsychologist*, 21, 587-616.
- ZIMMERER, V. C., DĄBROWSKA, E., ROMANOWSKI, CH. A. J., BLANK, C. y VARLEY, R.A. (2014). Preservation of passive constructions in a patient with primary progressive aphasia. *Cortex*, 50, 7-18.
- ZIPIN, L. M., TOMPKINS, C. A. y KASPER, S. C. (2000). Effects of foregrounding on predictive inference generation by normally ageing adults. *Aphasiology*, 14, 115-131.