

Bibliografía completa

Bibliografía básica

- ÁLVAREZ, R. y MASJUÁN, J. (2016). Agnosias visuales. *Revista Clínica Española*, 216(2), 85-91.
- ANDERSEN, R.A., ANDERSEN, K.N., HWANG, E.J. y HAUSCHILD, M. (2014). Optic ataxia: from Balint's syndrome to the parietal reach region. *Neuron*, 81, 967-983.
- ANDICS, A., MCQUEEN, J.M., PETERSSON, K.M., GAL, V., RUDAS, G. y VIDNYNSZKY, Z. (2010). Neural mechanisms for voice recognition. *Neuroimage*, 52, 1528-1540.
- ARNEDO, M., BEMBIBRE, J. y TRIVIÑO, M. (coords.). (2012). *Neuropsicología. A través de casos clínicos*. Madrid: Médica Panamericana.
- ARNOTT, S.R., BINNS, M.A., GRADY, C.L. y ALAIN, C. (2004). Assessing the auditory dual-pathway model in humans. *NeuroImage*, 22, 401-408.
- AYAS, M., YASEEN, H. y ALWAA, A.M. (2016). Auditory plasticity and cochlear implants in children: A review. *International Journal of Current Research and Review*, 8(20), 4-9.
- BESHARATI, S., CRUCIANELLI, L. y FOTOPOULOU, K. (2014). Restoring awareness: A review of rehabilitation in anosognosia for hemiplegia. *Revista Chilena de Neuropsicología*, 9(1E): 31-37.
- BOECKLE, M., LIEGL, G., JANK, R. y PIEH, C. (2016). Neural correlates of conversion disorder: Overview and meta-analysis of neuroimaging studies on motor conversion disorder. *BioMed Central Psychiatry*, 16: 195.
- CLARKE, A. y TYLER, L.K. (2015). Understanding what we see: How we derive meaning from vision. *Trends in Cognitive Sciences*, 19(11), 677-686.
- DE SANTIS, L., SPIERER, L., CLARKE, S. y MURRAY, M.M. (2007). Getting in touch: Segregated somatosensory what and where pathways in humans revealed by electrical neuroimaging. *NeuroImage*, 37, 890-903.
- DOTY, R.L., SAITO, K. y BROMLEY, S.M. (2008). Disorders of taste and smell. En S. FIRESTEIN y G. K. BEAUCHAM (eds.) *The senses. A comprehensive reference* (vol. 4). *Olfaction and taste* (pp. 859-888). San Diego CA: Academic Press.
- ENGEL, L.R., FRUM, C., PUCE, A., WALKER, N.A., LEWIS, J.W. (2009). Different categories of living and non-living sound-sources activate distinct cortical networks. *Neuroimage*, 47, 1778-1791.

- FARAH, M.J. (2000). *The cognitive neuroscience of vision*. Massachussets: The Blackwell Publisher.
- FOTOPOULOU, A., RUDD, A., HOLMES, P. y KOPELMAN, M. (2009). Self-observation reinstates motor awareness in anosognosia for hemiplegia. *Neuropsychologia*, 47, 1256-1260.
- GAINOTTI, G. (2018). Anosognosia, denial of illness and the right hemisphere dominance for emotions: some historical and clinical notes. *Consciousness and Cognition*, 58, 44-50.
- HOLE, G. y BOURNE, V. (2010). *Face processing*. Nueva York: Oxford University Press.
- JAMES, T.W., KIM, S. y FISHER, J.S. (2007). The neural basis of haptic object processing. *Canadian Journal of Experimental Psychology*, 61(3), 219-229.
- KING, A.J. (2015). Crossmodal plasticity and hearing capabilities following blindness. *Cell Tissue Research*, 361, 295-300.
- LACEY, S. y SATHIAN, K. (2014). Visuo-haptic multisensory object recognition, categorization, and representation. *Frontiers in Psychology*, 5(730), 1-15.
- LANDIN-ROMERO, R., TAN, R., HODGES, J.R. y KUMFOR, F. (2016). An update on semantic dementia: Genetics, imaging, and pathology. *Alzheimer's Research & Therapy*. doi: 10.1186/s13195-016-0219-5
- LOMBER, S.G. y MALHOTRA, S. (2008). Double dissociation of 'what' and 'where' processing in auditory cortex. *Nature Neuroscience*, 11(5), 609-616.
- LURIA, A.R. (2010). *Mundo perdido y recuperado. Historia de una lesión*. Oviedo: KRK Ediciones.
- MARTIN, A. (2007). The representations of object concepts in the brain. *Annual Review of Psychology*, 58, 25-45.
- MEHLING, W.E., GOPISETTY, V., DAUBENMIER, J., PRICE, C.J., HECHT, F.M. y STEWART, A. (2009). Body awareness: Construct and self report measures. *PLOS ONE*, 4(5), 1-18.
- MORO, V., URGESI, C., PERNIGO, S., LANTERI, P., PAZZAGLIA, M. y AGLIOTI, S.M. (2008). The neural basis of body form and body action agnosia. *Neuron*, 60, 235-246.
- MORRIS, R.G. y MOGRABI, C. (2013). Anosognosia, autobiographical memory and self knowledge in Alzheimer's disease. *Cortex*, 49(6), 1553-1565.
- NURMI, M.E. y JEKONEN, M. (2014). Assessing anosognosias after stroke: A review of the methods used and developed over the past 35 years. *Cortex*, 61, 43-63.
- PASCUAL-LEONE, A., AMEDI, A., FREGNI, F. y MERABET, L.B. (2005). The plastic human brain cortex. *Annual Review of Neuroscience*, 28, 377-401.
- POSNER, M.I. Y ROTHBART M.K. (2007). Research on attention networks as a model for the integration of psychological science. *Annual Review of Psychology*, 58, 1-23.
- PRIGATANO, G.P. (2010). *The study of anosognosia*. Nueva York: Oxford University Press.
- RECANZONE, G.H. y COHEN, Y.E. (2010). Serial and parallel processing in the primate auditory cortex revisited. *Behavioural Brain Research*, 206, 1-7.
- REED, C.L., KLATZKY, R.L. y HALGREN, E. (2005). What vs. where in touch: An fMRI study. *NeuroImage*, 25, 718-726.
- ROBERTSON, C.E. y BARON-COHEN, S. (2017). Sensory perception in autism. *Nature Reviews Neuroscience*, 18, 671-684.

- ROLLS, E.T. (2015). Taste, olfactory, and food reward value processing in the brain. *Progress in Neurobiology*, 127-8, 64-90.
- ROSSELLI, M. (2015). Agnosias espaciales: trastornos de exploración, percepción, manipulación, orientación o memoria espacial. *Revista de Neuropsicología, Neuropsiquiatría y Neurociencias*, 15(1), 63-85.
- SACKS, O. (1987). *El hombre que confundió a su mujer con un sombrero*. Barcelona: Muchnik Editores.
- SCHNIDER, A. (2008). *The confabulating mind. How the brain creates reality*. Oxford: Oxford University Press.
- SILVER, M.A. y KASTNER, S. (2009). Topographic maps in human frontal and parietal cortex. *Trends in Cognitive Sciences*, 13(11), 488-495.
- SLEV, I.R. y SHELL, A.R. (2015). Auditory agnosia. En G.G. CELESIA y G. HICKOK (eds.). *Handbook of clinical neurology*. Vol. 129 (3rd series). The Human Auditory System (pp. 573-587). Ámsterdam: Elsevier Science.
- SOHLBERG, M.M. y MATEER, KA. (1987). Effectiveness of an attention-training program. *Journal of Clinical and Experimental Neuropsychology*, 9(2), 117-130.
- VELASCO, I., SPENCE, C. y NAVARRA, J. (2011). El sistema perceptivo: esa pequeña máquina del tiempo. *Anales de Psicología*, 27(1), 195-201.
- WANDELL, B.A., DUMOULIN, S.O. y BREWER, A.A. (2007). Visual field maps in human cortex. *Neuron Review*, 56, 366-383.
- WANG, L., MRUCZEK, R.E.B., ARCARO, M.J. y KASTNER, S. (2015). Probabilistic maps of visual topography in human cortex. *Cerebral Cortex*, 25, 3911-3931.
- WILSON, R.S., SYTSMA, J., BARNES, L.L. y BOYLE, P.A. (2016). Anosognosia in dementia. *Current Neurology and Neuroscience Reports* 16(9), 77-83.
- ZADRA, J.R. y CLORE, G.L. (2011). Emotion and perception: The role of affective information. Wiley Interdisciplinary Reviews. *Cognitive Science*, 2(6), 676-685.
- ZÜNDORF, I.C., LEWALD, J. y KARNATH, H.O. (2016). Testing the dual-pathway model for auditory processing in human cortex. *NeuroImage*, 124, 672-681.

Bibliografía complementaria

- ALKELAI, A., OLENDER, T., DODE, C., SHUSHAN, S., TATARSKYY, P., FURMAN-HARAN, E. *et al.* (2017). Next-generation sequencing of patients with congenital anosmia. *European Journal of Human Genetics*, 25, 2377-2387.
- AMERICAN PSYCHIATRIC ASSOCIATION (2014). *DSM-5: Manual diagnóstico y estadístico de los trastornos mentales*. Madrid: Médica Panamericana.
- ANDERSON, R.L., BRENDA, S.E., MERRITT, B.K. y KOTTORP, A. (2010). Assessment of awareness of disability measures among persons with acquired brain injury. *Revue Canadienne d'Ergothérapie*, 77(1), 22-29.
- ANDERSSON, L., SANDBERG, P., OLOFSSON, J.K y NORDIN, S. (2018). Effects of task demands on olfactory, auditory, and visual event-related potentials suggest similar top-down modulation across senses. *Chemical Senses*, 43, 129-134.

- ANIK, A., CATLI, G., ABACI, A., GÜLERYÜZ, Ç., ÖNİZ, A., CAN, S. *et al.* (2015). Olfactory dysfunction in children with Kallmann syndrome: relation of smell tests with brain magnetic resonance imaging. *Hormones (Athens)*, 14(2), 293-299.
- ARDILA, A. (2016). Some unusual neuropsychological syndromes: somatoparaphrenia, akinetopsia, reduplicative paramnesia, autotopagnosia. *Archives of Clinical Neurology*, 31, 456-464.
- ARDILA, A. y ROSSELLI, M. (2007). Agnosia. En: *Neuropsicología clínica* (pp. 143-167). México: El Manual Moderno.
- BAJO, V. y RODRÍGUEZ, F. (2012). Plasticidad auditiva. *Investigación y Ciencia*, 426, 60-67.
- BAR-HAIM, Y., LAMY, D., PERGAMIN, L., BAKERMANS-KRANENBURG, M.J. y VAN IJZENDOORN, M.H. (2007). Threat-related attentional bias in anxious and non-anxious individuals: A meta-analytic study. *Psychological Bulletin*, 133(1), 1-24.
- BAUER, R.M. (2006). The agnosias. En P.J. SNYDER, P.D. NUSSBAUM y D.L. ROBINS (eds.) *Clinical Neuropsychology: A pocket handbook for assessment* (pp. 508-533). 2ª Edición. Washington DC: American Psychological Association.
- BELIN, P., ZATORRE, R.J., LAFALLIE, P., AHAD, P. y PIKE, B. (2000). Voice-selective areas in human auditory cortex. *Nature*, 403, 309-312.
- BENZ, S., SELLARO, R., HOMMEL, B. y COLZATO, L.S. (2016). Music makes the world go round: the impact of musical training on non-musical cognitive functions: A review. *Frontiers in Psychology*, 6, 20-23.
- BERLUCCHI, G. y AGLIOTI, S.M. (2010). The body in the brain revisited. *Experimental Brain Research*, 200, 25-35.
- BERTHIER, M.L. y DÁVILA, G. (2011). Manifestaciones clínicas y diagnóstico de las afasias primarias. En R. ALBERCA R y S. LÓPEZ-POUSA (eds.). *Enfermedad de Alzheimer y otras demencias* (pp. 331-338). 4.ª edición. Madrid: Médica Panamericana.
- BESCHIN, N., COCCHINI, G., ALLEN, R. y DELLA SALA, S. (2012). Anosognosia and neglect respond differently to the same treatment. *Neuropsychological Rehabilitation*, 22, 550-562.
- BESHARATI, S., FORKEL, S.J., KOPELMAN, M., SOLMS, M., JENKINSON, P.M. y FOTOPOULOU, A. (2014). The affective modulation of motor awareness in anosognosia for hemiplegia: Behavioural and lesion evidence. *Cortex*, 61, 127-140.
- BETTCHER, B.M., GIOVANNETTI, T., MCMULLEN, L. y LIBON, D.J. (2008). Error detection and correction patterns in dementia: A breakdown of error monitoring processes and their neuropsychological correlates. *Journal of The International Neuropsychological Society*, 14(2), 199-208.
- BISIACH, E. y BERTI, A. (1987). Dyschiria. An attempt at its systemic explanation. En M. JEANNEROD (ed.) *Neurophysiological and neuropsychological aspects of spatial neglect* (pp. 183-201). Amsterdam: Elsevier Science.
- BOESVELDT, S., POSTMA, E.M., BOAK, D., WELGE-LUESSEN, A., SCHÖPF, V., MAINLANDET, J.D. *et al.* (2017). Anosmia: A clinical review. *Chemical Senses*, 42, 513-523.
- BONFILS, P. (2008). Fisiología, exploración y trastornos de la olfacción. *EMC-Otorrinolaringología*, 37(1), 1-13.

- BRESLIN, P.A.S. (2000). Human gustation. En T.E. FINGER, W.L. SILVER y D. RESTREPO (eds.) *The neurobiology of taste and smell* (pp. 423-461). 2.^a edición. Nueva York: Wiley-Liss Inc.
- BRESLIN, P.A.S. (2001). Human gustation and flavour. *Flavour and Fragrance Journal*, 16, 439-445.
- BROMLEY, S.M. y DOTY, R.L. (2003). Clinical disorders affecting taste: Evaluation and management. En R. L. DOTY (ed.) *Handbook of olfaction and gustation* (pp. 935-958). 2.^a edición. Nueva York: Marcel Dekker.
- BROSCH, T., SCHERER, K.R., GRANDJEAN, D. y SANDER, D. (2013). The impact of emotion on perception, attention, memory, and decision-making. *Swiss Medical Weekly*, 143: w13786.
- BROTHERS, R.M. (2017). Can assessment of afferent thermalsensitivity shed light onto multiple sclerosis diagnosis and diseaseprogression? *Experimental Physiology*, 102(8), 885-886.
- BRUCE, V. y YOUNG, A.W. (1986). Understanding face recognition. *British Journal of Psychology*, 77, 305-327.
- BUSSEY, T.J. y SAKSIDA, L.M. (2005). Object memory and perception in the medial temporal lobe: An alternative approach. *Current Opinion in Neurobiology*, 15, 730-737.
- CABALLERO-COULON, M.C., FERRI-CAMPOS, J., GARCÍA-BLÁZQUEZ, M.C., CHIRIVELLA-GARRIDO, J., RENAÚ-HERNÁNDEZ, O., FERRI-SALVADOR, N. y NOÉ-SEBASTIÁN, E. (2007). ‘Escalada de la conciencia’: un instrumento para mejorar la conciencia de enfermedad en pacientes con daño cerebral adquirido. *Revista de Neurología*, 44(6), 334-338.
- CAIN, W.S. (1978). History of research on smell. En E.C. CARTERETTE y M.P. FRIEDMAN (eds.) *Handbook of perception*. Vol. VI A. *Tasting and smelling* (pp. 197-227). Nueva York: Academic Press Inc.
- CALLEJAS, A. y LUPIÁÑEZ, J. (2012). *Sinestesia. El color de las palabras, el sabor de la música, el lugar del tiempo...* Madrid: Alianza.
- CANZANO, L., SCANDOLA, M., PERNIGO, S., AGLIOTI, S. M. y MORO, V. (2014). Anosognosia for apraxia: Experimental evidence for defective awareness of one’s own bucco-facial gestures. *Cortex*, 61, 148-157.
- CAPITANI, E., LAIACONA, M., MAHON, B. y CARAMAZZA, A. (2003). What are the facts of semantic category-specific deficits? A critical review of the clinical evidence. *Cognitive Neuropsychology*, 20, 213-61.
- CARAMAZZA, A., SHELTON, J.R. (1998). Domain-specific knowledge systems in the brain: The animate-inanimate distinction. *Journal of Cognitive Neuroscience*, 10, 1-34.
- CHEN, Y. y SPENCE, Ch. (2017). Hemispheric asymmetry: Looking for a novel signature of the modulation of spatial attention in multisensory processing. *Psychonomic Bulletin Review*, 24, 690-707.
- CHENG, P. y TOGLIA, J. (2018). Online and offline awareness deficits: Anosognosia for spatial neglect. *Rehabilitation Psychology*, 1-15. doi:10.1037/rep0000207
- CLARK, C.N., GOLDEN, H.I. y WARREN, J.D. (2015). Acquired amusia. En G.G. CELESIA y G. HICKOK (eds.) *Handbook of clinical neurology*, vol. 129 (3rd series). *The human auditory system* (pp. 607-63). Ámsterdam: Elsevier Sciences.

- COCCHINI, G., GREGG, N., BESCHIN, N., DEAN, M. y DELLA SALA, S. (2010). VATA-L: Visual-analogue test assessing anosognosia for language impairment. *Clinical Neuropsychology*, 24(8) 1379-1399.
- COGAN, D.G. (1965). Ophthalmic manifestations of bilateral non-occipital cerebral lesions. *British Journal of Ophthalmology*, 49(6), 281-297.
- CORBETTA M. Y SHULMAN, G.L. (2002). Control of goal-directed and stimulus-driven attention in the brain. *Nature Reviews Neurosciences*, 3(3), 201-215.
- COWARD, B.J. y RAWSON, N.E. (2005). Olfaction. En E.B. GOLDSTEIN (ed.) *Blackwell handbook of sensation and perception* (pp. 567-600). Oxford UK: Blackwell Publishing.
- CRAIG, A.D. (2009). How do you feel –now? The anterior insula and human awareness. *Nature Reviews*, 10, 59-70.
- CRUTCH, S.J., LEHMANN, M., SCHOTT, J.M., RABINOVICI, G.D., ROSSOR, M.N. y FOX, N.C. (2012). *Posterior cortical atrophy. Lancet Neurology*, 11, 170-178.
- DALLA BARBA, G. y BOISSE, M.F. (2010). Temporal consciousness and confabulation: Is the medial temporal lobe “temporal”? *Cognitive Neuropsychiatry*, 15(1), 95-117.
- Dalla Barba, G., Attali, E., & La Corte, V. (2010a). Confabulation in healthy aging is related to interference of overlearned, semantically similar information on episodic memory recall. *Journal of Clinical and Experimental Neuropsychology*, 32(6), 655-60.
- DARBY, R.R., LAGANIERE, S., PASCUAL-LEONE, A., PRASAD, S. y FOX, M.D. (2017). Finding the imposter: Brain connectivity of lesions causing delusional misidentifications. *Brain*, 140(2), 497-507.
- DE HAAN, E., HEYWOOD, C., YOUNG, A., EDELSTYN, N. y NEWCOMBE, F. (1995) Et-tlinger revisited: The relation between agnosia and sensory impairment. *Journal of Neurology, Neurosurgery and Psychiatry*, 58, 350-356.
- DEHAENE, S. y CHANGEUX, J.P. (2011). *Experimental and theoretical approaches to conscious processing. Neuron*, 70, 200-227.
- DEHAENE, S., KERSZBERG, M. y CHANGEUX, J.P. (1998). A neuronal model of a global workspace in effortful cognitive tasks. *Proceeding National Academy of Sciences USA*, 95, 14529-14534.
- DEUS J. y SALAS, M. (2012). Afasia progresiva primaria no fluente. En M. ARNEDO, J. BEMBIBRE y M. TRIVIÑO (coords.) *Neuropsicología. A través de casos clínicos* (pp. 95-107). Madrid: Médica Panamericana.
- DONOSO, A.S., SILVA, H.I. y SINNING, M.O. (2005). Somatoparafrenia. Presentación de 3 casos. *Revista Chilena de Neuro-Psiquiatría*, 43(4), 337-343.
- DOTY, R. y TEKELI, H. (2012). Olfactory function in Parkinson’s disease. En G. M. ZUCCO, R. S. HERZ y B. SCHAAL (eds.). *Olfactory cognition: from perception and memory to environmental odours and Neuroscience* (pp. 155-177). Amsterdam: John Benjamins Publishing Company.
- DOTY, R.L. (2007). Office procedures for quantitative assessment of olfactory function. *American Journal of Rhinology*, 21, 460-473.
- Doty, R.L. (2018). Measurement of chemosensory function. *World Journal of Otorhinolaryngology-Head and Neck Surgery*, 4, 11-28.

- DOTY, R.L., TOURBIER, I.A., PHAM, D.L., CUZZOCREO, J.L., UDUPA, J.K., KARACALI B. et al. (2016). Taste dysfunction in multiple sclerosis. *Journal of Neurology*, 263, 677-688.
- DOWNING, P.E., JIANG, Y., SHUMAN, M. y KANWISHER, N. (2001) A cortical area selective for visual processing of the human body. *Science*, 293, 2470-2473.
- ELLIS, A.W. y YOUNG, A. (1988). *Human Cognitive Neuropsychology*. Londres: LEA.
- ESTES, A., ZWAIGENBAUM, L., GU, H., ST JOHN, T., PATERSON, S., ELISON, J.T. et al. (2015). Behavioral, cognitive, and adaptive development in infants with autism spectrum disorder in the first 2 years of life. *Journal of Neurodevelopmental Disorders*, 7(24), 1-10.
- FLETCHER, F.D., DOWNEY, L.E., GOLDEN, H.L., CLARK, C.N., SLATTERY, C.F., PATERSON, R.W. et al. (2015). Pain and temperature processing in dementia: A clinical and neuroanatomical analysis. *Brain*, 138, 3360-3372.
- FOMBERSTEIN, K., QADRI, S. y RAMANI, R. (2013). Functional MRI and pain. *Current Opinion in Anesthesiology*, 26, 588-593.
- FOREMAN, N. y GILLET, R.A. (1998). *Handbook of spatial research: Paradigms and methodologies*. Nueva York: Psychology Press.
- FREIGANG, C., RICHTER, N., RÜBSAMEN, R. y LUDWIG, A.A. (2015). Age-related changes in sound localisation ability. *Cell Tissue Research*, 361, 371-386.
- FREUD, E., PLAUT, D.C. y BEHRMANN, M. (2016). What is happening in the dorsal visual pathway. *Trends in Cognitive Sciences*, 20(10), 773-784.
- GALFARD, C. (2016). *El universo en tu mano*. Barcelona: Blackie Books.
- GESCHWIND, N. (1965). Disconnection syndromes in animals and man. I. *Brain*, 88(2), 237-294.
- GOLDBERG, R.F., PERFETTI, C.A. y SCHNEIDER, W. (2006). Perceptual knowledge retrieval activates sensory brain regions. *Journal of Neuroscience*, 26, 4917-21.
- GOODALE, M.A., MILNER, A.D. (1992). Separate visual pathways for perception and action. *Trends in Neuroscience*, 15, 20-25.
- GOODALE, M.A., MILNER, A.D., JAKOBSON, L.S. y CAREY J.D.P. (1991). A neurological dissociation between perceiving objects and grasping them. *Nature*, 349, 154-156.
- GOVEROVER, Y., GENOVA, H., GRISWOLD, H., CHIARAVALLOTI, N. y DELUCA, J. (2014). Metacognitive knowledge and online awareness in persons with multiple sclerosis. *NeuroRehabilitation*, 35(2), 315-323.
- GREENE, J.D.G. (2005). Apraxia, agnosias, and higher visual function abnormalities. *Journal of Neurology, Neurosurgery and Psychiatry*, 76(Suppl V), v25-v34.
- GUDAYOL, E. y HERRERA, I. (2007). Alteraciones de la representación corporal. En J. PEÑA-CASANOVA (ed.) *Neurología de la Conducta y Neuropsicología* (pp. 243-259). Madrid: Médica Panamericana.
- HANFMANN, E., RICKERS-OVSIANKNA, M. y GOLDSTEIN, K. (1944). Case Lanuti: Extreme concretization of behavior due to damage of the brain cortex. *Psychological Monographs*, 57(4), i-72.
- HASSAN, A. y JOSEPHS, K.A. (2016). Alien hand syndrome. *Current Neurology and Neuroscience Reports*, 16, 73.
- HEILMAN, K.H. y VALENSTEIN, E. (1979). Mechanisms underlying hemispatial neglect. *Annals of Neurology*, 5(2), 166-170.

- HEILMAN, K.M., WATSON, R.T. y VALENSTEIN, E. (1993). Neglect and related disorders. En K.M. HEILMAN y E. VALENSTEIN (eds.) *Clinical Neuropsychology* (pp. 296-346). Nueva York: Oxford University Press.
- HEILMANN, S., STREHLE, G., ROSENHEIM, K., DAMM, M., y HUMMEL, T. (2002). Clinical Assessment of Retronasal Olfactory Function. *Archives of Otolaryngology-Head and Neck Surgery*, 128(4), 414-418
- HICKOK, G. y POEPEL, D. (2000). Towards a functional neuroanatomy of speech perception. *Trends in Cognitive Sciences*, 4(4), 131-138.
- HUMMEL, T., CROY, I y HAEHNER, A. (2016). Olfactory disorders and consequences. En P. ETIÉVANT, E. GUICHARD, CH. SALLES y A. VOILLEY (eds.) *Flavor: From food to behaviors, wellbeing and health* (pp. 363-377). Amsterdam: Elsevier Ltd.
- HUMPHREYS, G.W. y RIDDOCH, M.J. (1987). *To see or not to see*. Londres: Lawrence Erlbaum Associates.
- HYUN-LEE, S., KRAVITZ, D.J. y BAKER, C.I. (2012). Disentangling visual imagery and perception of real-world objects. *Neuroimage*, 59, 4064-4073.
- INVERNIZZI, P., GANDOLA, M., ROMANO, D., ZAPPAROLI, L., BOTTINI, G. y PAULESU, E. (2013). What is mine? Behavioral and anatomical dissociations between somatoparaphrenia and anosognosia for hemiplegia. *Behavioural Neurology*, 26, 139-150.
- JONES, C.L., WARD, J. y CRITCHLEY, H.D. (2010). The neuropsychological impact of insular cortex lesions. *Journal of Neurology, Neurosurgery and Psychiatry*, 81, 611-618.
- KHALID, M., HAMDY, M., SINGH, H., KHUMAR, K. y BASHA, S.A. (2016). Anton Babinski syndrome: A rare complication of cortical blindness. *Manipal Journal of Medicine Sciences*, 1(1), 49-52.
- KIM, J.H., GREENSPAN, J.D., COGHILL, R.C., OHARA, S. y LENZ, F.A. (2007). Lesions limited to the human thalamic principal somatosensory nucleus (ventral caudal) are associated with loss of cold sensations and central pain. *The Journal of Neuroscience*, 27(18), 4995-5005.
- KIM, J.M., WOO, S.B., LEE, Z., HEO, S.J. y PARK, D. (2018). Verbal auditory agnosia in a patient with traumatic brain injury: A case report. *Medicine*, 97(11), e0136.
- KINSBOURNE, M. (1977). Hemi-neglect and hemisphere rivalry. *Advance in Neurology*, 18: 41-49.
- KOELSCH, S. y SIEBEL, W.A. (2005). Towards a neural basis of music perception. *Trends in Cognitive Sciences*, 9(12), 578-584.
- KOLARIK, A.J., MOORE, B.C.J., ZAHORIK, P., CIRSTEAN, S. y PARDHAN, S. (2016). Auditory distance perception in humans: A review of cues, development, neuronal bases, and effects of sensory loss. *Attention Perception Psychophysics*, 78, 373-395.
- KUMFOR, F., LANDIN-ROMERO, R., DEVENNEY, E., HUTCHINGS, R., GRASSO, R., HODGES, J.R. y PIGUET, O. (2016). On the right side? *A longitudinal study of left- versus right-lateralized semantic dementia Brain*, 139, 986-998.
- KUSCH, M., SALIGER, J., KARBE, H., FINK, G.R., GILLESSEN, S., BINDER, E. y VOSEL, S. (2018). Reduced awareness for apraxic deficits in left hemisphere stroke. *Neuropsychology*, 32(4), 509-515.

- LANDIS, B.N., FRASNELLI, J., CROY, I. y HUMMEL, T., 2010. Evaluating the clinical usefulness of structured questions in parosmia assessment. *Laryngoscope*, 120, 1707-1713.
- LARSSON, J. y HEEGER, D.J. (2006). Two retinotopic visual areas in human lateral occipital cortex. *Journal of Neuroscience*, 26(51), 13128-13142.
- LAUREYS, S., BOLY, M., MOONEN, G., y MAQUET, P. (2009). Coma. En VV AA. *Encyclopedia of neuroscience*. Vol. 2 (pp. 1133-1142). Oxford: Elsevier.
- LAWLESS, H.T. (2005). Taste. En E.B. GOLDSTEIN (ed.) *Blackwell handbook of sensation and perception* (pp. 601-635). Oxford UK: Blackwell Publishing.
- LE BERRE, A. y SULLIVAN, E.V. (2016). Anosognosia for memory impairment in addiction: Insights from neuroimaging and neuropsychological assessment of metamemory. *Neuropsychology Review*, 26, 420-431.
- LONGO, M.R. (2015). Implicit and explicit body representations. *European Psychologist*, 20(1), 6-15.
- LÓPEZ-MOLINER, J., LUNA, D., MONTORO, P.R. y SERRANO-PEDRAZA, I. (2016). Percepción visual. En T. BAJO, L. FUENTES, J. LUPIÁÑEZ y C. RUEDA (eds.). *Mente y cerebro. De la psicología experimental a la neurociencia cognitiva* (pp. 87-115). Madrid: Alianza.
- LUI, F., DUZZI, D., CORRADINI, M., SERAFINI, M., BARALDI, P. y PORRO, C.A. (2008). Touch or pain? Spatio-temporal patterns of cortical fMRI activity following brief mechanical stimuli. *Pain*, 138, 362-374.
- LUPIÁÑEZ, J., CORREA, Á., CHICA, A., VIVAS, A., CALLEJAS, A., SANABRIA, D. y BOTELLA, J. Atención. En T. BAJO, L. FUENTES, J. LUPIÁÑEZ y C. RUEDA (eds.). *Mente y cerebro. De la psicología experimental a la neurociencia cognitiva* (pp. 117-150). Madrid: Alianza.
- LUZZI, S., COCCIA, M., POLONARA, G., REVERBERI, C., CERAVOLO, G., SILVESTRI, M. et al. (2018). Selective associative phonagnosia after right anterior temporal stroke. *Neuropsychologia*, 116B, 154-161.
- MACRAE, D. y TROLLE, E. (1956). The defect of function in visual agnosia. *Brain*, 79, 94-110.
- MAKINO, N. y MAKINO, S. (2014). Post-traumatic anosmia secondary to cranial base contusion. *Imaging Journal of Clinical and Medical Sciences*, 1(1), 010-011.
- MALATY, J. y MALATY, I. A. C. (2013). Smell and taste disorders in Primary Care. *American Family Physician*, 88, 852-859.
- MARKOVITSCH, H. y ATANILOIU, A. (2012). Amnesic disorders. *Lancet*, 380, 1429-1440.
- MARQUES, I.B., TÁBUAS-PEREIRA, M., MILHEIRO, M. y SANTANA, I. (2015). Biparietal variant of Alzheimer's disease: A rare presentation of a common disease. *BMJ Case Report*, 2015, bcr2014207011..
- MARR, D. (1982). *Vision: A computational investigation into the human representation and processing of visual information*. Nueva York: W.H. Freeman and Company.
- MARSHALL, J. y HALLIGAN, P.W. (1988). Blindsight and insight in visuo-spatial neglect. *Nature*, 336, 766-767.
- MARTINAUD, O., POULIQUEN, D., GERARDIN, E., LOUBEYRE, M., HIRSBEIN, D., HANNEQUIN, D. y COHEN, L. (2012). Visual agnosia and posterior cerebral artery infarcts: An anatomical-clinical study. *PLOS ONE*, 7(1), 1-14.

- MAZZONI, M., MORETTI, P., PARDOSSI, L. VISTA, M. y MURATORIO, A. (1993). A case of music imperception. *Journal of Neurology, Neurosurgery and Psychiatry*, 56, 322.
- MESULAM, M.M. (1999). Spatial attention and neglect: Parietal, frontal and cingulate contributions to the mental representation and attentional targeting of salient extrapersonal events. *Philosophical Transactions of the Royal Society London B: Biological Sciences*, 354(1387), 1325-1346.
- MESULAM, M.M. (2003). Primary progressive aphasia: A language-based dementia. *The New England Journal of Medicine*, 349, 1535-1542.
- MORRIS, R.G. y HANNESDOTTIR, K. (2004). Loss of “awareness” in Alzheimer’s disease. En R.G. MORRIS y J.T. BECKER (eds.). *The cognitive neuropsychology of Alzheimer’s disease* (pp. 275-296). Oxford: Oxford University Press.
- MUNAR, E., ROSSELLÓ, J., MAS, C., MORENTE, P. y QUETGLES, M. (2002). El desarrollo de la audición humana. *Psicothema*, 14(2), 247-254.
- MURPHY, C., DOTY R.L. Y DUNCAN H.J. (2003). Clinical disorders of olfaction. En R. L. DOTY (ed.). *Handbook of olfaction and gustation* (pp. 461-478). 2ª edición. Nueva York: Marcel Dekker.
- MURRAY, E.A. y RICHMOND, B.J. (2001). Role of perirhinal cortex in object perception, memory and associations. *Current Opinion in Neurobiology*, 11, 188-193.
- NARDONE, I.B., WARD, R., FOTOPOULOU, A. y TURNBULL, O.H. (2007). Attention and emotion in anosognosia: Evidence of implicit awareness and repression? *Neurocase*, 13(5), 438-445.
- NOE, E., LLORENS, R., COLOMER, C., NAVARRO, M., ALCANIZ, ML., FERRI, J. y MOLINER, B. (2013). Escalada de conciencia virtual: eficacia y usabilidad de un sistema multiusuario para la rehabilitación de la anosognosia en pacientes con daño cerebral adquirido. Ponencia en la XII Reunión de la Sociedad Española de Neurorehabilitación. Barcelona [<http://hdl.handle.net/10251/65581>].
- NORDIN, S. (2012). Olfactory impairment in normal aging and Alzheimer’s disease. En G. M. ZUCCO, R. S. HERZ y B. SCHAAL (eds.). *Olfactory cognition: From perception and memory to environmental odours and neuroscience* (pp. 199-217). Ámsterdam: John Benjamins Publishing Company.
- NOREÑA, D. y MAESTÚ, F. (2011). Neuropsicología de la memoria. En J. TIRAPU, M. RÍOS y F. Maestú (eds.) *Manual de neuropsicología* (pp. 189-218). 2.ª edición. Barcelona: Viguera.
- OCCELLI, V., SPENCE, C.H. y ZAMPINI, M. (2013). Auditory, tactile, and audiotactile information processing following visual deprivation. *Psychological Bulletin*, 13(1), 189-212.
- ORTELLS, J.J., RUZ, M., y DEL VALLE-INCLÁN, F. (2016). Consciencia, inconsciencia y voluntad. En T. BAJO, L. FUENTES, J. LUPIÁÑEZ y C. RUEDA (coords.) *Mente y cerebro. De la psicología experimental a la neurociencia cognitiva* (pp. 443-469). Madrid: Alianza.
- PASCUAL, L.F. y FERNÁNDEZ, T. (2007). Trastornos sensitivos centrales y agnosia táctil. En J. PEÑA-CASANOVA (ed.) *Neurología de la conducta y neuropsicología* (pp. 213-219). Madrid: Médica Panamericana.
- PEI, Y., BESMAIA, S.J. (2014). The neural basis of tactile motion perception. *Journal of Neurophysiology*, 112, 3023-3032.

- PEREA, M.V. y LADERA, V. (2015) Agnosias visuales. *Revista de Neuropsicología, Neuropsiquiatría y Neurociencias*, 15(1), 9-30.
- PERROTIN, A., DESGRANGES, B., LANDEAU, B., MÉZENGE, F., LA JOIE, R., EGRET, S. *et al.* (2015). Anosognosia in Alzheimer's disease: Disconnection between memory and self-related networks. *Annals of Neurology*, 78, 477-486.
- PISELLA, L., GRÉA, H., TILIKETE, C., VIGHETTO, A., DESMURGET, M., RODE, G., *et al.* (2000). An 'automatic pilot' for the hand in human posterior parietal cortex: Toward reinterpreting optic ataxia. *Nature Neuroscience*, 3(7), 729-736.
- POPPELREUTER, W. (1917). Die Störungen der Niederen und Höheren Sehleistungen durch Verletzungen des Okzipitalhirns. En *Die psychischen Schädigungen durch Kopfschuß im Kriege 1914/16*. Vol. I. Leipzig: Leopold Voss.
- POSNER, M. Y PETERSEN, S.E. (1990). The attention system of the human brain. *Annual Review of Neuroscience*, 13, 25-42.
- RABBITT, P. M. (1966). Errors and error correction in choice-response tasks. *Journal of Experimental Psychology*, 71(2), 264-272
- RAFAL, R. (2001). Balint's syndrome. En M. BEHRMANN (ed.), *Handbook of neuropsychology*. Vol 4. Disorders of visual behavior (pp. 121-141). 2.^a edición. Amsterdam: Elsevier Science.
- RAMACHANDRAN, V.S. (2008). *Los laberintos del cerebro*. Barcelona: La liebre del marzo.
- RAMACHANDRAN, V.S. y HIRSTEIN, W. (1998). The perception of phantom limbs. The D.O. Hebb lecture. *Brain*, 121, 1603-1630.
- RAPIN, I. (1985). Cortical deafness, auditory agnosia and word-deafness: How distinct are they? *Human Communication Canada*, 9(4), 29-37.
- RAUSCHECKER, J.P. (1998). Cortical processing of complex sounds. *Current Opinion in Neurobiology*, 8(4), 516-21.
- RAUSCHECKER, J.P. (2013). Processing streams in auditory cortex. En Y.E. COHEN, A.N. POPPER y R.R. FAY (eds.) *Neural correlates of auditory cognition* (vol. 5). *Springer handbook of auditory research* (pp. 7-43). Nueva York: Springer Science and Business Media.
- RAUSCHECKER, J.P., TIAN, B., PONS, T. y MISHKIN, M. (1997). Serial and parallel processing in rhesus monkey auditory cortex. *The Journal of Comparative Neurology*, 382(1), 89-103.
- RAWSON, N.E. (2000). Human olfaction. En T.E. FINGER, W.L. SILVER y D. RESTREPO (eds.) *The neurobiology of taste and smell* (pp. 257-284). 2.^a edición. Nueva York: Wiley-Liss Inc.
- REILLY, J., GARCÍA, A. y BINNEY, R. (2016). Does the sound of a barking dog activate its corresponding visual form? An fMRI investigation of modality-specific semantic access. *Brain and Language*, 159, 45-59.
- ROLLS, E.T.D. (2010). The affective and cognitive processing of touch, oral texture, and temperature in the brain. *Neuroscience and Behavioral Reviews*, 34, 237-245.
- ROUW, R. y SCHOLTE, H.S. (2007). Increased structural connectivity in grapheme-color synesthesia. *Nature Neuroscience*, 10(6), 792-797.
- ROUW, R., SCHOLTE, H.S. y COLIZOLI, O. (2011). Brain areas involved in synaesthesia: A review. *Journal of Neuropsychology*, 5(2), 214-242.

- RUIZ, R. (2012). Heminegligencia espacial. Mirar y no ver. En M. ARNEDO, J. BEMBIBRE y M. TRIVIÑO (coords.) *Neuropsicología. A través de casos clínicos* (pp. 95-107). Madrid: Médica Panamericana.
- RUSCONI, E. y KLEINSCHMIDT, A. (2011). Gerstmann's syndrome: where does it come from and what does that tell us? *Future Neurology*, 6(1), 23-32.
- SACKS, O. (1995). *Un antropólogo en Marte*. Barcelona: Anagrama.
- SACKS, O. (1999). *La isla de los ciegos al color*. Barcelona: Anagrama.
- SACKS, O. (2009). *Musicofilia*. Barcelona: Anagrama.
- SACKS, O. (2011). *Los ojos de la mente*. Barcelona: Anagrama.
- SALVATO, G., SEDDA, A. y BOTTINI, G. (2014). In search of the disappeared half of it: 35 years of studies on representational neglect. *Neuropsychology*, 28(5), 706-716.
- SCHENK, T., ELLISON, A., RICE, N. y MILNER, A.D. (2005). The role of V5/MT+ in the control of catching movements: An rTMS study. *Neuropsychologia*, 43(2), 189-198.
- SCHMIDT, J., FLEMING, J., OWNSWORTH, T. y LANNIN, N.A. (2015). An occupation-based video feedback intervention for improving self-awareness: Protocol and rationale. *Canadian Journal of Occupational Therapy*, 82(1), 54-63.
- SCHWOEBEL, J. y COSLETT, H.B. (2005). Evidence for multiple, distinct representations of the human body. *Journal of Cognitive Neuroscience*, 17, 543-553.
- SCOTT, S.K. (2005). Auditory processing-speech, space and auditory objects. *Current Opinion in Neurobiology*, 15, 197-201.
- SHAMES, H., RAZ, N. y LEVIN, N. (2015) Functional neural substrates of posterior cortical atrophy patients. *Journal of Neurology*, 262, 1751-1761.
- SIMONS, D.J. Y CHABRIS, C.F. (1999). Gorillas in our midst: Sustained inattentive blindness for dynamic events. *Perception*, 28, 1059-1074.
- SIMONS, W.K., MARTIN, A. y BARSALAU, L.W. (2005). Pictures of appetizing foods activate gustatory cortices for taste and reward. *Cerebral Cortex*, 15, 1602-1608.
- SMALL, D.M., JONES-GOTMAN, M., ZATORRE, R.J., PETRIDES, M. y EVANS, A.C. (1997). A role for the right anterior temporal lobe in taste quality recognition. *Journal of Neuroscience*, 17(13), 5136-5142.
- SOTO-FARACO, S., NAVARRA, J., SINNETT, S., ALSIUS, A. y AZAÑÓN, E. (2016). Integración multisensorial. En T. BAJO, L. FUENTES, J. LUPIÁÑEZ y C. RUEDA (eds.). *Mente y cerebro. De la psicología experimental a la neurociencia cognitiva* (pp. 119-145). Madrid: Alianza.
- SPILLANE, J.D. (1942). Disturbances of the body scheme: Anosognosia and finger agnosia. *Lancet*, 10, 42-44.
- STARKSTEIN, S.E. (2014). Anosognosia in Alzheimer's disease: Diagnosis, frequency, mechanism and clinical correlates. *Cortex*, 61, 64-73.
- STARKSTEIN, S.E., JORGE, R.E. y ROBINSON, R.G. (2010). The frequency, clinical correlates, and mechanism of anosognosia after stroke. *Canadian Journal of Psychiatry*, 55(6), 355-361.
- STEVENSON, R.J. (2012). Olfactory perception. En G.M. ZUCCO, R.S. HERZ y B. SCHAAL (eds.). *Olfactory cognition: From perception and memory to environmental odours and neuroscience* (pp. 73-91). Amsterdam: John Benjamins Publishing Company.

- SUNDERARAM, P. y COSENTINO, S. (2017). Integrating the constructs of anosognosia and metacognition: A review of recent findings in dementia. *Current Neurology and Neuroscience Reports*, 17(3), 27. doi: 10.1007/s11910-017-0734-1.
- TAFALLA, M. (2013). A world without the olfactory dimension. *The Anatomical Record*, 296, 1287-1296.
- TAO, Q., CHAN, C.C.H., LUO, Y., LI, J., TING, K., WANG, J. y LEE, T.M.C. (2013). How does experience modulate auditory spatial processing in individuals with blindness? *Brain Topography*, 28, 506-519.
- TILLMANN, B., ALBOUY, P. y CACLIN, A. (2015). Congenital amusias. En G.G. CELESIA y G. HICKOK (eds.). *Handbook of clinical neurology*. Vol. 129 (3rd series). *The human auditory system* (pp. 589-605). Ámsterdam: Elsevier Science.
- TIRAPU, J. y SÁNCHEZ, I. (2011). Neuropsicología de la conciencia y teoría de la mente. En J. TIRAPU, M. RÍOS-LAGO y F. MAESTÚ (coords.) *Manual de neuropsicología* (pp. 163-285). 2.^a edición. Barcelona: Viguera.
- TREISMAN, A. (1986). Features and objects in visual processing. *Scientific American*, 255(5), 114-125.
- TREISMAN, A. y GELADE, G. (1980). A feature integration theory of attention. *Cognitive Psychology*, 12, 97-136.
- TRIVIÑO, M., NIETO, A., BARROSO, J., MARTÍNEZ, I. y ARNEDO, M. Agnosia visual. Cuando la vista no alcanza a entender. En M. ARNEDO, J. BEMBIBRE y M. TRIVIÑO (coords.) (2012). *Neuropsicología. A través de casos clínicos* (pp. 79-94). Madrid: Médica Panamericana.
- TRIVIÑO, M., RÓDENAS, E., LUPIÁÑEZ, J. y ARNEDO, M. (2017). Effectiveness of a neuropsychological treatment for confabulations after brain injury: A clinical trial with theoretical implications. *PLOS ONE*, 12(3), e0173166.
- UNGERLEIDER, L.G. y BELL, A.H. (2011). Uncovering the visual “alphabet”: Advances in our understanding of object perception. *Vision Research*, 51, 782-799.
- UNGERLEIDER, L.G. y MISHKIN, M. (1982) Two cortical visual systems. En INGLE, D.J., GOODALE, M.A. MANSFIELD, R.J.W. (eds.). *Analysis of visual behavior* (pp. 549-586). Cambridge: MIT press.
- VERDON, V., SCHWARTZ, S., LOVBLAD, K.O., HAUERT, C.A. y VUILLEUMIER, P. (2010). Neuroanatomy of hemispatial neglect and its functional components: A study using voxel-based lesion-symptom mapping. *Brain*, 133, 880-894.
- VERONELLI, L., GINEX, V., DINACCI, D., CAPPA, S.F. y CORBO, M. (2014). Pure associative tactile agnosia for the left hand: Clinical and anatomo-functional correlations. *Cortex*, 58, 206-216.
- VILLALOBOS, D., BILBAO, Á. ESPEJO, A. y GARCÍA-PACIOS, J. (2018). Efficacy of an intervention programme for rehabilitation of awareness of deficit after acquired brain injury: A pilot study. *Brain Injury*, 32(2), 158-166.
- VOSSEL, S., WEISS, P.H., ESCHENBECK, P. y PINK, G.R. (2013). Anosognosia, neglect, extinction and lesion site predict impairment of daily living after right-hemispheric stroke. *Cortex*, 49(7), 1782-1789.

- VUILLEUMIER, P (2005). Hysterical conversion and brain function. *Progress in Brain Research*, 150, 309-329.
- WANDELL, B.A. y WINAWER, J. (2011). Imaging retinotopic maps in the human brain. *Vision Research*, 51, 718-737.
- WARRINGTON, E.K. y TAYLOR, A.M. (2009). Warrington and Taylor's 1978 paper. *Perception*, 38, 933-947.
- WINAWER, J. y WITTHOFT, N. (2015). Human V4 and ventral occipital retinotopic maps. *Visual Neuroscience*, 32: e020.
- YESHURUN, Y. y SOBEL, N. (2010). An odor is not worth a thousand words: From multidimensional odors to unidimensional odor objects. *Annual Review of Psychology*, 61, 219-241.
- ZEKI, S. (1995). Una visión del cerebro. Barcelona: Ariel.
- ZIHL, J., CRAMON, D.V. y MAI, N. (1983). Selective disturbance of movement vision after bilateral brain damage. *Brain*, 106, 313-340.
- ZUKIC, S., SINANOVIC, O., ZONIC, L., HODZIC, R., MUJAGIC, S. y SMAJLOVIC, E. (2014). Anton's syndrome due to bilateral ischemic occipital lobe strokes. *Case Reports in Neurological Medicine*, 1-4. doi: 10.1155/2014/474952