

# Bibliografía

- AMERICAN OCCUPATIONAL THERAPY ASSOCIATION. (2014). "Occupational Therapy Practice Framework: Domain and Process" (3rd Edition). *American Journal of Occupational Therapy*, 68(Supplement 1), S1-S48. <https://doi.org/10.5014/ajot.2014.682006>.
- ARCHIBALD, S. J., MATEER, C. A., KERNS, K. A. (2001). "Utilization behavior: Clinical manifestations and neurological mechanisms". *Neuropsychology Review*, 11(3), 117-130. <https://doi.org/10.1023/a:1016673807158>.
- ARNEDO-MONTORO, M., BEMBIBRE, J., TRIVIÑO-MOSQUERA, M. (2012). *Neuropsicología a través de casos clínicos*. Madrid: Panamericana.
- BANDURA, A. (1986). Bases sociales de pensamiento y de acción: la teoría cognitiva social. Englewood cliffs, nj: prentice-hall.
- BARRA-LÓPEZ, M. E. (2007). "El test de Constant-Murley. Una revisión de sus características". *Rehabilitación*, 41(5), 228-235.
- BELLINGHAM, R., COHEN, B., JONES, T., SPANIOL, L. (1989). "Connectedness: Some skills for spiritual health". *American Journal of Health Promotion*, 4(1), 18-31.
- BETTCHEER, B. M., GIOVANNETTI, T., LIBON, D. J., EPPIG, J., WAMBACH, D., KLOBUSICKY, E. (2011). "Improving Everyday Error Detection, One Picture at a Time: A Performance-Based Study of Everyday Task Training". *Neuropsychology*, 25(6), 771-783. <https://doi.org/10.1037/a0024107>.
- BETTCHEER, B. M., GIOVANNETTI, T., MACMULLEN, L., LIBON, D. J. (2008). "Error detection and correction patterns in dementia: A breakdown of error monitoring processes and their neuropsychological correlates". *Journal of the International Neuropsychological Society*, 14(2), 199-208. <https://doi.org/10.1017/s1355617708080193>.
- BICKERTON, W. L., HUMPHREYS, G. W., RIDDOCH, M. J. (2006). "The use of memorised verbal scripts in the rehabilitation of action disorganisation syndrome". *Neuropsychological Rehabilitation*, 16(2), 155-177. <https://doi.org/10.1080/09602010500172277>.
- BÖHM, P., PEÑA-CASANOVA, J., AGUILAR, M., HERNÁNDEZ, G., SOL, J., y BLESÁ, J. (1998). "Clinical validity and utility of the interview for deterioration of daily living in dementia for Spanish speaking communities". *International Psychogeriatrics*, 10(3), 261-270.
- BOVEND'EERDT, T. J., BOTELL, R. E., WADE, D. T. (2009). "Writing SMART rehabilitation goals and achieving goal attainment scaling: a practical guide". *Clinical rehabilitation*, 23(4), 352-361.
- BOYLE, P. A., MALLOY, P. F., SALLOWAY, S., CAHN-WEINER, D. A., COHEN, R., CUMMINGS, J. L. (2003). "Executive dysfunction and apathy predict functional impairment in Alzheimer disease". *American Journal of Geriatric Psychiatry*, 11(2), 214-221. <https://doi.org/10.1176/appi.ajgp.11.2.214>.

- BROADBENT, D. E., COOPER, P. F., FITZGERALD, P., PARKES, K. R. (1982). "The cognitive failures questionnaire (CFQ) and its correlates". *British Journal of Clinical Psychology*, 21(FEB), 1-16.
- BRUSILOVSKY, B. L. (2015). *Accesibilidad cognitiva. Modelos para diseñar espacios accesibles*. (2.<sup>a</sup> ed). Colección Democratizando la Accesibilidad. Vol. 6. Granada: La Ciudad Accesible.
- BRUSILOVSKY, B. L. (2014). *Modelo para diseñar espacios accesibles. Espectro cognitivo*. Colección Democratizando la Accesibilidad. Vol. 1. Granada. La Ciudad Accesible.
- BUXBAUM, L. J., SCHWARTZ, M. F., CAREW, T. G. (1997). "The role of semantic memory in object use". *Cognitive Neuropsychology*, 14(2), 219-254.
- CABALLERO, P. E. J., ESPUELA, F. L., CUENCA, J. C. P., GRACIA, M. A. J., NARANJO, I. C., ZAMORANO, J. D. P., LAVADO-GARCÍA, J. M. (2012). "Valoración de las actividades instrumentales de la vida diaria tras un ictus mediante la escala de Lawton y Brody". *Revista de Neurología*, 55(6), 337-342.
- CABALLO, V. E. (1993). *Manual de evaluación y entrenamiento de las habilidades sociales*. Madrid: Siglo XXI.
- (2002). *Manual de evaluación y entrenamiento de las habilidades sociales*. (5.<sup>a</sup> ed.). Madrid: Siglo Veintiuno.
- CABAÑERO-MARTÍNEZ, M. J., CABRERO-GARCÍA, J., RICHART-MARTÍNEZ, M., MUÑOZ-MENDOZA, C. L. (2009). "The Spanish versions of the Barthel index (BI) and the Katz index (KI) of activities of daily living (ADL): A structured review". *Archives of Gerontology and Geriatrics*, 49(1), e77-e84. <http://doi.org/10.1016/j.archger.2008.09.006>
- CANADIAN ASSOCIATION OF OCCUPATIONAL THERAPISTS. (1991). *Occupational therapy guidelines for client-centered practice*. Toronto: CAOT Publications ACE.
- CAROD-ARTAL, F. J. (2004). "Escala específica para la evaluación de la calidad de vida en el ictus". *Rev Neurol*, 39(11), 1052-62.
- CELLA, D., BRADY, M. J., PETERMAN, A. H., FITCHETT, G., MO, M. (1999). "A case for including spirituality in quality of life measurement in oncology". *Psycho-Oncology*, 8, 417-428.
- CENTRO DE REFERENCIA ESTATAL DE AUTONOMÍA PERSONAL Y AYUDAS TÉCNICAS DEL IMSERSO (CEAPAT). <http://www.ceapat.es>.
- CHRISTIENSEN, C., BAUM, C. M. (1997). *Occupational therapy: Enabling function and well-being*. Nueva Jersey: Slack Incorporated. Thorofare.
- CHRISTIENSEN, M., BAUM, C. (2005). *Occupational therapy: performance, participation and well-being*. Slack Incorporated. Thorofare.
- CID-RUZAFÁ, J., DAMIÁN-MORENO, J. (1997). "Valoración de la discapacidad física: el índice de Barthel". *Revista Española de Salud Pública*, 71(2), 127-137.
- CLEMENT, F., GAUTHIER, S., BELLEVILLE, S. (2013). "Executive functions in mild cognitive impairment: Emergence and breakdown of neural plasticity". *Cortex*, 49(5), 1268-1279. <https://doi.org/10.1016/j.cortex.2012.06.004>.
- CLEARINGHOUSE. (2009). CD de instrumentos de evaluación del MOHO en español. *Manual correspondiente al ACIS*.
- CUMMINGS, J. L., MEGA, M., GRAY, K., ROSENBERG-THOMPSON, S., CARUSI, D. A., GORNBEIN, J. (1994). "The Neuropsychiatric Inventory comprehensive assessment of psychopathology in dementia". *Neurology*, 44(12), 2308-2308.

## Bibliografía

- DA COSTA ARMENTANO, C. G., PORTO, C. S., NITRINI, R., DOZZI BRUCKI, S. M. (2013). "Ecological Evaluation of Executive Functions in Mild Cognitive Impairment and Alzheimer Disease". *Alzheimer Disease & Associated Disorders*, 27(2), 95-101. <https://doi.org/10.1097/WAD.0b013e31826540b4>.
- DE LARRINOVA, P. F., MARTÍNEZ, S., ORTIZ, N., GÓMEZ, I., DE LETONA, O. L. (2012). "La evaluación de la participación social de las personas mayores". En *Calidad de vida, inclusión social y procesos de intervención*, 9, 159.
- DUNCAN, P. W., CHANDLER, J., STUDENSKI, S., HUGHES, M., PRESCOTT, B. (1993). "How do physiological components of balance affect mobility in elderly men?". *Archives of Physical Medicine and Rehabilitation*, 74(12), 1343-1349.
- DRUGGERS, R. L., VERHEY, F. R. J., LEENTJENS, A. F. G., KOHLER, S., AALTEN, P. (2011). "Neuropsychological correlates of apathy in mild cognitive impairment and Alzheimer's disease: the role of executive functioning". *International Psychogeriatrics*, 23(8), 1327-1333. <https://doi.org/10.1017/s1041610211001037>.
- EAKMAN, A. M., CARLSON, M. E., CLARK, F. A. (2010b). "The meaningful activity participation assessment: a measure of engagement in personally valued activities". *International Journal of Aging & Human Development*, 70(4), 299-317. <https://doi.org/10.2190/AG.70.4.b>.
- ECEIZA, M., ARRIETA, M., GOÑI, A. (2008). "Habilidades sociales y contextos de la conducta social". *Revista de Psicodidáctica*, 13(1).
- ERZIGKEIT, H., LEHFELD, H., PEÑA-CASANOVA, J., BIEBER, F., YEKRANGI-HARTMANN, C., RUPP, M., HINDMARCH, I. (2001). "The Bayer-Activities of Daily Living Scale (B-ADL): results from a validation study in three European countries". *Dementia and Geriatric Cognitive Disorders*, 12(5), 348-358. <http://doi.org/51280>.
- FARIAS, S. T., MUNGAS, D., CAHN-WEINER, D., BAYNES, K., REED, B. R., JAGUST, W., DE-CARLI, C. (2008). "The measurement of Everyday Cognition (ECog): Scale development and psychometric properties". *Neuropsychology*, 22(4), 531-544. <https://doi.org/10.1037/0894-4105.22.4.531>.
- FISHER, A. (2010). *Assesment of Motor and Process Skills: Vol 2. User manual*. (7th ed.). Fort Collins, CO: Three Star Press.
- FISHER, A., BRAY JONES, K. (2010). "Assesment of Motor and Process Skills: Vol 1. Development, standarization and administration manual. (7th ed.). Fort Collins, CO: Three Star Press.
- FORDE, E. M. E., HUMPHREYS, G. W. (2002). "Dissociations in routine behaviour across patients and everyday tasks". *Neurocase*, 8(1-2), 151-167. <https://doi.org/10.1076/neur.8.1.151.16236>.
- FERNÁNDEZ, A. V. (2009). "Autoeficacia: acercamientos y definiciones". *Psicogente*, 12(21), 16.
- FRITZ, H., CUTCHIN, M. P. (2016). "Integrating the Science of Habit: Opportunities for Occupational Therapy". *OTJR: Occupation, Participation and Health*, 36(2), 92-98. <https://doi.org/10.1177/1539449216643307>.
- FUJITA, T., SATO, A., YAMAMOTO, Y., OTSUKI, K., TSUCHIYA, K., TOZATO, F. (2016). "Motor Function Cutoff Values for Independent Dressing in Stroke Patients". *American Journal of Occupational Therapy*, 70(3). <https://doi.org/10.5014/ajot.2016.0189>.
- GARCÍA-GARCÍA, R., P. B. (2015). "Apraxia constructiva y del vestirse". *Revista Neuropsicología, Neuropsiquiatría y Neurociencias*, 15(1), 159-174.

- GARCÍA MARTÍNEZ, J., SÁNCHEZ-CÁNOVAS, J. (1994). "Adaptación del cuestionario de fallos cognitivos de Broadbent, Cooper, Fitzgerald y Parkes (CFQ-Cognitive failures questionnaire)". *Análisis y Modificación de Conducta*, 20(73), 727-750.
- GERBER, L. H., FURST, G. P. (1992). "Validation of the NIH activity record: a quantitative measure of life activities". *Arthritis Care and Research: The Official Journal of the Arthritis Health Professions Association*, 5(2), 81-86.
- GILFOYLE, E. M., GRADY, A. P., MOORE, J. C. (1981). *Children adapt*. Thorofare, Nueva Jersey: Charles B. Slack.
- GILLEN, R., TENNEN, H., MCKEE, T. (2005). "Unilateral spatial neglect: relation to rehabilitation outcomes in patients with right hemisphere stroke". *Archives of Physical Medicine and Rehabilitation*, 86(4), 763-767. <https://doi.org/10.1016/j.apmr.2004.10.029>.
- GIOVANNETTI, T., BETTCHER, B. M., BRENNAN, L., LIBON, D. J., WAMBACH, D., SETER, C. (2010). "Target-related distractors disrupt object selection in everyday action: Evidence from participants with dementia". *Journal of the International Neuropsychological Society*, 16(3), 484-494. <https://doi.org/10.1017/s1355617710000081>.
- GODEFROY, O. (2003). "Frontal syndrome and disorders of executive functions". *Journal of Neurology*, 250(1), 1-6. <https://doi.org/10.1007/s00415-003-0918-2>.
- GOLDENBERG, G., DAUMÜLLER, M., HAGMANN, S. (2001). "Assessment and therapy of complex activities of daily living in apraxia". *Neuropsychological Rehabilitation*, 11(2), 147-169. <https://doi.org/10.1080/09602010042000204>.
- GOLLWITZER, P. M. (1999). "Implementation intentions: Strong effects of simple plans". *American Psychologist*, 54(7), 493-503. <https://doi.org/10.1037/0003-066X.54.7.493>.
- GORDON, L.V. (1995). *SIV. Cuestionario de Valores Interpersonales*. Madrid: TEA.
- GUIDETTI, S., RANNER, M., THAM, K., ANDERSSON, M., YTERBERG, C., VON KOCH, L. (2015). "A 'client-centred activities of daily living' intervention for persons with stroke: One-year follow-up of a randomized controlled trial". *Journal of Rehabilitation Medicine*, 47(7), 605-611. <http://doi.org/10.2340/16501977-1981>.
- GUIDETTI, S., THAM, K. (2002). "Therapeutic strategies used by occupational therapists in self-care training: A qualitative study". *Occupational Therapy International*, 9(4), 257-76. DOI: 10.1002/oti.168.
- HARDING, P., RIDDOCH, M. J. (2009). "Functional Electrical Stimulation (FES) of the upper limb alleviates unilateral neglect: A case series analysis." *Neuropsychological Rehabilitation*, 19(1), 41-63. <https://doi.org/10.1080/09602010701852610>.
- HEBERT, R., CARRIER, R., BILODEAU, A. (1988). "The Functional Autonomy Measurement System (SMAF): description and validation of an instrument for the measurement of handicaps". *Age and Ageing*, 17(5), 293-302.
- HERAS DE PABLO, C. G. DE LAS. (2015). *Modelo de ocupación humana*. Madrid: Síntesis.
- HERVÁS, M. T., COLLADO, M. J. N., PEIRÓ, S., PÉREZ, J. L. R., MATÉU, P. L., TELLO, I. M. (2006). Versión española del cuestionario DASH. Adaptación transcultural, fiabilidad, validez y sensibilidad a los cambios. *Medicina Clínica*, 127(12), 441-447.
- HOLLAND, J., KASH, K., PASSIK, S., GRONERT, M., SISON, A., LEDERBERG, M., RUSSAK, S., BAIDER, L. FOX. B. (1998). A Brief Spiritual Beliefs Inventory for Use in Quality of Life Research in Life-Threatening Illness. *Psycho-Oncology*, 7 (1).
- HUMPHREYS, G. W., FORDE, E. M. E. (1998). "Disordered action schema and action disorganisation syndrome". *Cognitive Neuropsychology*, 15(6-8), 771-811.

## Bibliografía

- KATZ, S., FORD, A. B., MOSKOWITZ, R. W., JACKSON, B. A., JAFFE, M. W. (1963). "Studies of Illness in the aged. The index of adl: a standardized measure of biological and psychosocial function". *Jama*, 185, 914-919.
- KATZ, N., ITZKOVICH, M., AVERBUCH, S., ELAZAR, B. (1989). "Loewenstein occupational-therapy cognitive assessment (LOTCA). Battery for brain-injured patients-reliability and validity". *American Journal of Occupational Therapy*, 43(3), 184-192.
- KIELHOFNER, G. (2011). "Modelo de Ocupación Humana: Teoría y Aplicación". (4th ed.). Buenos Aires: Panamericana.
- KIRSH, B. (1996). "A narrative approach to addressing spirituality in occupational therapy: Exploring personal meaning and purpose". *Canadian Journal of Occupational Therapy*, 63(1), 55-61.
- LAW, M., COOPER, B., STRONG, S., STEWART, D., RIGBY, P., LETTS, L. (1996). "The Person-Environment-Occupation Model: A transactive approach to occupational performance". *Canadian Journal of Occupational Therapy*, 63(1), 9-23.
- LAW, M., BAPTISTE, S., CARSWELL, A., MCCOLL, M. A., POLATAJKO, H. J., POLLOCK, N. (2005). *Canadian Occupational Performance Measure* (4th ed.). Ottawa, ON: CAOT Publications ACE.
- LAW, M., BAUM, C., DUNN, W. (2005). Occupational Performance Assessment. En *Occupational therapy: performance, participation and well-being*. Thorofare: Slack Incorporated.
- LAWTON, M., BRODY, E. (1969). "Assessment of older people: Self-maintaining and instrumental activities of daily living". *Gerontologist*, 9(3P1), 179-186.
- LETURIA ARRAZOLA, F.J., YANGUAS LEZAUN, J.J., ARRIOLA MANCHOLA, E., URIARTE MÉNDEZ, A. (2001). "Escala de Recursos Sociales (OARS). Duke University Center "(1978). En: *La valoración de las personas mayores: evaluar para conocer, conocer para intervenir. Manual práctico*. Barcelona: Cáritas Española, 313-5.
- LUUKKAINEN-MARKKULA, R., TARKKA, I. M., PITKÄNEN, K., SIVENIUS, J., HÄMÄLÄINEN, H. (2009). "Rehabilitation of hemispatial neglect: A randomized study using either arm activation or visual scanning training". *Restorative Neurology and Neuroscience*, 27(6), 663-672. <https://doi.org/10.3233/RNN-2009-0>.
- MARGALLO, P. G., SANJUÁN, M., JORQUERA, S., NAVAS, I. (2005). *El análisis y la adaptación de la actividad en Terapia Ocupacional*. Aytona Editores.
- MARTÍN, M., SALVADÓ, I., NADAL, S., MIJO, L.C., RICO, J.M., LANZ, P. y TAUSSIG, M.I. (1996). "Adaptación para nuestro medio de la Escala de Sobrecarga del Cuidador de Zarit". *Revista de Gerontología*, 6, 338-346.
- MALESYS, J. M. (1979). *Programa de reeducación de la organización perceptivo-visual: manual*. TEA.
- MAENNER, M. J., SMITH, L. E., HONG, J., MAKUCH, R., GREENBERG, J. S., MAILICK, M. R. (2013). "Evaluation of an activities of daily living scale for adolescents and adults with developmental disabilities". *Disability and Health Journal*, 6(1), 8-17. <http://doi.org/10.1016/j.dhjo.2012.08.005>.
- MERCADO PADÍN, R. "Los entornos y contextos dentro del proceso de valoración, evaluación e intervención en terapia ocupacional". *TOG (A Coruña)* [revista digital]. 2010 [consultado el 2 febrero de 2017]; 7 (11): [8p.] Disponible en: <http://www.revistatog.com/num11/pdfs/entornos.pdf>.

- McMILLAN, S. S., KENDALL, E., SAV, A., KING, M. A., WHITTY, J. A., KELLY, F., WHEELER, A. J. (2013). "Patient-Centered Approaches to Health Care: A Systematic Review of Randomized Controlled Trials". *Medical Care Research and Review*, 1077558713496318. <http://doi.org/10.1177/1077558713496318>.
- MILLER, J. S. (1990). "Mental illness and spiritual crisis: Implications for psychiatric rehabilitation". *Psychosocial Rehabilitation Journal*, 14 (2), 29-47.
- MIZUNO, K., TSUJI, T., TAKEBAYASHI, T., FUJIWARA, T., HASE, K., LIU, M. (2011). "Prism Adaptation Therapy Enhances Rehabilitation of Stroke Patients With Unilateral Spatial Neglect: A Randomized, Controlled Trial". *Neurorehabilitation and Neural Repair*, 25(8), 711-720. <https://doi.org/10.1177/1545968311407516>.
- MOYERS, P., DALE, L. M. (2007). *The guide to occupational therapy practice*. American Occupational Therapy Association.
- MORADY, K., HUMPHREYS, G. (2011). Multiple task demands in action disorganization syndrome. *Neurocase*, 17(5), 461-472. <https://doi.org/10.1080/13554794.2010.532144>.
- MORUNO, P., ROMERO, D. M. (2006). *Actividades de la vida diaria*. Barcelona: Masson.
- MORUNO, P., ROMERO AYUSO, D. (2003). *Terapia Ocupacional. Teoría y técnicas*. Barcelona: Masson.
- MURPHY, S. L., NYQUIST, L. V., STRASBURG, D. M., ALEXANDER, N. B. (2006). "Bath transfers in older adult congregate housing residents: assessing the person-environment interaction". *Journal of the American Geriatrics Society*, 54(8), 1265-1270. <https://doi.org/10.1111/j.1532-5415.2006.00814.x>
- NAMDARI, S., YAGNIK, G., EBAUGH, D. D., NAGDA, S., RAMSEY, M. L., WILLIAMS, G. R., MEHTA, S. (2012). "Defining functional shoulder range of motion for activities of daily living". *Journal of shoulder and elbow surgery*, 21(9), 1177-1183.
- NIKI, C., MARUYAMA, T., MURAGAKI, Y., KUMADA, T. (2009). "Disinhibition of sequential actions following right frontal lobe damage". *Cognitive Neuropsychology*, 26(3), 266-285. <https://doi.org/10.1080/02643290903028484>.
- O'DELL, M. W., KIM, G., FINNEN, L. R., POLISTENA, C. (2011). «Clinical implications of using the arm motor ability test in stroke rehabilitation». *Archives of physical medicine and rehabilitation*, 92(5), 830-836.
- OMS. (2001). *Clasificación Internacional del Funcionamiento, de la Discapacidad y de la Salud* (Organización Mundial de la Salud). Ginebra.
- PAOLINELLI, G., C., GONZÁLEZ H, P., S, D., EUGENIA, M., DONOSO D, T., SALINAS R, V. (2001). "Instrumento de evaluación funcional de la discapacidad en rehabilitación.: Estudio de confiabilidad y experiencia clínica a con el uso del Functional Independence Measure". *Revista Médica de Chile*, 129(1), 23-31. <http://doi.org/10.4067/S0034-98872001000100004>.
- PELOQUIN, S., M. (2005). "Relación Terapéutica: manifestaciones y desafíos en la terapia ocupacional". En: Cohn ES, Schell BAB (ed.). Willard & Spackman. *Terapia Ocupacional*. (10.ª ed). Madrid: Panamericana.
- POLONIO, B., DURANTE, P., NOYA, B. (2001). *Conceptos fundamentales de terapia ocupacional*. Madrid: Panamericana.
- PORTELL, E. (1996). "Ayudas técnicas en la discapacidad física". Fundació Institut Guttmann.
- QUIROGA, P., ALBALA, C., KLAASEN, G. (2004). "Validation of a screening test for age associated cognitive impairment, in Chile". *Revista Médica De Chile*, 132(4), 467-478.

## Bibliografía

- RAY, K. D., FITZSIMMONS, S. (2014). "Music-assisted bathing: making shower time easier for people with dementia". *Journal of Gerontological Nursing*, 40(2), 9-13. <https://doi.org/10.3928/00989134-20131220>.
- RODRÍGUEZ-BAILÓN, M., PULIDO-NAVARRO, M. J., BRAVO-QUIRÓS, A., ALBERTO-CANTIZANO, M. J., RUBIO-FERNÁNDEZ, V., FERNÁNDEZ-SOLANO, A. J. (2016). "Seeing, judging and... acting! Improving health perception and meaningful occupational participation in older Spanish adults". *Educational Gerontology*, 42(8), 572-584. <https://doi.org/10.1080/03601277.2016.1205384>.
- RODRIGUEZ-BAILON, M., MONTORO-MEMBILA, N., GARCIA-MORAN, T., LUISA ARNEDO-MONTEIRO, M., FUNES MOLINA, M. J. (2015). "Preliminary cognitive scale of basic and instrumental activities of daily living for dementia and mild cognitive impairment". *Journal of Clinical and Experimental Neuropsychology*, 37(4), 339-353. <https://doi.org/10.1080/13803395.2015.1013022>.
- RODRIGUEZ-BAILÓN, M., TRIVINO, M., LUPIANEZ, J. (2012). "Executive Attention and Personality Variables in Patients with Frontal Lobe Damage". *Spanish Journal of Psychology*, 15(3), 967-977. [https://doi.org/10.5209/rev\\_SJOP.2012.v15.n3](https://doi.org/10.5209/rev_SJOP.2012.v15.n3).
- SÁNCHEZ-SOTELO, J. (2004). "Instrumentos de valoración del estado de la salud en Traumatología y Cirugía Ortopédica". *Revista Española de Cirugía Ortopédica y Traumatología*, 48(4), 304-314.
- SÁNCHEZ, R., SIERRA, F., ZÁRATE, K. (2014). "Are religiosity and spirituality different dimensions?". *Revista Colombiana de Cancerología*, 18(2), 62-68.
- SCANLAN, J. N., STILL, M. (2013). "Functional profile of mental health consumers assessed by occupational therapists: Level of independence and associations with functional cognition". *Psychiatry Research*, 208(1), 29-32. <https://doi.org/10.1016/j.psychres.2013.02.032>.
- SCANLAN, J. N., BUNDY, A. C. (2011). Development and Validation of the Modified Occupational Questionnaire. *American Journal of Occupational Therapy*, 65(1). <https://doi.org/10.5014/ajot.2011.09042>.
- SCHMIDT, J., FLEMING, J., OWNSWORTH, T., LANNIN, N. A. (2013). "Video Feedback on Functional Task Performance Improves Self-awareness After Traumatic Brain Injury: A Randomized Controlled Trial". *Neurorehabilitation & Neural Repair*, 27(4), 316-324 9p. <https://doi.org/10.1177/1545968312469838>.
- SCHWARTZ, M. F., BUXBAUM, L. J., MONTGOMERY, M. W., FITZPATRICK-DESALME, E., HART, T., FERRARO, M., COSLETT, H. B. (1999). "Naturalistic action production following right hemisphere stroke". *Neuropsychologia*, 37(1), 51-66.
- SCHWARTZ, M. F., MONTGOMERY, M. W., BUXBAUM, L. J., LEE, S. S., CAREW, T. G., COSLETT, H. B., MAYER, N. (1998). "Naturalistic action impairment in closed head injury". *Neuropsychology*, 12(1), 13-28. <https://doi.org/10.1037//0894-4105.12.1.13>.
- SCHWARTZ, M. F., SEGAL, M., VERAMONTI, T., FERRARO, M., BUXBAUM, L. J. (2002). "The Naturalistic Action Test: A standardised assessment for everyday action impairment". *Neuropsychological Rehabilitation*, 12(4), 311-339. <https://doi.org/10.1080/09602010244000084>.
- SEMKOVSKA, M., BEDARD, M. A., GODBOUT, L., LIMOGÉ, F., STIP, E. (2004). "Assessment of executive dysfunction during activities of daily living in schizophrenia". *Schizophrenia Research*, 69(2-3), 289-300. <https://doi.org/10.1016/j.schres.2003.07.005>.

- SMITH, R. O., MORROW, M. E., HEITMAN, J. K., RARDIN, W. J., POWELSON, J. L., VON, T. (1986). "The effects of introducing the Klein-Bell ADL Scale in a rehabilitation service". *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 40(6), 420-424.
- SMITH, N. R., KIELHOFNER, G., WATTS, J. H. (1986). The relationships between volition, activity pattern, and life satisfaction in the elderly. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 40(4), 278-283.
- SOTO, D., FUNES, M. J., GUZMAN-GARCIA, A., WARBRICK, T., ROTSHTEIN, P., HUMPHREYS, G. W. (2009). "Pleasant music overcomes the loss of awareness in patients with visual neglect". *Proceedings of the National Academy of Sciences of the United States of America*, 106(14), 6011-6016. <https://doi.org/10.1073/pnas.0811681>.
- SUÁREZ, P. S., GARCÍA, A. M. P., MORENO, J. B. (2000). "Escala de autoeficacia general: datos psicométricos de la adaptación para población española". *Psicothema*, 12(Suplemento), 509-513.
- TASSÉ, M. J., SCHALOCK, R. L., BALBONI, G., BERSANI, H., BORTHWICK-DUFFY, S. A., SPREAT, S. ZHANG, D. (2012). "The construct of adaptive behavior: its conceptualization, measurement, and use in the field of intellectual disability. *American Journal on Intellectual and Developmental Disabilities*", 117(4), 291-303. <http://doi.org/10.1352/1944-7558-117.4.291>.
- TORNQUIST, K., SONN, U. (2014). "Towards an ADL taxonomy for occupational therapists". *Scandinavian Journal of Occupational Therapy*, 21, 20-27 8p. <https://doi.org/10.3109/11038128.2014.952885>.
- TOWNSEND, E., WILCOCK, A. A. (2004). "Occupational justice and client-centred practice: a dialogue in progress". *Canadian Journal of Occupational Therapy. Revue Canadienne D'ergotherapie*, 71(2), 75-87.
- TSAI, P.-L., CHEN, M.-C., HUANG, Y.-T., LIN, K.-C., CHEN, K.-L., HSU, Y.-W. (2013). "Listening to Classical Music Ameliorates Unilateral Neglect After Stroke". *American Journal of Occupational Therapy*, 67(3), 328-335. <https://doi.org/10.5014/ajot.2013.006312>.
- TYERMAN, R., TYERMAN, A., HOWARD, P., HATFIELD, C. (1986). *The Chessington Occupational Therapy Neurological Assessment Battery*. Nottingham: Rehab. Ltd.
- VILAGUT, G., VALDERAS, J. M., FERRER, M., GARIN, O., LÓPEZ-GARCÍA, E., ALONSO, J. (2008). "Interpretación de los cuestionarios de salud SF-36 y SF-12 en España: componentes físico y mental". *Medicina Clínica*, 130(19), 726-735.
- WADE, D. T. (2009). "Goal setting in rehabilitation: an overview of what, why and how." *Clinical Rehabilitation*, 23 (4), 291-5. Doi:10.1177/0269215509103551.
- WALKER, C. M., WALKER, M. F., SUNDERLAND, A. (2003). "Dressing after a Stroke: A Survey of Current Occupational Therapy Practice". *The British Journal of Occupational Therapy*, 66(6), 263-268. <https://doi.org/10.1177/030802260306600605>.
- WALLENBERT, I., JONSSON, H. (2005). "Waiting to get better: a dilemma regarding habits in daily occupations after stroke". *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 59(2), 218-224.
- WATKINS, S. L., LOUNSBURY, P. A., FLEMING-CASTALDY, R. P. (2016). "The Self-Assessment of Role-Performance and Activities of Daily Living Abilities (SARA™): Development and Clinical Utility of a Client-Centered Screening Tool and Outcome Measure". *Occupational therapy in health care*, 30(1), 42-57.



## Bibliografía

- YUEN, H. K., D'AMICO, M. (1998). "Improved feeding ability in adults with acquired brain damage: Two case studies". *Australian Occupational Therapy Journal*, 45(2), 43-47. <https://doi.org/10.1111/j.1440-1630.1998.tb00781>.
- ZAPF, D., REASON, J. T. (1994). "Introduction-human errors and error handling". *Applied Psychology – An International Review – Psychologie Appliquee-Revue Internationale*, 43(4), 427-432. <https://doi.org/10.1111/j.1464-0597.1994.tb00838.x>.
- ZARIT, S.H., REEVER, K.E. y BACH-PETERSON, J. (1980). "Relatives of the Impaired Elderly: Correlates of feelings and Burden». *Gerontologist*, 20, 649-655.