

Bibliografía

- ACOG. (2009). Management of Stillbirth: Obstetric Care Consensus No. 10. Practice Bulletin Number 102, e110–e132. <https://doi.org/10.1097/AOG.00000000000003719>
- ÁLVAREZ, M., CLARAMUNT, M. Á., GARCÍA, L., y SILVENTE, C. (2016). *Las voces olvidadas: pérdidas gestacionales tempranas*. Obstare.
- ÁLVAREZ-ERRECALDE, A. (2020). Ana Álvarez-Errecalde o la capacidad de amar (2018). *RBA Revistas, S.L.* Recuperado de https://www.cuerpomente.com/testimonios/ana-alvarez-errecalde-nos-muestra-todas-caras-maternidad_1018.
- *Care. Cuidar importa*. Ed Alma.
- ANNSOFIE, A. (2011). Women’s well-being improves after missed miscarriage with more active support and application of Swanson’s Caring Theory. *Psychol Res Behav Manag, 4*, 1-9. doi: 10.2147/PRBM.S15431
- ARIAS, N., GARRALDA, E., RHEE, J. Y., LIMA L., PONS-IzQUIERDO, J. J., CLARK, D.,... CENTENO, C. (2019). EAPC Atlas of Palliative Care in Europe 2019. Recuperado de <https://fundadeps.org/recursos/Atlas-de-Cuidados-Paliativos-en-Europa-2019/>
- BALDWIN, D. S., AITCHISON, K., BATESON, A., CURRAN, H. V., DAVIES, S., LEONARD, B., NUTT, D. J., STEPHENS, D. N., y WILSON, S. (2013). Benzodiazepines: Risks and benefits. A reconsideration. *Journal of Psychopharmacology, 27*(11), 967-971. <https://doi.org/10.1177/0269881113503509>
- BARBERO, J. (2006). El derecho del paciente a la información: el arte de comunicar. *An. Sist. Sanit. Navar, 29*(3), 19-27. Recuperado de: <http://scielo.isciii.es/pdf/asisna/v29s3/original2.pdf>
- BARRETO, P., DE LA TORRE, O., y PÉREZ-MARÍN, M. (2012). Detección de duelo complicado. *Psicooncología, 9*(2-3), 355-368. Recuperado de <https://revistas.ucm.es/index.php/PSIC/article/download/40902/39159>
- BASCUÑANA, M. (2018). Gestación subrogada: Aspectos emocionales y psicológicos en la mujer gestante. *Dilemata, (28)*, 41-49.
- BECK, C. T. (2004). Post-Traumatic Stress Disorder Due To Childbirth – The Aftermath. *Nursing Research, 53*(4), 216-224.

- BERMEJO, J. C. (2011). Resiliencia: una mirada humanizadora hacia el sufrimiento. Madrid: PPC.
- BLASCO, Ch. (2015). *Para Luna de mama. Escritos de amor y muerte*. Publicación independiente.
- BLENOWE, H., COUSENS, S., JASSIR, F. B., SAY, L., CHOU, D., MATHERS, C., HOGAN, D., SHIEKH, S., QURESHI, Z. U., YOU, D., y LAWN, J. E. (2016). National, regional, and worldwide estimates of stillbirth rates in 2015, with trends from 2000: A systematic analysis. *The Lancet Global Health*, 4(2), e98-e108. [https://doi.org/10.1016/S2214-109X\(15\)00275-2](https://doi.org/10.1016/S2214-109X(15)00275-2)
- BLOOD, C., y CACCIATORE, J. (2014). Parental Grief and Memento Mori Photography : Narrative, Meaning, Culture, and Context. *Death Studies*, 38(November), 224-233. <https://doi.org/10.1080/07481187.2013.788584>
- BOURQUIN, P. (2014). El gemelo solitario. Ed. Desclee de Brower.
- BRATT, E. L., JÄRVHOLM, S., EKMAN-JOELSSON, B. M., MATTSON, L. A., y MELLANDER, M. (2015). Parent's experiences of counselling and their need for support following a prenatal diagnosis of congenital heart disease-a qualitative study in a Swedish context. *BMC Pregnancy & Childbirth*, 15(171), 1-7. doi: 10.1186/s12884-015-0610-4
- BRICEÑO MORALES, X., ENCISO CHAVES, L. V., y YEPES DELGADO, C. E. (2018). Neither Medicine Nor Health Care Staff Members Are Violent By Nature: Obstetric Violence From an Interactionist Perspective. *Qualitative Health Research*, 28(8), 1308-1319. <https://doi.org/10.1177/1049732318763351>
- BRONFENBRENNER, U. (2002). *La Ecología del Desarrollo Humano*. Barcelona Paidós.
- BURDEN, C., BRADLEY, S., STOREY, C., ELLIS, A., HEAZELL, A. E. P., DOWNE, S., CACCIATORE, J., y SIASSAKOS, D. (2016). From grief, guilt pain and stigma to hope and pride - a systematic review and meta-analysis of mixed-method research of the psychosocial impact of stillbirth. *BMC Pregnancy and Childbirth*, 16(1), 1-12. <https://doi.org/10.1186/s12884-016-0800->
- CACCIATORE, J., y BUSHFIELD, S. (2008). Stillbirth: A sociopolitical issue. *Affilia: Journal of Women and Social Work*, 23, 378-387.
- CACCIATORE, J., DEFRAIN, J., JONES, K., y JONES, H. (2008). Stillbirth and the couple: A gender-based exploration. *Journal of Family Social Work*, 11(4), 351-372. <https://doi.org/10.1080/10522150802451667>
- CACCIATORE, J., y FLINT, M. (2012). Mediating Grief: Postmortem Ritualization After Child Death. *Journal of Loss and Trauma*, 17(2), 158-172. <https://doi.org/10.1080/15325024.2011.595299>.
- CALHOUN, L. G., y TEDESCHI, R. G. (eds.) (2006). *Handbook of posttraumatic growth: Research and practice*. Mahwah, NJ: Erlbaum.
- CALHOUN, L. G., TEDESCHI, R. G., CANN, A., y HANKS, E. A. (2010). Positive outcomes following bereavement: Paths to posttraumatic growth. *Psychologica Belgica*, 50(1-2), 125-143. <http://dx.doi.org/10.5334/pb-50-1-2-125>
- CAMACHO-ÁVILA, M., FERNÁNDEZ-SOLA, C., JIMÉNEZ-LÓPEZ, F. R., GRANERO MOLINA, J., FERNÁNDEZ-MEDINA, I. M., MARTÍNEZ-ARTERO, L., y HERNÁNDEZ-PADILLA, J. M. (2019). Experience of parents who have suffered a perinatal death in two Spanish hospitals: A qualitative study. *BMC Pregnancy and Childbirth*, 19(1), 1-11. <https://doi.org/10.1186/s12884-019-2666-z>

Bibliografía

- CARLSSON, T., BERGMAN, G., KARLSSON, A. M., WADENSTEN, B., y MATSSON, E. (2016). Experiences of termination of pregnancy for a fetal anomaly: A qualitative study of virtual community messages. *Midwifery*, 41, 54-60. doi: 10.1016/j.midw.2016.08.001
- CARROLL, K. E., LENNE, B. S., MCEGAN, K., OPIE, G., AMIR, L. H., BREDEMEYER, S., HARTMANN, B., JONES, R., KOORTS, P., MCCONACHY, H., MUMFORD, P., y POLVERINO, J. (2014). Breast milk donation after neonatal death in Australia: a report. *International Breastfeeding Journal*, 9(1), 23. <https://doi.org/10.1186/preaccept-1782472017139037>
- CASSIDY, J. (2017). Disminución de los movimientos fetales. Factor de riesgo en la mortalidad perinatal. *Muerte y Duelo Perinatal*, (2), 20-26. Disponible en: <http://www.umamanita.es/wp-content/uploads/2017/06/Revista-Muerte-y-Duelo-Perinatal-Numero-2.pdf>
- CASSIDY, P. R. (2013). *Posicionamiento acerca de la infradeclaración y fiabilidad de las estadísticas de muertes perinatales en España*. <http://www.umamanita.es/wp-content/uploads/2015/06/Posicionamientoacerca-de-la-infradeclaracion-y-fiabilidad-de-las-estadisticas-de-muertes-perinatales-en-Espana.pdf>
- (2015). Body and ontology: perinatal death and bereavement in the technoscientific landscape of hospital care. *Revista Technocultura*, 12(2), 285-316.
 - (2017). Muerte y duelo perinatal. La autopsia perinatal: “el patrón de oro” en la investigación de la muerte intrauterina. *Muerte y Duelo Perinatal*, 3, 41-46.
- CASSIDY, P. R., BLASCO, CH., CONTRERAS, M., LLAVORE, M., CASSIDY, J., QUINTANA, R., RONCALLO, P. (2018a). Atención al parto en casos de muerte intrauterina en el segundo y tercer trimestre: Aspectos psicosociales y clínicos de la atención hospitalaria. *Muerte y Duelo Perinatal*, 4, 42-57. Recuperado de: <https://www.umamanita.es/revista-muerte-y-duelo-perinatal-numero-4-actual/>
- CASSIDY, P., CASSIDY, J., OLZA, I., MARTÍN-ÁNCHEL, A., JORT, S., SÁNCHEZ, D., MARTÍNEZ-SERRANO, P. (2018b). *Informe Umamanita. Encuesta sobre la calidad de la atención sanitaria en casos de muerte intrauterina*. Madrid. <https://www.umamanita.es/wp-content/uploads/2018/11/Informe-Umamanita-Calidad-Atencion-Muerte-Intrauterina-2018.pdf>
- CASTLE, J., y PHILLIPS, W. L. (2003). Grief rituals: Aspects that facilitate adjustment to bereavement. *Journal of Loss and Trauma*, 8(1), 41–71. <https://doi.org/10.1080/15325020305876>
- CHEN, F. H., CHEN, S. L., y HU, W. Y. (2015). Taiwanese Women’s Experiences of Lactation Suppression After Stillbirth. *JOGNN. Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 44(4), 510-517. <https://doi.org/10.1111/1552-6909.12724>.
- CHERVENAK, F., y MCCULLOUGH, L. B. (2012). Responsibly counselling women about the clinical management of pregnancies complicated by severe fetal anomalies. *Journal of Medical Ethics*, 38(7), 397-398. <https://doi.org/10.1136/medethics-2012-100491>
- CLARAMUNT, M. Á., ÁLVAREZ, M., JOVÉ, R., y SANTOS, E. (2009). *La cuna vacía: el doloroso proceso de perder un embarazo*. Esfera de los Libros.
- COLE, J. C. M., SCHWARZ, J., FARMER, M. C., COURSEY, A. L., DUREN, S., ROWLSON, M., PRINCE, J., OSER, M., y SPATZ, D. L. (2018). Facilitating Milk Donation in the Context of Perinatal

- Palliative Care. *JOGNN. Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 47(4), 564-570. <https://doi.org/10.1016/j.jogn.2017.11.002>
- COLE, M. (2012). Lactation after Perinatal, Neonatal, or Infant Loss. *Clinical Lactation*, 3(3), 94-100. <https://doi.org/10.1891/215805312807022897>
- COLOMO, E., y CIVICO, A. (2018). La necesidad de formación del profesorado en pedagogía de La muerte. *Revista Electrónica Interuniversitaria de Formación del Profesorado*, 21(1), 83-94. doi: 10.6018/reifop.21.1.279961.
- COMMITTEE OPINION NO. 693: Counseling About Genetic Testing and Communication of Genetic Test Results. (2017). *Obstetrics and Gynecology*, 129(4), e96-e101. <https://doi.org/10.1097/AOG.0000000000002020>
- CONCEJO-SÁNCHEZ, S., DEL ÁLAMO-BASTIDAS, G., MARTÍN-DÍAZ, I., MARTÍN-JIMÉNEZ, E., POZA-BUS-TAMANTE, L., ROMERO-PONCE, B.,... FERNÁNDEZ-ARROYO, M. (2002). Programa de salud en atención primaria para atención del duelo por la pérdida de un hijo en el periodo perinatal. *Matronas Profesión*, 10, 17-24. Recuperado de https://www.researchgate.net/publication/293335243_Programa_de_salud_en_atencion_primaria_para_la_atencion_del_duelo_por_la_perdida_de_un_hijo_en_el_periodo_perinatal
- CONTRERAS, M., RUIZ, B., y MARTÍN, M. L. (2019). *Talking about life and perinatal death with children in a workshop on pregnancy and childbirth*. Presentado como póster en el congreso internacional ISA 2019. Madrid. No publicado.
- CONTRERAS, M., ALONSO, P., CABALLERO, E., CORONA, B., DEL VALLE, L., DÍAZ A., y SARABIA, C. (2020). Evaluación del programa Online Matronas Cantabria de preparación a la maternidad y paternidad. *Paraninfo Digital, XIV* (32), e32041p. Recuperado de <https://ciberindex.com/index.php/pd/article/view/e32041p>
- COPE, H., GARRETT, M., GREGORY, S., y ASHLEY-KOCH, A. (2015). Pregnancy continuation and organizational religious activity following prenatal diagnosis of a lethal fetal defect are associated with improved psychological outcome. *Prenatal Diagnosis*, 35, 761-68.
- CÔTÉ-ARSENAULT, D., y DENNEY-KOELSCH, E. (2011). "My baby is a person": Parents' experiences with life-threatening fetal diagnosis. *Journal of Palliative Medicine*, 14(12), 1302-1308. doi: 10.1089/jpm.2011.0165
- (2016). "Have no regrets": Parents' experiences and developmental tasks in pregnancy with a fetal diagnosis. *Social Science & Medicine*, 154, 100-109. doi: 10.1016/j.socsci-med.2016.02.033
- CRONIN, R. S., LI, M., THOMPSON, J. M. D., GORDON, A., RAYNES-GREENOW, C. H., HEAZELL, A. E. P., STACEY T.,... MCCOWAN, L. M. E. (2019). An Individual Participant Data Meta-analysis of Maternal Going-to-Sleep Position, Interactions with Fetal Vulnerability, and the Risk of Late Stillbirth. *EclinicalMedicine*, 10, 49-57. doi: 10.1016/j.eclinm.2019.03.014
- D'ALMEIDA, M., HUMA, R., LATHROP, A Y NJOKU, A. (2006). Perinatal hospice: Family-centered care of the fetus with a lethal condition. *J. Am. Physicians Surg*, 11(2), 52-55

Bibliografía

- DAUGIRDAITE, V., VAN DEN AKKER, O., y PUREWAL, S. (2015). Posttraumatic stress and posttraumatic stress disorder after termination of pregnancy and reproductive loss: A systematic review. *Journal of Pregnancy*. Hindawi Publishing Corporation. <https://doi.org/10.1155/2015/646345>
- DAVIES, B., BAIRD, J., y GUDMUNSDOTTIR, M. (2013). Moving family-centered care forward: Bereaved fathers' perspectives. *J Hosp Palliat Nurs.*, 15(3), 1-11. doi: 10.1097/NJH.0b013e3182765a2a.
- DEBACKERE, K. J., HILL, P. D., y KAVANAUGH, K. L. (2008). The parental experience of pregnancy after perinatal loss. *JOGNN. Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 37(5), 525-537. <https://doi.org/10.1111/j.1552-6909.2008.00275.x>
- DE LA FUENTE-SOLANA, E. I., SULEIMAN-MARTOS, N., VELANDO-SORIANO, A., CAÑADAS-DE LA FUENTE, G. R., HERRERA-CABRERIZO, B., y ALBENDÍN-GARCÍA, L. (2021). Predictors of burnout of health professionals in the departments of maternity and gynaecology, and its association with personality factors: A multicentre study. *Journal of Clinical Nursing*, 30(1-2), 207-216. <https://doi.org/10.1111/jocn.15541>
- DIDION, J. (2015). *El año del pensamiento mágico*. Barcelona: Literatura Random House.
- DIMICELI-ZSIGMOND, M., WILLIAMS, A. K., y RICHARDSON, M. G. (2015). Expecting the unexpected: Perspectives on stillbirth and late termination of pregnancy for fetal anomalies. *Anesthesia & Analgesia*, 12(2), 457-65. doi: 10.1213/ANE.0000000000000785.
- DOWNE, S., SCHMIDT, E., KINGDON, C., ALEXANDER, E., y HEAZELL, P. (2013). Bereaved parents' experience of stillbirth in UK hospitals: a qualitative interview study. *BMJ Open*, 3, e002237. doi: 10.1136/bmjopen-2012-002237.
- DUE, C., CHIAROLLI, S., y RIGGS, D. W. (2017). The impact of pregnancy loss on men's health and wellbeing: A systematic review. *BMC Pregnancy and Childbirth*, 17(1). <https://doi.org/10.1186/s12884-017-1560-9>
- EDO-GUAL, M., TOMÁS-SÁBADO, J., y ARADILLA-HERRERO, A. (2011). Miedo a la muerte en estudiantes de enfermería. *Enferm Clin*, 21(3), 129-135. <https://doi.org/10.1016/j.enfcli.2011.01.007>
- ELLIS, A., CHEBSEY, C., STOREY, C., BRADLEY, S., JACKSON, S., FLENADY, V., HEAZELL, A., y SIASAKOS, D. (2016). Systematic review to understand and improve care after stillbirth: A review of parents' and healthcare professionals' experiences. *BMC Pregnancy and Childbirth*, 16(1), 1-19. doi: 10.1186/s12884-016-0806-2
- ERLANDSSON, K., WARLAND, J., CACCIATORE, J., y RÅDESTAD, I. (2013). Seeing and holding a stillborn baby: Mothers' feelings in relation to how their babies were presented to them after birth-Findings from an online questionnaire. *Midwifery*, 29(3), 246-250. <https://doi.org/10.1016/j.midw.2012.01.007>
- ESCUDERO, V. y FRIEDLANDER, M. L. (2019). *Alianza terapéutica con familias*. Barcelona: Herder
- ESTEVE, A. y TREVIÑO, R. (2019). Los grandes porqués de la (in)fecundidad en España. *Perspectives demogràfiques*, 13, 1-4.
- FABRÉ, E., PÉREZ P., GONZÁLEZ DE AGÜERO, R., y GONZÁLEZ, E. (2013). Mortalidad perinatal y materna. En González-Merlo, J., Lailla, M., Fabrè, E., González, E., *Obstetricia* (pp. 708-715) (6ª ed.). Barcelona: Elsevier Masson.

- FAY, V., THOMAS, S., y SLADE, P. (2016). Maternal-fetal medicine specialists' experiences of conducting fetocide as part of termination of pregnancy: A qualitative study. *Prenatal Diagnosis*, 36(1), 92-99. <https://doi.org/10.1002/pd.4720>
- FENWICK, J., JENNINGS, B., DOWNIE, J., BUTT, J., y OKANAGA, M. (2007). Providing perinatal loss care: Satisfying and dissatisfying aspects for midwives. *Women and Birth*, 20, 153-160. <https://doi.org/10.1016/j.wombi.2007.09.002>
- FERNÁNDEZ, M. (2016). Espiritualidad, resiliencia y crecimiento postraumático. *Nous Logoterapia y Análisis Existencial*, 19, 21-32. <https://repositorio.comillas.edu/rest/bitstreams/32053/retrieve>
- FERNÁNDEZ, P., y OLZA, I. (2020). *Psicología del embarazo*. Madrid: Síntesis.
- FERNÁNDEZ, T. (2008). Los enterramientos infantiles en contextos domésticos en la Cuenca Alta/Media del Ebro: a propósito de la inhumación del despoblado altomedieval de Aistra (Álava). *Munibe Antropologia-Arkeologia*, 59(1), 199-217.
- FERNÁNDEZ-ALCÁNTARA, M. (2016). *Evaluación neuropsicológica y emocional de los procesos de duelo y experiencias de los psicólogos en el acompañamiento de los procesos de fin de vida* (tesis doctoral internacional). Universidad de Granada.
- FERNÁNDEZ-ALCÁNTARA, M., PAZ GARCÍA-CARO, M., NIEVES PÉREZ-MARFIL, M. y CRUZ-QUINTANA, F. (2013). Experiencias y obstáculos de los psicólogos en el acompañamiento de los procesos de fin de vida. *Anales de Psicología*, 29(1), 1-8. <https://doi.org/10.6018/analesps.29.1.139121>
- FICQUET, J., GHOURI, S., KIRK, L., MADUAKA, K., y SHARP, N. (2015). Stillbirth: raising awareness, why aren't we routinely discussing it with women? (E-Pósters). *BJOG: An International Journal of Obstetrics and Gynaecology*, 217-218.
- FIGLEY, C. R. (2002). Compassion fatigue: Psychotherapists' chronic lack of self care. *Journal of Clinical Psychology*, 58(11), 1433-1441. <https://doi.org/10.1002/jclp.10090>
- FLENADY, V., BOYLE, F., KOOPMANS, L., WILSON, T., STONES, W., y CACCIATORE, J. (2014). Meeting needs of parents after a stillbirth or neonatal death. *BJOG*, 121(4), 137-40. doi: 10.1111/1471-0528.13009
- FLENADY, V., WOJCIESZEK, A. M., MIDDLETON, P.,... Goldenberg, R. L. (2016). Stillbirths: recall to action in high-income countries. *Lancet*, 6736(15), 1-12. doi: 10.1016/S0140-6736(15)01020-X.
- FLENADY, V., MIDDLETON, P., SMITH, G.C.,... Froen, J. F. (2011). Stillbirths: the way forward in high-income countries. *Lancet*, 377(9778), 1703-1717. doi: 10.1016/S0140-6736(11)60064-0.
- FLÓREZ, J. (2018). *Síndrome de Down. Comunicar la noticia: el primer acto terapéutico*. Santander: Fundación Iberoamericana.
- FOCKLER, M. E., LADHANI, N., WATSON, J., y BARRETT, J. (2017). Pregnancy subsequent to stillbirth: Medical and psychosocial aspects of care. *Seminars in fetal & neonatal medicine*, 22(3), 186-192. doi: 10.1016/j.siny.2017.02.004
- FRANKL, V. *El hombre en busca de sentido*. Herder 2013.

Bibliografía

- FRETTS, R. C., y SPONG, C. (2020). Stillbirth: Incidence, risk factors, etiology, and prevention. En C.J. Lockwood (ed.), *Up ToDate*. Recuperado el 21 de diciembre de 2020, desde <https://www.uptodate.com/contents/stillbirth-incidence-risk-factors-etiology-and-prevention>
- GANDINO, G., BERNAUDO, A., DI FINI, G., VANNI, I. Y VEGLIA, F. (2019). Healthcare professionals' experiences of perinatal loss: A systematic review. *Journal of Health Psychology*, 24(1), 65–78. <https://doi.org/10.1177/1359105317705981>
- GARCÍA-ESTEVE, L., ASCASO, C., OJUEL, J. Y NAVARRO, P. (2002). Validation of the Edinburgh Postnatal Depression Scale (EPDS) in Spanish mothers. *Journal of Affective Disorders*, 75, 71-76.
- GARÓFANO, L. (25 de diciembre de 2018). Qué bello es vivir (gracias a Rosario). *El Mundo. Crónica*. Recuperado de <https://www.elmundo.es/cronica/2018/12/25/5c1d120921efa0f7138b45b6.html>
- GAWRON, L. M., CAMERON, K. A., PHISUTHIKUL, A., y SIMONC, M. A. (2013). An exploration of women's reasons for termination timing in the setting of fetal abnormalities. *Contraception* 88, 109-115. doi: <http://dx.doi.org/10.1016/j.contraception.2012.12.004>
- GOLD, K. J., DALTON, V. K., y SCHWENK, T. L. (2007). Hospital care for parents after perinatal death. *Obstetrics and Gynecology*, 109(5), 1156-1166. <https://doi.org/10.1097/01.AOG.0000259317.55726.pdf>
- GOLD, K. J., KUZNIA, A. L., HAYWARD, R. A. (2008). How physicians cope with stillbirth or neonatal death: a national survey of obstetricians. *Obstet Gynecol*, 112(1), 29-34.
- GOLD, K. J., LEON, I., BOGGS, M. E., y SEN, A. (2016). Depression and Posttraumatic Stress Symptoms After Perinatal Loss in a Population-Based Sample. *Journal of Women's Health*, 25(3), 263-269. <https://doi.org/10.1089/jwh.2015.5284>
- GOLD, K. J., MOZURKEWICH, E. L., PUDER, K. S., y TREADWELL, M. C. (2016). Maternal complications associated with stillbirth delivery: A cross-sectional analysis. *Journal of Obstetrics and Gynaecology*, 36(2), 208-212. <https://doi.org/10.3109/01443615.2015.1050646>
- GONZÁLEZ, S., SUAREZ, I., POLANCO, T., LEDO, M. J., RODRÍGUEZ, V. (2013). Papel de la matrona en el manejo del duelo perinatal y neonatal. *Cad Aten Primaria*, 19, 113-117.
- GÓMEZ-ULLA ASTRAY, E. (2018). *Actitudes de los profesionales sanitarios ante la muerte perinatal y su relación con el miedo a la muerte, el burnout, la fatiga por compasión y la satisfacción por compasión* (trabajo fin de grado). Universidad Europea de Madrid.
- GRAU, N. (2017). Fotografías para casos de muerte gestacional y neonatal. *Muerte y Duelo Perinatal*, 2, 11-19. Recuperado de <https://www.umamanita.es/wp-content/uploads/2017/06/2017-Grau-Fotografias-para-casos-de-muerte-gestacional-y-neonatal.pdf>
- GRAU ABALO, J., LLANTÁ ABREU, M. DEL C., MASSIP PÉREZ, C., CHACÓN ROGER, M., REYES MÉNDEZ, M. C., INFANTE PEDREIRA, O., ROMERO PÉREZ, T., BARROSO FERNÁNDEZ, I., y MORALES ARISSO, D. (2008). Ansiedad y actitudes ante la muerte: revisión y caracterización en un grupo heterogéneo de profesionales que se capacita en cuidados paliativos. *Pensamiento Psicológico*, 4(10), 27-58. <https://doi.org/10.11144/92>
- GRAVENSTEEN, I. K., HELGADÓTTIR, L. B., JACOBSEN, E-M,... Ekeberg, O. (2013). Women's experiences in relation to stillbirth and risk factors for long-term post-traumatic stress symptoms: a retrospective study. *BMJ Open*, 3, e003323. doi: 10.1136/bmjopen-2013-003323

- GRAVENSTEEN, I. K., JACOBSEN, E. M., SANDSET, P. M., HELGADOTTIR, L. B., RADESTAD, I., SANDVIK, L., y EKEBERG, O. (2018). Anxiety, depression and relationship satisfaction in the pregnancy following stillbirth and after the birth of a live-born baby: a prospective study. *BMC Pregnancy Childbirth* 18(1), 41. doi: 10.1186/s12884-018-1666-8
- GUO, Y., LUO, Y., LAM, L., CROSS, W., PLUMMER, V. y ZHANG, J. (2018). Burnout and its association with resilience in nurses: a cross-sectional study Nurse. *Journal of Clinical Nursing*, 27(1-2), 441-449. <https://doi.org/10.1111/ijlh.12426>
- GUON, J., WILFOND, BS., FARLOW, B., BRAZG, T., y JANVIER, A. (2013). Our Children are not a diagnosis: The experience of parents who continue their pregnancy after a prenatal diagnosis of trisomy 13 o 18. *Am J Med Genet*, 164(2), 308-318. doi: 10.1002/ajmg.a.36298
- HEAZELL, A., WARLAND, J., STACEY, T., COOMARASAMY, C., BUDD, J., MITCHELL, E. A., y O'BRIEN, L. M. (2017). Stillbirth is associated with perceived alterations in fetal activity - findings from an international case control study. *BMC pregnancy and childbirth*, 17(1), 369. <https://doi.org/10.1186/s12884-017-1555-6>
- HEAZELL, A., BUDD, J., LI, M., CRONIN, R., BRADFORD, B., MCCOWAN, L., MITCHELL, E. A., STACEY, T., MARTIN, B., ROBERTS, D., y THOMPSON, J. (2018). Alterations in maternally perceived fetal movement and their association with late stillbirth: findings from the Midland and North of England stillbirth case-control study. *BMJ Open*, 8(7), e020031. <https://doi.org/10.1136/bmjopen-2017-020031>
- HENDERSON, J. y REDSHAW, M. (2017). Parents' experience of perinatal post-mortem following stillbirth: A mixed methods study. *PLoS ONE*, 6. <https://doi.org/10.1371/journal.pone.0178475>
- HENRY y ANA (19/05/2019). Recuperado de <https://www.redelhuecodemivientre.es/wp-content/uploads/Enriq-y-ana.jpg>
- HERNÁNDEZ GARRE, J. M. H., SÁNCHEZ SÁNCHEZ, F. C. y ECHEVARRÍA PÉREZ, P. (2017). Alumbrando la muerte. Profesionales de la vida gestio-nando el duelo. *Revista Internacional de Sociología*, 75(3). <https://doi.org/10.3989/ris.2017.75.3.15.189>
- HODGSON, J., PITT, P., METCALFE, S., HALLIDAY, J., MENEZES, M., FISHER, J., HICKERTON, CH., PETERSEN, K. y McCLAREN, B. (2016). Experiences of prenatal diagnosis and decision-making about termination of pregnancy: A qualitative study. *ANZJOG*, 1-9. doi: 10.1111/ajo.12501
- HOWARD, L. M., y KHALIFEH, H. (2020). Perinatal mental health: a review of progress and challenges. *World Psychiatry*, 19(3), 313-327. <https://doi.org/10.1002/wps.20769>
- HOSPITAL CLINIC y SANT JOAN DE DEU (BCNATAL Barcelona) (2021). Protocolo cuidados paliativos perinatales. Recuperado de <https://medicinafetalbarcelona.org/protocolos/es/patologia-fetal/cuidados-paliativos-perinatales.pdf>
- HOSTALERY, L., y TOSELLO, B. (2017). Outcomes in Continuing Pregnancies Diagnosed with a Severe Fetal Abnormality and Implication of Antenatal Neonatology Consultation: A 10-Year Retrospective Study. *Fetal and pediatric pathology*, 36(3), 203-212. <https://doi.org/10.1080/15513815.2017.1296519>

Bibliografía

- HUNTER, L., SNOW, S., y WARRINER, S. (2018). Being there and reconnecting: Midwives' perceptions of the impact of Mindfulness training on their practice. *Journal of Clinical Nursing*, 27(5-6), 1227-1238. <https://doi.org/10.1111/jocn.14169>
- HUTTI, M. H., POLIVKA, B., WHITE, S., HILL, J., CLARK, P., COOKE, C., CLEMENS, S. y ABELL, H. (2016). Experiences of Nurses Who Care for Women After Fetal Loss. *JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 45(1). <https://doi.org/10.1016/j.jogn.2015.10.010>
- JANVIER, A., FARLOW, B., BENJAMIN, S., y WILFOND, B. S. (2012). The Experience of Families With Children With Trisomy 13 and 18 in Social Networks. *Pediatrics*, 130(2), 293-98. doi: 10.1542/peds.2012-0151
- JONAS-SIMPSON, CH., BERYL PILKINGTON, F., MACDONALD, C., MCMAHON, E. (2013). Nurses experiences of grieving when there is a perinatal death. *SAGE Open*.
- JONES, K., y SMYTHE, L. (2015). The impact on midwives of their first stillbirth. *New Zealand College of Midwives Journal*, 51, 17-22.
- JONES, K., BAIRD, K., y FENWICK, J. (2017). Women's experiences of labour and birth when having a termination of pregnancy for fetal abnormality in the second trimester of pregnancy: a qualitative meta-synthesis. *Midwifery*, 50, 42-54. doi: 10.1016/j.midw.2017.03.014.
- JONES, K., ROBB, M., MURPHY, S., DAVIES, A. (2019). New understandings of fathers' experiences of grief and loss following stillbirth and neonatal death: A scoping review. *Midwifery*, 79. <https://doi.org/10.1016/j.midw.2019.102531>
- KAMRANPOUR, B., NOROOZI, M., BAHRAMI, M. (2019). The Needs of Women Who Have Experienced Pregnancy Termination Due to Fetal Anomalies: A Literature Review. *Iran J Nurs Midwifery Res.*, 24(1), 1-10. doi: 10.4103/ijnmr.IJNMR_80_18
- KAVANAUGH, K., ROSCIGNO, C., SWANSON K., SAVAGE, T., KIMURA, R., y KILPATRICK, S. (2015). Perinatal palliative care: Parent perceptions of caring in interactions surrounding counseling for risk of delivering an extremely premature infant. *Palliat Support Care*, 13, 145-55. doi: 10.1017/S1478951513000874
- KELLY, T., SUDDER, J., HOWEL, D., HEWISON, J., y ROBSON, S. (2010). Comparing medical versus surgical termination of pregnancy at 13-20 weeks of gestation: A randomised controlled trial. *BJOG: An International Journal of Obstetrics and Gynaecology*, 117(12), 1512-1520. <https://doi.org/10.1111/j.1471-0528.2010.02712.x>
- KHAN, K. S., WOJDYLA, D., SAY, L., GÜLMEZOĞLU, A. M., y VAN LOOK, P. F. (2006). WHO analysis of causes of maternal death: a systematic review. *Lancet*, 367(9516), 1066-1074. [https://doi.org/10.1016/S0140-6736\(06\)68397-9](https://doi.org/10.1016/S0140-6736(06)68397-9)
- KINGDON, C., GIVENS, J. L., O'DONNELL, E. y TURNER, M. (2015). Seeing and Holding Baby: *Systematic Review of Clinical Management and Parental Outcomes After Stillbirth*. *Birth*, 42(3). <https://doi.org/10.1111/birt.12176>
- KORENROMP, M. J., PAGE-CHRISTIANES, G. C., VAN DEN BOUT, J., MULDER, E. J., VISSER, G. H. (2007). Maternal decision to terminate pregnancy in case of Down syndrome. *Am J Obstet Gynecol*, 196(2), 149e1-11.

- KROSC, D. J., y SHAKESPEARE-FINCH, J. (2016). Grief, Traumatic Stress, and Posttraumatic Growth in Women Who Have Experienced Pregnancy Loss. *Psychological Trauma: Theory, Research, Practice, and Policy*. Advance online publication. <http://dx.doi.org/10.1037/tra0000183>.
- KÜBLER-ROSS, E. y KESSLER, D. (2006). *Sobre el duelo y el dolor*. Barcelona: Ed. Luciérnaga.
- KUEBELBECK, A., y DAVIS, D. L. (2011). *A gift of time. Continuing your pregnancy when your baby's life is expected to be brief*. Maryland, EE.UU.: Johns Hopkins University Press.
- KULKARNI, A. D., PALANIAPPAN, N., y EVANS, M. J. (2017). Placental Pathology and Stillbirth: A Review of the Literature and Guidelines for the Less Experienced. *Journal of Fetal Medicine*, 4(4), 177-185. <https://doi.org/10.1007/s40556-017-0133-3>
- LAMBA, N., JADVA, V., KADAM, K., y GOLOMBOK, S. (2018). The psychological well-being and prenatal bonding of gestational surrogates. *Human Reproduction*, 33(4), 646-653. <https://doi.org/10.1093/humrep/dey048>
- LAMBERT, M. J., SHAPIRO, D. A., y BERGIN, A. E. (1986). The effectiveness of psychotherapy. En S. Garfield y A. Bergin (eds.), *Handbook of psychotherapy and behavior change* (3rd ed., pp. 157-212). Nueva York: Wiley.
- LEDUFF, L. D., BRADSHAW, W. T., y BLAKE, S. M. (2017). Transitional Objects to Facilitate Grieving Following Perinatal Loss. *Advances in Neonatal Care*, 17(5), 347-353. <https://doi.org/10.1097/ANC.0000000000000429>
- LEINWEBER, J., CREEDY, D. K., ROWE, H. y GAMBLE, J. (2017). Re-sponses to birth trauma and prevalence of posttraumatic stress among Australian midwives. *Women and Birth*, 30, 40-45. <https://doi.org/10.1016/j.wombi.2016.06.006>
- LICHTENTHAL, W. G., CURRIER, J. M., NEIMEYER, R. A., y KEESE, N. J. (2010). Sense and Significance: A Mixed Methods Examination of Meaning Making After the Loss of One's Child. *Journal of Clinical Psychology*, 66(7), 791-812. <https://doi.org/doi:10.1002/jclp.20700>
- LIMBO, R., y LATHROP, A. (2014). Caregiving in mothers' narratives of perinatal hospice. *Illness, Crisis & Loss*, 22(1), 43-65. doi: 10.2190/IL.22.1.e
- LIMBO, R., TOCE, S., y PECK, T. (2008-2016). *Perinatal Palliative Care. A Position Statement. Resolve Through Sharing* (rev. ed.). La Crosse, WI: Gundersen Lutheran Medical Foundation, Inc.
- LIMBO, R., BRANDON, D., CÔTE-ARSENAULT, D., KAVANAUGH, K., KUEBELBECK, A., y WOOL, Ch. (2017). Perinatal palliative care as an essential element of childbearing choice. *Nurs Outlook*, 65, 123-125. doi: 10.1016/j.outlook.2016.12.003
- LISY, K., PETERS, M. D. J., RIITANO, D., JORDAN, Z., y AROMATARIS, E. (2016). Provision of Meaningful Care at Diagnosis, Birth, and after Stillbirth: A Qualitative Synthesis of Parents' Experiences. *Birth*, 43(1). <https://doi.org/10.1111/birt.12217>
- LÓPEZ, M. (2012). Avances en medicina perinatal y la creciente intolerancia a la discapacidad. *Cuad. Bioét.*, 23, 529-64. Recuperado de <http://aebioetica.org/revistas/2012/23/78/529.pdf>
- LÓPEZ, S., y PI-SUNYER, M. T. (2015). *Morir cuando la vida empieza: conocer y despedir al hijo al mismo tiempo*. Círculo Rojo.

Bibliografía

- LOTTO, R., ARMSTRONG, N., y SMITH, L. K. (2016). Care provision during termination of pregnancy following diagnosis of a severe congenital anomaly - A qualitative study of what is important to parents. *Midwifery*, 43, 14-20. doi: 10.1016/j.midw.2016.10.003
- LOYET, M., MCLEAN, A., GRAHAM, K., ANTONIE, CH., y FOSSICK, K. (2016). The fetal care team. Care for pregnant women carrying a fetus with a serious diagnosis. *MCN Am J Matern Child Nurs*, 41(69), 349-55. doi: 10.1097/NMC.0000000000000278
- MANZANARES, S., LÓPEZ, M. F., GÓMEZ, T., MARTÍNEZ, N., MONTOYA, F. (2008). Resultados del mal control del embarazo en la población inmigrante. *Prog Obstet Ginecol*, 51(4), 215-223.
- MARCH, K. (2014). Birth mother grief and the challenge of adoption reunion contact. *American Journal of Orthopsychiatry*, 84(4), 409-419.
- MARÍN, L. (2019). *El alma en duelo de una madre vacía*. Publicación independiente.
- MARTÍNEZ-SERRANO, P., PALMAR-SANTOS, A. M., SOLÍS-MUÑOZ, M., ÁLVAREZ-PLAZA, C., y PEDRAZ-MARCOS, A. (2018). Midwives' experience of delivery care in late foetal death: A qualitative study. *Midwifery*, 66(261), 127-133. <https://doi.org/10.1016/j.midw.2018.08.010>
- MARTÍNEZ-SERRANO, P., PEDRAZ-MARCOS, A., SOLÍS-MUÑOZ, M., y PALMAR-SANTOS, A. M. (2019). The experience of mothers and fathers in cases of stillbirth in Spain. A qualitative study. *Midwifery*, 77, 37-44. <https://doi.org/10.1016/j.midw.2019.06.013>
- MARTÍNEZ, N., SÁNCHEZ, P., y FERNÁNDEZ, E. (2017). Problemas de salud durante el embarazo derivados de los riesgos de la actividad laboral. *Revista Enfermería del Trabajo*, 7(4), 117-122. Recuperado de: <https://www.enfermeria21.com/revistas/trabajo/articulo/5/problemas-de-salud-durante-el-embarazo-derivados-de-los-riesgos-de-la-actividad-laboral/>
- MAURICE, P., LETOURNEAU, A., BENACHI, A., y JOUANNIC, J. M. (2019). Feticide in second-and third-trimester termination of pregnancy for fetal anomalies: Results of a national survey. *Prenatal Diagnosis*, 39(13), 1269-1272. <https://doi.org/10.1002/pd.5594>
- MAZZI, E. (2015). Defectos congénitos. *Rev Soc Bol Ped*, 54(3), 148-59. Recuperado de <http://aebioetica.org/revistas/2012/23/78/529.pdf>
- MCCOYD, J. (2008). "I'm not a saint": Burden assessment as an unrecognized factor in prenatal decision making. *Qualitative Health Research*, 18(11), 1489-500. doi: 10.1177/1049732308325642
- MCCOWAN, L., THOMPSON, J., CRONIN, R. S., LI, M., STACEY, T., STONE, P. R., LAWTON, B. A., EKEROMA, A. J., y MITCHELL, E. A. (2017). Going to sleep in the supine position is a modifiable risk factor for late pregnancy stillbirth; Findings from the New Zealand multicentre stillbirth case-control study. *PloS one*, 12(6), e0179396. <https://doi.org/10.1371/journal.pone.0179396>
- MCGOVERN, K. (2012). Continuing the Pregnancy When the Unborn Child has a Life-Limiting Condition. *Chisholm Health Ethics Bulletin*, 17(3), 1-12.
- MCSPEDDEN, M., MULLAN, B., SHARPE, L., BREEN, L. J., y LOBB, E. A. (2016). The presence and predictors of complicated grief symptoms in perinatally-bereaved mothers from a bereavement support organization. *Death Studies*, 41(2), 112-117.

- MEMARNIA, N., NOLTE, L., NORRIS, C., y HARBONE, A. (2015). *Adoption & Fostering*, 39(4) 303-317.
- MILLER, E., y BALMER, D. (2014). Sounding Narrative Medicine: Studying Students' Professional Identity Development at Columbia University College of Physicians and Surgeons. *Acad Med*, 89(2), 335-342. <https://doi.org/10.1097/ACM.0000000000000098>
- MILLER, E. S., MINTURN, L., LINN, R., WEESE-MAYER, D. E., y ERNST, L. M. (2016). Stillbirth evaluation: A stepwise assessment of placental pathology and autopsy. *American Journal of Obstetrics and Gynecology*, 214(1), 115.e1-115.e6. <https://doi.org/10.1016/j.ajog.2015.08.049>
- MILLER, E. J., TEMPLE-SMITH, M. J. y BILARDI, J. E. (2019). 'There was just no-one there to acknowledge that it happened to me as well': A qualitative study of male partner's experience of miscarriage. <https://doi.org/10.1371/journal.pone.0217395>
- MILLS, T. A., RICKLESFORD, C., COOKE, A., HEAZELL, A. E. P., WHITWORTH, M., y LAVENDER, T. (2014). Parents' experiences and expectations of care in pregnancy after stillbirth or neonatal death: a metasynthesis. *BJOG*, 121(8), 943-950.
- MINISTERIO DE SANIDAD, CONSUMO Y BIENESTAR SOCIAL (2020). *Interrupción Voluntaria del Embarazo. Datos definitivos correspondientes al año 2019*. Recuperado de https://www.mscls.gob.es/profesionales/saludPublica/prevPromocion/embarazo/docs/IVE_2019.pdf
- MOUCHERAUD, C., WORKU, A., MOLLA, M., FINLAY, J. E., LEANING, J., y YAMIN, A. E. (2015). Consequences of maternal mortality on infant and child survival: A 25-year longitudinal analysis in Butajira Ethiopia (1987-2011). *Reproductive Health*, 12(1), S4. BioMed Central Ltd. <https://doi.org/10.1186/1742-4755-12-S1-S4>
- MUÑOZ, L. (2020). *Un nombre de guerrero*. Publicación independiente.
- MURPHY, S., SHEVLIN, M., y ELKLIT, A. (2014). Psychological Consequences of Pregnancy Loss and Infant Death in a Sample of Bereaved Parents. *Journal of Loss and Trauma*, 19(1), 56-69. <https://doi.org/10.1080/15325024.2012.735531>
- NANCLARES, S. (2017). *Quién quiere ser madre*. Ed. Alfaguara.
- NEIL, E. (2013). The mental distress of the birth relatives of adopted children: 'Disease' or 'unease'? Findings from a UK study. *Health and Social Care in the Community*, 21(2), 191-199.
- NEIMEYER, R. (2001). *Aprender de la pérdida. Una guía para afrontar el duelo*. Ed. Paidós.
- NHS ENGLAND (2019). *Saving Babies' Lives Care Bundle*. Version 2. Recuperado de <https://www.england.nhs.uk/wp-content/uploads/2019/03/Saving-Babies-Lives-Care-Bundle-Version-Two-Updated-Final-Version.pdf>
- NIMMO, A., y HUGGARD, P. (2013). A systematic review of the measurement of compassion fatigue, vicarious trauma, and secondary traumatic stress in physicians. *Australasian Journal of Disaster and Trauma Studies*, (1), 37-44.
- NUZUM, D., MEANEY, S., O'DONOGHUE, K. (2014). The impact of stillbirth on consultant obstetrician gynaecologists: a qualitative study. *BJOG*, 121, 1020-1028.
- (2018). The public awareness of stillbirth: an Irish population study. *BJOG: An International Journal of Obstetrics and Gynaecology*, 125(2), 246-252. doi: 10.1111/1471-0528.14939

Bibliografía

- OBST, K. L., DUE, C., OXLAD, M. y MIDDLETON, P. (2020). Men's grief following pregnancy loss and neonatal loss: A systematic review and emerging theoretical model. In *BMC Pregnancy and Childbirth* (Vol. 20, Issue 1). <https://doi.org/10.1186/s12884-019-2677-9>
- OLADAPO, O. T., y FAWOLE, B. (2012). *Treatments for suppression of lactation*. Cochrane Database of Systematic Reviews. <https://doi.org/10.1002/14651858.cd005937.pub3>
- O'CONNOR, M., LASGAARD, M., SHEVLIN, M., y GULDIN, M. B. (2010). A confirmatory factor analysis of combined models of the Harvard Trauma Questionnaire and the Inventory of Complicated Grief-Revised: Are we measuring complicated grief or posttraumatic stress? *Journal of Anxiety Disorders*, 24(7), 672-679. <https://doi.org/10.1016/j.janxdis.2010.04.009>
- O'LEARY, J. M., y GAZIANO, C. (2011). Sibling Grief after Perinatal Loss. *Journal of Prenatal and Perinatal Psychology and Health*, 25(3), 173-193.
- O'LEARY, J. (2014). Subsequent pregnancy: healing to attach after perinatal loss. *From Stillbirth Summit*, 19-21. <https://doi.org/10.1186/1471-2393-15-S1-A15>
- O'LEARY, J., WARLAND, J., y PARKER, L. (2014). Childbirth Preparation For Families Pregnant After Loss. *ResearchGate*, 27(2), 44-50. Recuperado de https://www.researchgate.net/publication/267640451_Childbirth_Preparation_For_Families_Pregnant_After_Loss
- OLZA, I. (2017). *Parir. El poder del parto*. Ediciones B.
- (2018). La gestación subrogada desde una perspectiva de salud mental , holística y feminista. *Dilemata*, (28), 1-12.
- OLZA, I., FERNÁNDEZ LORENZO, P., GONZÁLEZ URIARTE, A., HERRERO AZORÍN, F., CARMONA CAÑABATE, S., GIL SÁNCHEZ, A., AMADO GÓMEZ, E., y DIP, M. E. (2021). Propuesta de un modelo ecosistémico para la atención integral a la salud mental perinatal. *Revista de la Asociación Española de Neuropsiquiatría*, 41(139), 1-11.
- OMS (1993). *Clasificación estadística internacional de enfermedades y problemas relacionados con la salud* (10ª revisión), vol. 2 *Manual de instrucciones*. Ginebra.
- ORDAX, L. (2016). *La huella de Mikel: historia de un duelo perinatal*. Uno.
- OREG, A. (2020). The grief ritual of extracting and donating human milk after perinatal loss. *Social Science and Medicine*, 265, 113312. doi: 10.1016/j.socscimed.2020.113312
- PAGE, J. M., CHRISTIANSEN-LINDQUIST, L., THORSTEN, V., PARKER, C. B., REDDY, U. M., DUDLEY, D. J., SAADE, G. R., COUSTAN, D., HOGUE, C. J. R., CONWAY, D., BUKOWSKI, R., PINAR, H., HEUSER, C. C., GIBBINS, K. J., GOLDENBERG, R. L., y SILVER, R. M. (2017). Diagnostic tests for evaluation of stillbirth: Results from the stillbirth collaborative research network. *Obstetrics and Gynecology*, 129(4), 699-706. <https://doi.org/10.1097/AOG.0000000000001937>
- PARAMIO-CUEVAS, J. C. (2016). *Adaptación transcultural y evaluación psicométrica de la escala de duelo perinatal* (tesis doctoral). Universidad de Cádiz.
- PAROLA, V., COELHO, A., CARDOSO, D., SANDGREN, A., y APÓSTOLO, J. (2017). Prevalence of burnout in health professionals working in palliative care: a systematic review. *JBISIRIR-2016-003309*. *JBISIRIR-2016-003309*. <https://doi.org/10.11124/JBISIRIR-2016-003309>

- PASTOR MONTERO, S. M.; ROMERO SÁNCHEZ, J. M.; HUESO MONTORO, C.; LILLO CRESPO, M.; VACAS-JAÉN, A. G., y RODRÍGUEZ-TIRADO, M. B. (2011). La vivencia de la pérdida perinatal desde la perspectiva de los profesionales de la salud. *Rev. Latino-Am. Enfermagem* [Internet].
- PASTOR, S. M. (2016). *Abordaje de la pérdida perinatal. Un enfoque desde la investigación-acción participativa* (tesis doctoral). Universidad de Alicante.
- PAYÁS A. (2010). *Las tareas del duelo. Psicoterapia de duelo desde un modelo integrativo-relacional*. Barcelona: Ed. Paidós Ibérica.
- PEÑA, M. (2020). Intervención basada en mindfulness para matronas: acompañar el parto y el nacimiento con conciencia plena. Trabajo Fin de Máster. Universidad Complutense de Madrid.
- PERINATAL SOCIETY OF AUSTRALIA AND NEW ZEALAND AND CENTRE OF RESEARCH EXCELLENCE STILLBIRTH. (2019). *Clinical practice guideline for the care of women with decreased fetal movements for women with a singleton pregnancy from 28 weeks' gestation*. Recuperado de https://stillbirthcre.org.au/wp-content/uploads/2021/03/Element-3_DFM-Clinical-Practice-Guideline-1.pdf
- PI-SUNYER, M. T. (2007). Implicaciones psicológicas de la patología fetal. En E. Gratacos *et al.*, *Medicina fetal* (pp. 763-80). Madrid: Panamericana.
- PI-SUNYER PEYRÍ, M. T., CAMBA LONGUEIRA, F., LÓPEZ PONCE O., GREGORACI FERNÁNDEZ, Á. (2018). Grupos interdisciplinarios de reflexión ante la pérdida en el Hospital Vall d'Hebron: Apoyo mutuo entre profesionales sanitarios en el ámbito materno-infantil. *Muerte y Duelo Perinatal*, 5, 16-22.
- POTVIN, L., LASKER, J. y TOEDTER, L. (1989). Measuring grief: A short version of the perinatal grief scale. *J Psychopathol Behav Assess*, 11, 29-45. doi: 10.1007/BF00962697
- PRIGERSON H. G., HOROWITZ, M. J., JACOBS, S. C., PARKES, C. M., ASLAN, M., *et al.* (2009). Prolonged Grief Disorder: Psychometric Validation of Criteria Proposed for DSM-VandICD-11. *PLoS Med.*, 6(8), e1000121. doi: 10.1371/journal.pmed.1000121
- PUIG, E. (2020). *Cartas íntimas tras un aborto voluntario*. Barcelona: HakaBooks.
- Quatraro, R. M., y Grussu, P. (2020). *Handbook of Perinatal Clinical Psychology*. Nueva York: Routledge.
- RAMÍREZ, E. (2020). *Psicología del posparto*. Madrid: Síntesis.
- RATISLAVOVÁ, K., BUŽGOVÁ, R. y VEJVODOVÁ, J. (2019). Perinatal palliative care education: An integrative review. *Nurse Education Today*, 82(August), 58–66. <https://doi.org/10.1016/j.nedt.2019.08.003>
- REDSHAW, M., ROWE, R. y HENDERSON, J. (2014). Listening to Parents after stillbirth or the death of their baby after birth. National Perinatal Epidemiology Unit, University of Oxford, May, 1–64.
- RICHARDS, J., GRAHAM, R., EMBLETON, N. D., CAMPBELL, C., y RANKIN, J. (2015). Mothers' perspectives on the perinatal loss of a co-twin: a qualitative study. *BMC Pregnancy & Childbirth*. <https://doi.org/10.1186/s12884-015-0579-z>
- RÍO, I., BOSCH, S., CASTELLÓ, A., LÓPEZ-MASIDE, A., GARCÍA, C., ZURRIAGA, O.,... BOLÚMAR, F. (2009). *Evaluación de la mortalidad perinatal en mujeres autóctonas e inmigrantes: in-*

Bibliografía

- fluencia de la exhaustividad y la calidad de los registros. Gaceta Sanitaria, 23(5), 403-409. Recuperado en 11 de julio de 2021, de http://scielo.isciii.es/scielo.php?script=sci_arttext&pid=S0213-91112009000500008&lng=es&tlng=es.*
- ROCAMORA, A. (2011). *Crecer en la crisis. Cómo recuperar el equilibrio perdido*. Bilbao: Desclée de Brouwer.
- RODRÍGUEZ FERNÁNDEZ, M. (2016). Espiritualidad, resiliencia y crecimiento postraumático. *Nous Logoterapia y Análisis Existencial, 19, 21-32*. <https://repositorio.comillas.edu/rest/bits-treams/32053/retrieve>
- RODRÍGUEZ, D., SÁNCHEZ DE PARADA, B., y DUEÑAS GRANADOS, P. E. (2019). Experiencia familiar de la muerte materna. *Revista Ciencia y Cuidado, 16(1), 71-85*. <https://doi.org/10.22463/17949831.1534>
- RODRÍGUEZ, P., DE LA HERRÁN, A., y CORTINA, M. (2019). Antecedentes internacionales de la Pedagogía de la muerte. *Foro de Educación, 17(26), 259-276*. doi: 10.14516/fde.628.
- RODRÍGUEZ-NIÑO, V., SAMANIEGO-FERNÁNDEZ, C., VILLANUEVA-GÓMEZ, C., PEÑA-CABALLERO, M., GORMAZ-MORENO, M., FLORES-ANTÓN, B.,... y GARCÍA-LARA, N. R. (2018). *Donation of breast milk in Spanish Milk Banks after a perinatal death*. Presentado como póster en el congreso internacional ISA 2018. Madrid. No publicado.
- RODRÍGUEZ PÉREZ, M. Á., PRATS RODRÍGUEZ, P., FISAS FOURNIER, S., RICART CALLEJA, M., ECHEVERRÍA TELLERÍA, M., COMAS GABRIEL, C., y SERRA ZANTOP, B. (2013). Guía clínica de actuación de la interrupción de embarazo. *Diagnóstico Prenatal, 24(1), 11-14*.
- RODRÍGUEZ-MOREJÓN, A. (2016). El cliente en psicoterapia: contribución al resultado terapéutico. *Anales de Psicología, 32(1), 1-8*. <https://doi.org/10.6018/analesps.32.1.192551>
- RONCALLO, P. (2018). Los profesionales sanitarios ante la muerte perinatal: estrategias de autocuidado y apoyo mutuo. *Muerte y Duelo Perinatal, 4, 35-40*.
- ROSEINGRAVE, R., MURPHY, M., y O'DONOGHUE, K. (2019). *Pregnancy after stillbirth: maternal and neonatal outcomes and health service utilization*. Presentado como póster en el congreso internacional ISA 2019. Madrid. No publicado.
- ROSENBERG, J. P. (2012). You can name her: Ritualised grieving by an Australian woman for her stillborn twin. *Health Sociology Review, 21(4), 406-412*. <https://doi.org/10.5172/hesr.2012.21.4.406>
- RUBIO, O. (2021). *Madres también. Alimento para el alma*. Ed: Olaya Rubio Vilchez.
- RYNINKS, K., ROBERTS-COLLINS, C., MCKENZIE-MCHARG, K., HORSCH, A. (2014). Mothers' experience of their contact with their stillborn infant: An interpretative phenomenological analysis. *BMC Pregnancy and Childbirth, 14, 203* <http://www.biomedcentral.com/1471-2393/14/203>
- SAASTAD, E., TVEIT, J. V. H., FLENADY, V., STRAY-PEDERSEN, B., FRETTS, R. C., BØRDAHL, P. E., y FRØEN, J. F. (2010). Implementation of uniform information on fetal movement in a Norwegian population reduced delayed reporting of decreased fetal movement and stillbirths in primiparous women. A clinical quality improvement. *BMC Research Notes, 3(1), 2*. doi: 10.1186/1756-0500-3-2

- SADLER, M., SANTOS, J., RUIZ-BERDÚN, D., ROJAS, G. L., SKOKO, E., GILLEN, P., CLAUSEN, J. A., y SANTOS, M. J. (2016). Moving beyond disrespect and abuse: addressing the structural dimensions of obstetric violence. *Reproductive Health Matters An international journal on sexual and reproductive health and rights*, 24(47), 47-55. <https://doi.org/10.1016/j.rhm.2016.04.002>
- SAMANIEGO FERNÁNDEZ, C. M. (n.d.). *Donación de leche tras la muerte perinatal o del hijo lactante*. En aebhl.org. Retrieved December 5, 2020, from https://www.aebhl.org/images/area_socios/2019/pdf/20190430_posicion_muerte_perinatal.pdf
- SAY, L., CHOU, D., GEMMILL, A., TUNÇALP, Ö., MOLLER, A. B., DANIELS, J., GÜLMEZOĞLU, A. M., TEMMERMAN, M., y ALKEMA, L. (2014). Global causes of maternal death: A WHO systematic analysis. *The Lancet Global Health*, 2(6), e323-e333. [https://doi.org/10.1016/S2214-109X\(14\)70227-X](https://doi.org/10.1016/S2214-109X(14)70227-X)
- SEEMAN, M.V. (2012). Intervention to Prevent Child Custody Loss in Mothers with Schizophrenia. *Schizophrenia Research and Treatment*, Article ID 796763, 1-6.
- SEGO (2008). *Protocolo de muerte fetal ante parto*. Sociedad Española de Ginecología y Obstetricia.
- SEGO (2021). *Guía de buenas prácticas en la muerte perinatal*. Sociedad Española de Ginecología y Obstetricia.
- SENG, J. y TAYLOR, J. (2015). *Trauma informed care in the perinatal period (Protecting children and young people)*. Dunedin Academic Press.
- SERESHTI, M., NAHIDI, F., SIMBAR, M., BAKHTIARI, M., y ZAYERI, F. (2016). An Exploration of the Maternal Experiences of Breast Engorgement and Milk Leakage after Perinatal Loss. *Global Journal of Health Science*, 8(9), 234. <https://doi.org/10.5539/gjhs.v8n9p234>
- SHEETS, K. B., BEST, R. G., BRASINGTON, C. K. & WILL, M. C. (2011). Balanced information about Down syndrome: what is essential? *American journal of medical genetics*. Part A, 155A(6), 1246–1257. <https://doi.org/10.1002/ajmg.a.34018>
- SHELMERDINE, S. C., SEBIRE, N. J., y ARTHURS, O. J. (2019). Perinatal post mortem ultrasound (PMUS): a practical approach. *Insights into Imaging*, 10(1). Springer Verlag. <https://doi.org/10.1186/s13244-019-0723-9>
- SHNEIDER, A. y BERTI, G. (2015). *Donde la palabra calla. Reflexiones sobre la muerte de un hijo. Un camino de transformación interior*. Grijalbo.
- SIMPSON, K. R., JAMES, D. C. y KNOX, G. E. (2006). Nurse-physician communication during labor and birth: Implications for patient safety. *JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 35(4), 547–556. <https://doi.org/10.1111/j.1552-6909.2006.00075.x>
- SLOAN, E. P., KIRSH, S., y MOWBRAY, M. (2008). Viewing the fetus following termination of pregnancy for fetal anomaly. *Journal of obstetric, gynecologic, and neonatal nursing: JOGNN*, 37(4), 395-404. <https://doi.org/10.1111/j.1552-6909.2008.00260.x>
- SPRINGER, S., GORCZYCA, M. E., ARZT, J., PILS, S., BETTELHEIM, D., y OTT, J. (2018). Fetal survival in second-trimester termination of pregnancy without feticide. *Obstetrics and Gynecology*, 131(3), 575-579. <https://doi.org/10.1097/AOG.0000000000002503>

- STEEN, S. E. (2019). Raising the bar: Development of a perinatal bereavement programme. *International Journal of Palliative Nursing*, 25(12), 578-586. <https://doi.org/10.12968/ijpn.2019.25.12.578>
- STROEBE, M., SCHUT, H. (1999). The dual process model of coping with bereavement: rationale and description. *Death Studies*, 23(3), 197-224. doi: 10.1080/074811899201046
- SWEET, L., BASS, J., SIDEBOTHAM, M., FENWICK, J., y GRAHAM, K. (2019). Developing reflective capacities in midwifery students: Enhancing learning through reflective writing. *Women and Birth*, 32, 119-126. <https://doi.org/10.1016/j.wombi.2018.06.004>
- TEHRAN, H. A., TASHI, S., MEHRAN, N., ESKANDARI, N., y TEHRANI, T. D. (2014). Emotional experiences in surrogate mothers: A qualitative study. *Iranian Journal of Reproductive Medicine*, 12(7), 471-480.
- TIKKANEN, R., GUNJA, M. Z., FITZGERALD, M., y ZEPHYRIN, L. (2020). Maternal mortality and maternity care in the United States compared to 10 other developed countries. *Commonweath Fund Issue Briefs*, 1-17.
- THORNTON, R., NICHOLSON, P., y HARMS, L. (2019). Scoping Review of Memory Making in Bereavement Care for Parents After the Death of a Newborn. *JOGNN. Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 48(3), 351-360. <https://doi.org/10.1016/j.jogn.2019.02.001>
- TSENG, Y. F., HSU, M. T., HSIEH, Y. T., y CHENG, H. R. (2018). The meaning of rituals after a stillbirth: A qualitative study of mothers with a stillborn baby. *Journal of Clinical Nursing*, 27(5-6), 1134-1142. <https://doi.org/10.1111/jocn.14142>
- UCEIRA REY, S., RODRÍGUEZ BLANCO, M. A., MARTÍN MORALES, M., y RODRÍGUEZ CZAPLICKI, J. (2017). Donación de leche materna tras la muerte perinatal y la situación en España. *Muerte y Duelo Perinatal*, 3, 20-25.
- URBANO, G. (2021). *Los pies de su padre. Historia de una ILE*. Publicación independiente.
- VAN DER KOLK, B. A. (1996). Trauma and memory. En Van der Kolk, B.A., McFarlane, A.C y Weisaeth, L., *Traumatic stress: the effects of overwhelming experience on mind, body and society*. Nueva York: Guilford Press.
- VERDUGO, M., NICOLÁS, E., ESTÉVEZ, V., MENNDOZA, M. B., HERNÁNDEZ, M. C., y GOPAR, P. (2019). *Healthcare for perinatal grief within the follow-up programme for puerperal care in Lanzarote*. Presentado como póster en el congreso internacional ISA 2019. Madrid. No publicado.
- VILLASÍS-KEEVER, M. A. (2016). Actualización de las causas de mortalidad perinatal. La OMS publicó en 2016 el ICE-PM. *Rev Mex Pediatr.*, 83(4), 105-107.
- WALLBANK, S., y ROBERTSON, N. (2013). Predictors of staff distress in response to professionally experienced miscarriage, stillbirth and neonatal loss: a questionnaire survey. *Int J Nurs Stud.*, 50(8), 1090-1097.
- WARD, L. G. PhD. (2020). Trauma-Informed Perinatal Healthcare for Survivors of Sexual Violence. *The Journal of Perinatal & Neonatal Nursing*, July/September, 34(3), 199-202 doi: 10.1097/JPN.000000000000050
- WARLAND, J., HEAZELL, A., STACEY, T., COOMARASAMY, C., BUDD, J., MITCHELL, E. A., y O'BRIEN, L. M. (2018). "They told me all mothers have worries", stillborn mother's experiences of

- having a 'gut instinct' that something is wrong in pregnancy: Findings from an international case-control study. *Midwifery*, 62, 171-176. <https://doi.org/10.1016/j.midw.2018.04.009>
- WARLAND, J., DORRIAN, J., POLLOCK, D., y FOORD, C. (2020). 'InUTERO': The effectiveness of an educational half day stillbirth awareness workshop for maternity care providers. *Nurse Education Today*, 85, 104298. doi: 10.1016/j.nedt.2019.104298
- WATSON, J., SIMMONDS, A., FONTAINE, M. LA, y FOCKLER, M. E. (2019). Pregnancy and infant loss: a survey of families' experiences in Ontario Canada. *BMC Pregnancy and Childbirth*, 19(129). <https://doi.org/10.1186/s12884-019-2270-2>
- WEAVER-HIGHTOWER, M. B. (2012). Watzing Matilda: an autoethnography of a father's stillbirth. *Journal of Contemporary Ethnography*, 41(4), 462-491. DOI: 10.1177/0891241611429302
- WELBORN, J. M. (2012). The experience of expressing and donating breast milk following a perinatal loss. *Journal of Human Lactation*, 28(4), 506-510. <https://doi.org/10.1177/0890334412455459>
- WELLS, K. y MARCENKO, M. (2011). Introduction to the Special Issue: Mothers of children in foster care. *Children and Youth Services Review*, 33(2011), 419-423.
- WHOOLEY, M. A., AVINS, A. L., MIRANDA, J., y BROWNER, W. S. (1997). Case-finding instruments for depression. Two questions are as good as many. *J Gen Intern Med.*, 12(7), 439-45.
- WILKINSON, D., DE CRISPIGNY, L., y XAFIS, V. (2014). Ethical language and decision-making for prenatally diagnosed lethal malformations. *Seminars in fetal & neonatal medicine*, 19(5), 306-311. <https://doi.org/10.1016/j.siny.2014.08.007>
- WINKEL, A. F., FELDMAN, N., MOSS, H., JAKALOW, H., SIMON, J., y BLANK, S. (2016). Narrative medicine workshops for obstetrics and gynecology residents and association with burnout measures. *Obstetrics and Gynecology*, 128(4), 27s-33s. <https://doi.org/10.1097/AOG.0000000000001619>
- WOJCIESZEK, A. M., BOYLE, F. M., BELIZÁN, J. M., CASSIDY, J., CASSIDY, P., ERWICH, J.,... FLENADY, V. (2018). Care in subsequent pregnancies following stillbirth: an international survey of parents. *BJOG: an international journal of obstetrics and gynaecology*, 125(2), 193-201. doi: 10.1111/1471-0528.14424
- WORDEN, J. (1992). *El tratamiento del duelo: asesoramiento psicológico y terapia*. Ed. Paidós Ibérica.
- WRIGHT, E. M. (2018). Evaluation of a Web-Based Holistic Stress Reduction Pilot Program Among Nurse-Midwives. *Journal of Holistic Nursing*, 36(2), 159-169. <https://doi.org/10.1177/0898010117704325>
- YOUNGBLUT, J. M. y BROOTEN, D. (2012). Perinatal and pediatric issues in palliative and end-of-life care from the 2011 Summit on the Science of Compassion. *Nurs Outlook*, 60, 343-50. doi: 10.1016/j.outlook.2012.08.007.
- ZUBRICK, S. R., MITROU, F., LAWRENCE, D., y SILBURN, S. R. (2011). Maternal death and the onward psychosocial circumstances of Australian Aboriginal children and young people. *Psychological Medicine*, 1-10. <https://doi.org/10.1017/S0033291710002485>