

# Bibliografía

- Agronin, M.E. (2004). *Dementia: a practical guide*. Lippincott Williams & Wilkins. Philadelphia.
- Ahlskog, J.E., Geda, Y.E., Graff-Radford, N.R. y Petersen, R.C. (2011). Physical exercise as a preventive or disease-modifying treatment of dementia and brain aging. *Mayo Clin Proc*, 86, 876-884.
- Alexopoulos, G.S., Abrams, R.C., Young, R.C. y Shamoian, C.A. (1988). Cornell scale for depression in dementia. *Biol Psych*, 23, 271-84.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- Andersen, K., Launer, L.J., Dewey, M.E., Letenneur, L., Ott, A., Copeland, J.R., *et al.* (1999). Gender differences in the incidence of AD and vascular dementia: the EURODEM studies. EURODEM incidence research group. *Neurology*, 10, 1992-7.
- Atkinson, R.C. y Shiffrin, R.M. (1968). Human memory: a proposed system and its control processes. En K.W. Spence y J.T. Spence (eds.). *The psychology of learning and motivation. Advances in research and theory. Vol II* (pp. 89-195). New York: Academic Press.
- Beaudreau, S.A., Fairchild, J.K., Spira, A.P., Lazzeroni, L.C. y O'Hara, R. (2013). Neuropsychiatric symptoms, apolipoprotein E gene and risk of progression to cognitive impairment, no dementia and dementia: the ADAMS study. *Int J Geriatr Psychiatry*, 28, 672-80.
- Beck, A.T., Steer, R.A., Ball, R. y Ranieri, W. (1996). Comparison of Beck depression inventories -IA and -II in psychiatric outpatients. *J Pers Assess*, 67, 588-97.

- Benedet, M.J. y Alejandre, M.A. (1998). *Test de Aprendizaje Verbal España-Complutense (TAVEC)*. Madrid: Ediciones TEA.
- Black, S., Bakchine, S., Bellelli, G., Molinuevo, J.L., Downs, P., Caputo, A. *et al.* (2012). Efficacy of the 13.3 mg/24h rivastigmine patch on instrumental activities of daily living in the Optimising Transdermal Exelon in Mild-to-moderate Alzheimer's disease (OPTIMA) study: prospective subgroup analysis by disease severity and time-to-meet decline. *Alzheimer's & Dementia*, 8, 603-4.
- Böhm, P., Peña-Casanova, J., Gramunt, N., Manero, R.M., Terrón, C. y Quiñones-Úbeda, S. (2005). Spanish version of the Memory Impairment Screen (MIS): normative data and discriminant validity. *Neurología*, 20, 402-11.
- Bowlby, J. (1979). *The making and breaking of affectional bonds*. London: Tavistock.
- Brinton, R.D. (2004). Impact of estrogen therapy on Alzheimer's disease: a fork in the road? *CNS Drugs*, 18, 405-22.
- Brundel, M., van den Heuvel, H.M., de Bresser, J., Kappelle, I. J. y Biessels, G.J. (2010). Cerebral cortical thickness in patients with type 2 diabetes. *J Neurol Sci*, 299, 126-30.
- Buschke, H., Kuslansky, G., Katz, M., Stewart, W.F., Sliwinski, M.J., Eckholdt, H.M., *et al.* (1999). Screening for dementia with the Memory Impairment Screen. *Neurology*, 52, 231-8.
- Cacho, J., García, R., Arcaya, J., Gay, J., Guerrero, A.L., Gómez, J.C., *et al.* (1996). El test del reloj en ancianos sanos. *Revista de Neurología*, 24, 1525-28.
- Cardarelli, R., Kertesz, A. y Knebl, J.A. (2010). Frontotemporal dementia: a review for primary care physicians. *American Family Physician*, 82, 1372-7.
- Chouinard, G. y Chouinard, V.A. (2008). Atypical antipsychotics: CATIE study, drug-induced movement disorder and resulting iatrogenic psychiatric-like symptoms, supersensitivity rebound psychosis and withdrawal discontinuation syndromes. *Psychoter Psychosom*, 77, 69-77.
- Citron, M. (2004). Strategies for disease modification in Alzheimer's disease. *Nature Reviews Neuroscience*, 5, 677-685.
- Coduras, A., Rabasa, I., Frank, A., Bermejo-Pareja, F., López-Pousa, S., López-Arrieta, J.M. *et al.* (2010). Prospective one-year cost-of-illness study in a cohort of patients with dementia of Alzheimer's disease type in Spain: the ECO study. *J Alzheimers Dis*, 19, 601-615.

- Del Ser, T. y Muñoz, D. (2003). *Validación española del test de los 7 minutos*. Madrid: Janssen-Cilag.
- Deweerd, S. (2011). Activity is the best medicine. *Nature*, 475, S16-S17.
- Dronkers, N.F., Pinker, S. y Damasio, A. (2000). Language and the aphasia. En: Kandel, E.R., Schwartz, J. y Jessell, T. (eds.), *Principles in Neural Science*, 4th edition, New York: McGraw-Hill.
- Edvardsson, D., Windblad, B. y Sandman, P.O. (2008). Person-centred care of people with severe Alzheimer's disease: current status and ways forward. *Lancet Neurology*, 7, 362-7.
- Englund, E., Gustafson, L., Passant, U., Majounie, E., Renton, A.E., Traynor, B.J. *et al.* (2012). Familial Lund frontotemporal dementia caused by C9ORF72 hexanucleotide expansion. *Neurobiology of Aging*, 33, 1850.e13-1850.e16.
- Exalto, L.G., Whitmer, R.A., Kappele, L.J. y Biessels, G.J. (2012). An update on type 2 diabetes, vascular dementia and Alzheimer's disease. *Experimental Gerontology*, 47, 858-64.
- Farlow, M.R., Salloway, S., Tariot, P.N., Yardley, J., Moline, M.L. Wang, Q. *et al.* (2010). Effectiveness and tolerability of high-dose (23 mg/d) versus standard-dose (10 mg/d) donepezil in moderate to severe Alzheimer's disease: a 24 week, randomized, double-blind study. *Clinical Therapeutics*, 32, 1234-51.
- Farrimond, L.E., Roberts, E. y McShane, R. (2012). Memantine and cholinesterase inhibitor combination therapy for Alzheimer's disease: a systematic review. *BMJ Open*, 2:e000917, doi:10.1136.
- Ferrari, R., Mok, K., Moreno, J.H., Cosentino, S., Goldman, J., Pietrini, P. *et al.* (2012). Screening for C9ORF72 repeat expansion in FTL. *Neurobiology of Aging*, 33, 1850.e1-1850.e11.
- Folstein, M.F., Folstein, S.E. y McHugh, P.R. (1975). "Mini-mental state". A practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12, 189-98.
- Goodglass, H. y Kaplan, E. (1972). Supplementary language test. En: *The assessment of aphasia and related disorders*. Philadelphia: Lea and Febiger.
- Howard, R., McShane, R., Lindesay, J., Ritchie, C., Baldwin, A., Barber, R., *et al.* (2012). Donepezil and memantine for moderate-to-severe Alzheimer's disease. *N Engl J Med*, 366, 893-903.
- Kirkwood, T. (2006). Longevity in perspective. *The Lancet*, 367, 641-2.
- Kosaka, K. (1990). Diffuse Lewy body disease in Japan. *Journal of Neurology*, 237, 197-204.

- Lawton, M.P. y Brody, E.M. (1969). Assessment of older people: self-maintaining and instrumental activities of daily living. *Gerontologist*, 9, 179-86.
- Li, R., Cooper, C., Bradley, J., Shulman, A. y Livingston, G. (2012). Coping strategies and psychological morbidity in familial carers of people with dementia: a systematic review and meta-analysis. *Journal of Affective Disorders*, 139, 1-11.
- Lobo, A., Ezquerra, J., Gómez, F.B., Sala, J.M. y Seva, A. (1979). El Mini-Examen Cognoscitivo. Un test sencillo y práctico para detectar alteraciones intelectuales en pacientes médicos. *Actas Luso-españolas de neurología, Psiquiatría y Ciencias Afines*, 7, 189-202.
- Lobo, A., Saz, P., Marcos, G., Día, J.L., de la Cámara, C., Ventura, T., *et al.* (1999). Revalidation and standardization of the cognition mini-exam (first Spanish version of the Mini-Mental Status Examination) in the general geriatric population. *Med Clin (Barc)*, 112, 767-74.
- Luria, A.R. (1973). Pequeño libro de una gran memoria. La mente de un mnemonista. Madrid: Taller de Ediciones JB.
- Lyketsos, C.G., Toone, L., Tschanz, J., Rabins, P.V., Steinberg, M., Onyike, C.H., *et al.* (2005). Population-based study of medical comorbidity in early dementia and 'cognitive impairment, no dementia (CIN)': association with functional and cognitive impairment: the Cache County Study. *Am J Geriatr Psychiatry*, 13, 656-664.
- Mace, N.L. y Rabins P.V. (2010). *El día de 36 horas*. Editorial Paidós.
- Maguire, C.P., Kirby, M., Coen, R., Coakley, D., Lawlor, B.A. y O'Neill, D. (1996). Family members' attitudes toward telling the patient with Alzheimer's disease their diagnosis. *BMJ*, 313, 529-530.
- Mahoney, F. y Barthel, D.W. (1965). Functional evaluation: the Barthel index. *Maryland state medical journal*, 14, 61-5.
- Martínez de la Iglesia, J., Dueñas Herrero, R., Onís Vilches, M.C., Aguado Taberné, C., Albert Colomer, C. y Luque Luque, R. (2001). Spanish language adaptation and validation of the Pfeiffer's questionnaire (SPMSQ) to detect cognitive deterioration in people over 65 years of age. *Medicina Clínica (Barcelona)*, 117, 129-34.
- Martínez Gil, A. (2009). *El Alzheimer*. Editorial CSIC: CSIC Press.
- Maurer, K. y Maurer, U. (2006). *Alzheimer: la vida de un médico y la historia de una enfermedad*. Ediciones Díaz de Santos.
- Majounie, E., Renton, A.E., Mok, K., Dopper, E.G., Waite, A., Rollinson, S. *et al.* (2012). Frequency of the C9orf72 hexanucleotide repeat ex-

- pansion in patients with ALS and FTD: a cross-sectional study. *Lancet Neurology*, 11, 323-30.
- McKeith, I.G., Dickson, D.W., Lowe, J., Emre, M., O'Brien, J.T., Feldman, H., *et al.* (2005). Diagnosis and management of dementia with Lewy bodies: third report of the DLB consortium. *Neurology*, 65, 1863-72.
- McKhann, G.M., Knopman, D.S., Chertkow, H., Hyman, B.T., Jack, C.R., Kawas, C.H., *et al.* (2011). The diagnosis of dementia due to Alzheimer's disease: recommendations from the National Institute on Aging-Alzheimer's Association workgroups and diagnostic guidelines for Alzheimer's disease. *Alzheimer's & Dementia*, 7, 263-69.
- Mendez, M.F., Selwood, A., Mastri, A.R. y Frey, W.H. (1993). Pick's disease versus Alzheimer's disease: a comparison of clinical characteristics. *Neurology*, 43, 289-92.
- Moreno-Martínez, F.J., Tallón-Barranco, A. y Frank-García, A. (2007). Enfermedad de Alzheimer, deterioro categorial y variables relevantes en la denominación de objetos. *Revista de Neurología*, 44, 129-33.
- Mozley, C.G., Huxley, P., Sutcliffe, C., Bagley, H., Burns, A., Challis, D., *et al.* (1999). 'Not knowing where I am doesn't mean I don't know what I like': cognitive impairment and quality of life responses in elderly people. *Int J Geriatr Psychiatry*, 14, 776-83.
- Müller, U., Winter, P. y Graeber, M.B. (2013). A presenilin 1 mutation in the first case of Alzheimer's disease. *Lancet Neurology*, 12, 129-30.
- Muñiz, R. y Olazarán, J. (2009). Qué son las terapias no farmacológicas. En: Conde Morala, M. (Ed.). *Tratamientos y terapias no farmacológicas en la enfermedad de Alzheimer* (pp.13-28). Afal Contigo. Madrid.
- Neary, D., Snowden, J.S., Gustafson, I., Passant, U., Stuss, D. y Black, S., *et al.* (1998). Frontotemporal lobar degeneration: a consensus on clinical diagnosis criteria. *Neurology*, 51, 1546-54.
- Nelson, H.D., Walker, M., Zakher, B. y Mitchell, J. (2012). Menopausal hormone therapy for the primary prevention of chronic conditions. *Annals of Internal Medicine*, 157, 104-13.
- Newhouse, P., Kellar, K., Aisen, P., White, H., Wesnes, Coderre, E., *et al.* (2012). Nicotine treatment of mild cognitive impairment: a 6-month double-blind pilot clinical trial. *Neurology*, 78, 91-101.
- Nielsen, J.M. (1946). Agnosia, Apraxia: *Their Value in Cerebral Localization*, 2<sup>nd</sup> Edn (New York: Hoeber).
- O'Brien, J.T. (2007). Role of imaging techniques in the diagnosis of dementia. *British Journal of Radiology*, 80, S71-S77.

- Oh, H., Madison, C., Haight, T.J., Markley, C. y Jagust, W.J. (2012). Effects of age and  $\beta$ -amyloid on cognitive changes in normal elderly people. *Neurobiology of Aging*, 33, 2746-55.
- Okazaki, H., Lipkin, L.E. y Aronson, S.M. (1961). Diffuse intracytoplasmatic ganglionic inclusions (Lewy type) associated with progressive dementia and quadriplegia in flexion. *J Neuropathol Exp Neurol*, 20, 237-44.
- Olazarán, J., Reisberg, B., Clare, L., Cruz, I., Peña-Casanova, J., del Ser, T., *et al.* (2010). Eficacia de las terapias no farmacológicas en la enfermedad de Alzheimer: una revisión sistemática. *Dementia and Geriatric Cognitive Disorders*, 30, 161-178.
- O.M.S. (1992). CIE-10. *Trastornos mentales y del comportamiento. Décima revisión de la Clasificación Internacional de las Enfermedades. Descripciones clínicas y pautas para el diagnóstico*. Ginebra: Organización Mundial de la Salud.
- Peña-Casanova, J. (1990). *Test Barcelona*. Barcelona: Masson.
- Petersen, R.C., Thomas, R.G., Grundman, M., Bennett, D., Doody, R., Ferris, S., *et al.* (2005). Vitamin E and donepezil for the treatment of mild cognitive impairment. *N Engl J Med*, 352, 2379-88.
- Pfeiffer, E. (1975). A short portable mental status questionnaire for the assessment of organic brain deficit in elderly patients. *Journal of the American Geriatrics Society*, 23, 433-41.
- Prince, M., Bryce, R. y Ferri, C. (2011). *World Alzheimer report 2011: the benefits of early diagnosis and intervention*. New York and London: Alzheimer's Disease International (ADI); 72 páginas.
- Rentz, D.M., Locascio, J.J., Becker, J.A., Moran, E.K., Eng, E., Buckner, R.L., *et al.* (2010). Cognition, reserve and amyloid deposition in normal aging. *Annals of neurology*, 67, 353-64.
- Robertson, I.H. (2013). A noradrenergic theory of cognitive reserve: implications for Alzheimer's disease. *Neurobiology of Aging*, 34, 298-308.
- Román, G.C., Tatemichi, T.K., Erkinjuntti, T., Cummings, J.L., Masdeu, J.C., Garcia, J.H., *et al.* (1993). Vascular dementia: diagnostic criteria for research studies. Report of the NINDS-AIREN international workshop. *Neurology*, 43, 250-60.
- Salthouse, T.A. (2009). When does age-related cognitive decline begin? *Neurobiology of Aging*, 30, 507-14.
- Sano, M., Ernesto, C., Thomas, R.G., Klauber, M.R., Schafer, K., Grundman, M., *et al.* (1997). A controlled trial of selegiline, alpha-

- tocopherol, or both as treatment for Alzheimer's disease. The Alzheimer's disease cooperative study. *N Engl J Med*, 24, 1216-22.
- Savva, G.M., Wharton, S.B., Ince, P.G., Forster, G., Matthews, F.E. y Brayne, C. (2009). Age, neuropathology and dementia. *The New England Journal of Medicine*, 360, 2302-09.
- Schubert, C.C., Boustani, M., Callahan, C.M., Perkins, A.J., Carney, C.P., Fox, C., *et al.* (2006). Comorbidity profile of dementia patients in primary care: are they sicker? *J Am Geriatr Soc*, 54, 104-9.
- Selye, H. (1936). A syndrome produced by diverse nocuous agents. *Nature*, 138, 32.
- Shao, H., Breitner, J.C., Whitmer, R.A., Wang, J., Hayden, K., Wengreen, H., *et al.* (2012). Hormone therapy and Alzheimer disease dementia: new findings from the Cache County Study. *Neurology*, 30, 1846-52.
- Silveri, M.C., Daniele, A., Giustolisi, L., y Gainotti, G. (1991). Dissociation between knowledge of living and nonliving things in dementia of the Alzheimer type. *Neurology*, 41, 545-46.
- Solomon, P.R. y Pendlebury, W.W. (1998). Recognition of Alzheimer's disease: the 7 minute screen. *Family medicine*, 30, 265-71.
- Takahashi, P.Y., Caldwell, C.R. y Targonski, P.V. (2011). Effect of alcohol and tobacco use on vascular dementia: a matched case control study. *Vasc Health Risk Manag*, 7, 685-91.
- Tariot, P.N., Farlow, M.R., Grossberg, G.T., Graham, S.M., McDonald, S. y Gergel, I. (2004). Memantine treatment in patients with moderate to severe Alzheimer disease already receiving donepezil: a randomized controlled trial. *JAMA*, 291, 317-24.
- Tippett, L.J., Grossman, M. y Farah, M.J. (1996). The semantic memory impairment of Alzheimer's disease: category-specific? *Cortex*, 32, 143-53.
- Tulving, E. (1972). Episodic and Semantic Memory. En E. Tulving y W. Donaldson (Eds.), *The organization of Memory* (pp. 381-403). New York: Academic Press.
- Yesavage, J.A., Brink, T.L., Rose, T.L., Lum, O., Huang, V., Adey, M., *et al.* (1983). Development and validation of a geriatric depression screening scale: a preliminary report. *J Psychiatr Res*, 17, 37-49.
- Wechsler, D. (2008). *Wechsler Adult Intelligence Scale*, 4th Edition. San Antonio, TX, Psychological Corporation.
- Wechsler, D. (2009). *Wechsler Memory Scale*, 4th Edition. San Antonio, TX, Psychological Corporation.

- Weiner, M.F., Hynan, L.S., Rossetti, H. y Falkowski, J. (2011). Luria's three-step test: what is it and what does it tell us? *International Psychogeriatrics*, 23, 1602-6.
- Weiner, M.F. y Lipton, A.M. (2012). *Clinical manual of Alzheimer disease and other dementias*. American Psychiatric Publishing: London.
- Werner, P., Karnieli-Miller, O. y Eidelman, S. (2013). Current knowledge and future directions about the disclosure of dementia: A systematic review of the first decade of the 21st century. *Alzheimer's & Dementia*, 9, e74-e88.