

Bibliografía

- Aboitiz, F., García, R.R., Bosman, C. y Brunetti, E. (2006). Cortical memory mechanisms and language origins. *Brain Lang*, 98: 40-56.
- Acosta, M.T. (2000). Síndrome del hemisferio derecho en niños: correlación funcional y madurativa de los trastornos del aprendizaje no verbales. *Rev Neurol*, 31(4): 360-367.
- Adolphs, R., Tranel, D. y Damasio, A.R. (1994). Impaired recognition of emotion in facial expressions following bilateral damage to the human amygdale. *Nature*, 372: 669-672.
- Albus, J.S. (1971). A theory of cerebellar function. *Math Biosci*, 10: 25-61.
- Alexander I. y Cowey A. (2010). Edges, colour and awareness in blindsight. *Conscious Cog*, 19, 520-533.
- Andersen, S.L. (2003). Trajectories of brain development: point of vulnerability or window of opportunity? *Neurosci Biobehav Rev*, 27: 3-18.
- Anderson, J.M., Gilmore, R., Roper, S., Crosson, B., Bauer, R.M., Nadeau, S., Heilman, K.M. (1999). Conduction aphasia and the arcuate fasciculus: A reexamination of the Wernicke-Geschwind model original. *Brain Lang*, 70(1): 1-12.
- Ansari, D. y Coch, D. (2006). Bridges over troubled waters: education and cognitive neuroscience. *Trends Cogn Sci*, 10: 146-151.
- Apkarian, A.V., Bushnell, M.C., Treede, R.D. y Zubieta, J.K. (2005). Human brain mechanisms of pain perception and regulation in health and disease. *Eur J Pain*, 9(4): 463-484.
- Araque, A., Carmignoto, G. y Haydon, P.G. (2001). Dynamic signaling between astrocytes and neurons. *Annu Rev Physiol*, 63: 795-813.
- Ardila, A. (2006). Orígenes del lenguaje: un análisis desde la perspectiva de las afasias. *Rev Neurol*, 43(11): 690-698.
- Ardila, A. (2008). Neuropsicología del lenguaje. En Tirapu, J., Rios, M. y Maestú, F (Eds.). *Manual de Neuropsicología*. Barcelona, Viguera Editores. Pp. 59-95.
- Arffa, S. (2007). The relationship of intelligence to executive function and non-executive function measures in a sample of average, above average, and gifted youth. *Arch Clin Neuropsych*, 22: 969-978.
- Armario, A., Escorihuela, R.M. y Nadal, R. (2008). Long-term neuroendocrine and behavioural effects of a single exposure to stress in adult animals. *Neurosci Biobehav Rev*, 32(6): 1121-1135.

- Artigas-Pallarés, J. (2011). Dislexia. En J. Artigas-Pallarés y J. Narbona (eds.) *Trastornos del neurodesarrollo*. Barcelona, Viguera. Pp. 255-289.
- Asari, T., Konishi, S., Jimura, K. y Miyashita, Y. (2005). Multiple components of lateral posterior parietal activation associated with cognitive set shifting. *Neuroimage*, 26: 694-702.
- Asensio, J.M. (1997). *Biología y Educación*. Barcelona, Ariel.
- ASHA (2005). American Speech-language-hearing association. *Central Auditory Processing disorders*.
- Azzopardi, P., y Cowey, A. (2001). Motion discrimination in cortically blind patients. *Brain*, 124: 30-46.
- Bacci, A., Huguenard, J.R. y Prince, D.A. (2005). Modulation of neocortical interneurons: extrinsic influences and exercises in self-control. *Trends Neurosci*, 28(11): 602-610.
- Bachevalier, J. y Mishkin, M. (1984). An early and a late developing system for learning and retention in infant monkeys. *Behav Neurosci*, 98: 770-778.
- Back, S.A., Luo, N.L., Borenstein, N.S., Levine, J.M., Volpe, J.J. y Kinney, H.C. (2001). Late oligodendrocyte progenitors coincide with the developmental window of vulnerability for human perinatal white matter injury. *J Neurosci*, 21: 1302-1312.
- Badcock, N.A., Bishop, D.V.M., Hardiman, M.J., Barry, J.G. y Watkins, K.E. (2012). Co-localisation of abnormal brain structure and function in specific language impairment. *Brain Lang*, 120: 310-320.
- Baddeley, A. (2012). Working Memory: Theories, models, and controversies. *Annu Rev Psychol*, 63: 1-29.
- Baddeley, A.D. (2000). The episodic buffer: a new component of working memory? *Trends Cogn Sci*, 4: 417-423.
- Baddeley, A.D. e Hitch, G.J. (1974). Working memory. En G.A. Bower (Ed.), *The Psychology of Learning and Motivation: Advances in Research and Theory*. New York: Academic Press. Pp. 47-89.
- Badiani, A., Oates, M.M. y Robinson, T.E. (2000). Modulation of morphine sensitization in the rat by contextual stimuli. *Psychoph (Berl)*, 151: 273-282.
- Badre, D. y D'Esposito, M. (2007). Functional magnetic resonance imaging evidence for a hierarchical organization of the prefrontal cortex. *J Cognitive Neurosci*, 19: 2082-2099.
- Baker, C.I., Liu, J., Wald, L.L., Kwong, K.K., Benner, T. y Kanwisher, N. (2007). Visual word processing and experiential origins of functional selectivity in human extrastriate cortex. *Proc Natl Acad Sci USA*, 104(21): 9087-9092.
- Baker, E., Blumstein, S.E. y Goodglass, H. (1981). Interaction between phonological and semantic factors in auditory comprehension. *Neuropsychologia*, 19: 1-15.
- Barbara, J.G., Broussolle, E., Poirier, J. y Clarac, F. (2012) Figures and institutions of the neurological sciences in Paris: from 1800 to 1950. Part II: Neurophysiology. *Rev Neurol-France*, 168: 106-115.
- Barbey, A.K., Colom, R. y Grafman, J. (2013). Dorsolateral prefrontal contributions to human intelligence. *Neuropsychologia*, 51: 1361-1369.
- Barceló, F. y Knight, R.T. (2002). Both random and perseverative errors underlie WCST deficits in prefrontal patients. *Neuropsychologia*, 40(3): 349-356.
- Barcia-Salorio, D. (2004). Introducción histórica al modelo neuropsicológico. *Rev Neurol*, 39: 668-681.

Bibliografía

- Barlow, S.M. y Estep, M. (2006). Central pattern generation and the motor infrastructure for suck, respiration, and speech. *J Commun Disord*, 39(5): 366-380.
- Barnea-Goraly, N., Menon, V., Eckert, M., Tamm, L., Bammer, R., Karchemskiy, ... Reiss, A.L. (2005). White matter development during childhood and adolescence: a cross sectional diffusion tensor imaging study. *Cereb Cortex*, 15: 1848-1854.
- Barrett, D.J.K. y Hall, D.A. (2006). Response preferences for “what” and “where” in human non-primary auditory cortex. *Neuroimage*, 32: 968-977.
- Bartolo, A., Benuzzi, F., Nocetti, L., Baraldi, P., Nichelli, P. (2006). Humour comprehension and appreciation: an fMRI study. *J Cog Neurosci*, 18:1789-1798.
- Bartus, R.T. y Johnson, H.R. (1976). Short-term memory in the rhesus monkey: disruption from the anticholinergic scopolamine. *Pharm Biochem Behav*, 5: 39-46.
- Basheer, R., Strecker, R.E., Thakkar, M.M. y McCarley, R.W. (2004). Adenosine and sleep-wake regulation. *Prog Neurobiol*, 73: 379-396.
- Beauchamp, M.H., Dagher, A., Aston, J.A. y Doyon, J. (2003). Dynamic functional changes associated with cognitive skill learning of an adapted version of the Tower of London task. *Neuroimage*, 20: 1649-1660.
- Bechara, A. (2004). The role of emotion in decision-making: Evidence from neurological patients with orbitofrontal damage. *Brain Cognition*, 55: 30-40.
- Beebe, D.W. (2011). Cognitive, behavioral, and functional consequences of inadequate sleep in children and adolescents. *Pediatr Clin N Am*, 58(3): 649-665.
- Belin, P., Zatorre, R.J., Lafaille, P., Ahad, P. y Pike, B. (2000). Voice-selective areas in human auditory cortex. *Nature*, 403(6767): 309-312.
- Benarós, S., Lipina, S.J., Segretin, M.S., Hermida, M.J. y Colombo, J.A. (2010). Neurociencia y educación: hacia la construcción de puentes interactivos. *Rev Neurol*, 50: 179-186.
- Bennett, E.L., Diamond, M.L., Krech, D. y Rosenzweig, M.R. (1964). Chemical and anatomical plasticity of brain. *Science*, 146: 610-619.
- Berlau, K.M. y Weinberger, N.M. (2008). Learning strategy determines auditory cortical plasticity. *Neurobiol Learn Mem*, 89(2): 153-166.
- Bernhardt, B.C. y Singer, T. (2012). The neural basis of empathy. *Annu Rev Neurosci*, 35: 1-23.
- Berridge, K.C. (2003). Pleasures of the brain. *Brain Cognition*, 52: 106-128.
- Berridge, K.C. (2004). Motivation concepts in behavioral neuroscience. *Physiol Behav*, 81: 179-209.
- Berwick, R.C., Friederici, A.D., Chomsky, N. y Bolhuis, J.J. (2013). Evolution, brain, and the nature of language. *Trends Neurosci*, 17(2): 89-98.
- Bigiani, A., Ghiaroni, V. y Fieni, F. (2003). Channels as taste receptors in vertebrates. *Prog Biophys Mol Bio*, 83(3): 193-225.
- Bilecen, D., Scheffler, K., Schmid, N., Tschopp, K., and Seelig, J. (1998). Tonotopic organization of the human auditory cortex as detected by BOLD-FMRI. *Hear Res*, 126: 19-27.
- Bingel, U., Lorenz, J., Glauche, V., Knab, R., Gläscher, J., Weiller, C., Büchel, C. (2004). Somatotopic organization of human somatosensory cortices for pain: a single trial fMRI study. *Neuroimage*, 23(1): 224-232.
- Binkofski, F. y Buccino, G. (2006). The role of ventral premotor cortex in action execution and action understanding. *J of Physiol - Paris*, 99: 396-405.

- Bisaz, R., Conboy, L. y Sandi, C. (2009). Learning under stress: a role for the neural cell adhesion molecule NCAM. *Neurobiol Learn Mem*, 91: 333-342.
- Bishop, D.V.M. (2009). Genes, cognition, and communication: Insights from neurodevelopmental disorders. *Ann NY Acad Sci*, 1156: 1-18.
- Bisquerra, R. (2000). *Educación emocional y bienestar*. Barcelona: Praxis-Wolters Kluwer.
- Bissonette, G.B., Powell, E.M. y Roesch, M.R. (2013). Neural structures underlying set-shifting: roles of medial prefrontal cortex and anterior cingulate cortex. *Behav Brain Res*, 250: 91-101.
- Bizzi, E. (1999). Motor Control. En Wilson, R.A. y Keil, F.C. (eds.) *The MIT Encyclopedia of the Cognitive Sciences*. Cambridge, Massachusetts, The MIT Press. Pp. 570-571.
- Bizzi, E., Tresch, M.C., Saltiel, P. y D'Avella, A. (2000). New perspectives on spinal motor systems. *Nat Rev Neurosci*, 1: 101-108.
- Blanke, O. (2012). Multisensory brain mechanisms of bodily self-consciousness. *Nat Rev Neurosci*, 13: 556-571.
- Bliss, T.V. y Lomo, T. (1973). Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path. *J Physiol*, 232: 331-356.
- Bo, L., Mork, S., Kong, P.A., Nyland, H., Pardo, C.A. y Trapp, B.D. (1994). Detection of MHC class II on macrophages and microglia, but not on astrocytes and endothelia in active multiple sclerosis lesions. *J Neuroimmunol*, 51: 135-146.
- Bolhuis, J.J., Okanoya, K. y Scharff, C. (2010) Twitter evolution: converging mechanisms in birdsong and human speech. *Nat Rev Neurosci*, 11: 747-759
- Bolognini, N. y Maravita, A. (2007). Proprioceptive alignment of visual and somatosensory maps in the posterior parietal cortex. *Curr Biol*, 17: 1890-1895.
- Bonifacci, P. (2004). Children with low motor ability have lower visual-motor integration ability but unaffected perceptual skills. *Hum Mov Sci*, 23: 157-168.
- Booth, J.R. (2007). Brain bases of learning and development of language. En Coch, D., Fischer, K.W. y Dawson, G. (eds.) *Human behavior, learning, and the developing brain. Typical development*. New York, Guilford Press.
- Born, J. y Wagner, U. (2009). Sleep, hormones, and memory. *Obstet Gynecol Clin North Am*, 36(4): 809-829.
- Botvinick, M., y Cohen, J. (1998). Rubber hands 'feel' touch that eyes see. *Nature*, 391: 756.
- Bouchard, T.J. Jr, Lykken, D.T., McGue, M., Segal, N.L. y Tellegen, A. (1990). Sources of human psychological differences: the Minnesota study of twins reared apart. *Science*, 250: 223-228.
- Brizzolara, D., Casalini, C., Montanaro, D. y Posteraro, F. (2003). A case of amnesia at an early age. *Cortex*, 39(4-5): 605-625.
- Brocki, K.C. y Bohlin, G. (2004). Executive functions in children aged 6 to 13: A dimensional and developmental study. *Dev Neuropsychol*, 26(2): 571-593.
- Brooks, D.J. (1995). The role of the basal ganglia in motor control: contributions from PET. *J Neurol Sci*, 128(1): 1-13.
- Brown, T.M. y Piggins, H.D. (2007). Electrophysiology of the suprachiasmatic circadian clock. *Prog Neurobiol*, 82: 229-255.

Bibliografía

- Brunton, P.J. y Russell, J.A. (2010). Endocrine induced changes in brain function during pregnancy. *Brain Res*, 1364: 198-215.
- Bryant, J.L., Roy, S. y Heck, D.H. (2009). A technique for stereotaxic recordings of neuronal activity in awake, head-restrained mice. *J of Neurosci Meth*, 178(1): 75-79.
- Brydges, C.R., Reid, C.L., Fox, A.M. y Anderson, M. (2012). A unitary executive function predicts intelligence in children. *Intelligence*, 40: 458-469.
- Bub, D.N., Arguin, M. y Lecours, A.R. (1993). Jules Dejerine and his interpretation of pure alexia. *Brain Lang*, 45: 531-559.
- Bunge, S.A., Burrows, B. y Wagner, A.D. (2004). Prefrontal and hippocampal contributions to visual associative recognition: Interactions between cognitive control and episodic retrieval. *Brain Cognition*, 56(2): 141-152.
- Buot, A. y Yelnik, J. (2012). Functional anatomy of the basal ganglia: Limbic aspects. *Rev Neurol-France*, 68 (8-9): 569-575
- Bures, J., Buresova, O. y Huston, J.P. (1983). *Techniques and Basic Experiments for the Study of Brain and Behavior*. Amsterdam, Elsevier.
- Burgaleta, M., Head, K., Álvarez-Linera, J., Martínez, K., Escorial, S., Haier, R. y Colom, R. (2012). Sex differences in brain volume are related to specific skills, not to general intelligence. *Intelligence*, 40: 60-68.
- Burgess, P.W., Dumonheil, I. y Gilbert, S. (2007). The gateway hypothesis of rostral prefrontal cortex (area 10) function. *Trends Neurosci*, 11: 290-298.
- Burgess, P.W., Scott, S.K. y Frith, C.D. (2003). The role of the rostral frontal cortex (area 10) in prospective memory: a lateral versus medial dissociation. *Neuropsychologia*, 41: 906-918.
- Buss, R.R. y Oppenheim, R.W. (2004). Role of programmed cell death in normal neuronal development and function. *Anat Sci Int*, 79(4): 191-197.
- Bystron, I., Blakemore, C. y Rakic, P. (2008). Development of the human cerebral cortex: Boulder Committee revisited. *Nat Rev Neurosci*, 9: 110-122.
- Cabral, C.A. (2009). Revisión de la psicología ruso-soviética (1920-1983). *Adversus*, 6: 32-40.
- Cahill, L., Weinberger, N.M., Roozendaal, B. y McGaugh, J.L. (1999). Is the amygdala a locus of 'conditioned fear'? Some questions and caveats. *Neuron*, 23: 227-228.
- Calvo-Merino, B. (2008). Modelos teóricos y neuropsicología de las praxias. En Tirapu, J., Rios, M. y Maestú, F (Eds.). *Manual de Neuropsicología*. Barcelona, Viguera Editores. Pp. 125-147.
- Campbell, R., MacSweeney, M., Surguladze, S., Calvert, G., McGuire, P., Suckling, ..., David, A.S. (2001). Cortical substrates for the perception of face actions: an fMRI study of the specificity of activation for seen speech and for meaningless lower-face acts (gurning). *Cogn Brain Res*, 12: 233-243.
- Caplan, D. (2002). Language disorders. En Ramachandran, V.S. (Ed.). *Encyclopedia of the human brain*. San Diego, Academic Press.
- Carroll, J.B. (1993). *Human cognitive abilities: A survey of factor-analytic studies*. New York, Cambridge University Press.
- Casey, B.J., Galvan, A. y Hare, T.A. (2005). Changes in cerebral functional organization during cognitive development. *Curr Opin Neurobiol*, 15: 239-244.
- Casey, B.J., Getz, S. y Galvan, A. (2008). The adolescent brain. *Dev Rev*, 28(1): 62-77.

- Cattell, R.B. (1971). *Abilities: Their structure, growth and action*. Boston, Houghton-Mifflin.
- Censor, N., Sagi, D. y Cohen, L.G. (2012). Common mechanisms of human perceptual and motor learning. *Nat Rev Neurosci*, 13: 658-664.
- Champagne, F.A. y Mashoodh, R. (2009). Genes in context. Gene-environment interplay and the origins of individual differences in behavior. *Curr Dir Psychol Sci*, 18(3): 127-131.
- Chaudhury, D. y Colwell, C.S. (2002). Circadian modulation of learning and memory in fear-conditioned mice. *Behav Brain Res*, 133: 95-108.
- Chen, T.C. y Lin, Y.Y. (2012). High neuromagnetic activation in the left prefrontal and frontal cortices correlates with better memory performance for abstract words. *Brain Lang*, 123(1): 42-51.
- Cimadevilla, J.M., Kaminsky, Y., Fenton, A.A. y Bures, J. (2000). Passive and active avoidance as a tool of spatial memory research in rats. *J Neurosci Methods*, 102: 155-164.
- Citri, A. y Malenka, R.C. (2008). Synaptic Plasticity: Multiple Forms, Functions, and Mechanisms. *Neuropsychopharmacology Rev*, 33: 18-41.
- Cohen, L., Dehaene, S., Naccache, L., Lehericy, S., Dehaene-Lambertz, G., Hénaff, M.A. y Michel, F. (2000). The visual word form area: spatial and temporal characterization of an initial stage of reading in normal subjects and posterior split-brain patients. *Brain*, 123: 291-307.
- Collura, T.F. (1993). History and evolution of electroencephalographic instruments and techniques. *J Clin Neurophysiol*, 10: 476-504.
- Colmenares, F. (1996). Etología, biología y psicología: relaciones interdisciplinarias. En F. Colmenares (Ed.) *Etología, Psicología Comparada y comportamiento animal*. Madrid, Síntesis. Pp. 51-112.
- Contestabile, A. (2010). The history of the cholinergic hypothesis. *Behav Brain Res*, 221: 334-340.
- Cooper, R.M. y Zubek, J.P. (1958). Effects of enriched and restricted early environments on the learning ability of bright and dull rats. *Can J Psychol*, 12 (3): 159-164.
- Cooper, S.J. (2005). Donald O. Hebb's synapse and learning rule: a history and commentary. *Neurosci Biobehav Rev*, 28: 851-874.
- Corbetta, M. y Shulman, G.L. (2002). Control of goal-directed and stimulus-driven attention in the brain. *Nat Rev Neurosci*, 3: 201-215.
- Coslett, H. B., Saffran, E. M. y Schwoebel, J. (2002). Knowledge of the human body: A distinct semantic domain. *Neurology*, 59(3): 357-363.
- Courchesne, E., Karns, C.M., Davis, H.R., Ziccardi, R., Carper, R.A., Tigue, Z.D. ... Courchesne, R.Y. (2001). Unusual brain growth patterns in early life in patients with autistic disorder: an MRI study. *Neurology*, 57: 245-254.
- Craig, A.D. (2004). Human feelings: why are some more aware than others? *Trends Cogn Sci*, 8(6): 239-241.
- Crespo-Eguílaz, N. y Narbona, J. (2009). Trastorno de aprendizaje procedimental: características neuropsicológicas *Rev Neurol*, 49(8): 409-416.
- Crivellato, E. y Ribatti, D. (2007). Soul, mind, brain: Greek philosophy and the birth of neuroscience. *Brain Res Bull*, 71: 327-336.

Bibliografía

- Cruse, D y Wilding, E.L. (2009). Prefrontal cortex contributions to episodic retrieval monitoring and evaluation. *Neuropsychologia*, 47(13): 2779-2789.
- Cubelli, R. y De Bastiani, P. (2011). 150 Years after Leborgne: why is Paul Broca so important in the history of neuropsychology? *Cortex*, 47: 146-147.
- Cunningham, D.A., Machado, A., Yue, G.H., Carey, J.R. y Plow, E.B. (2013). Functional somatotopy revealed across multiple cortical regions using a model of complex motor task. *Brain Res*, 1531: 25-36.
- Dalgleish, T. (2004). The emotional brain. *Nat Rev Neurosci*, 5: 583-589.
- Damasio, A.R. (1996). The somatic marker hypothesis and the possible functions of the prefrontal cortex. *Phil Trans R Soc B*, 351: 1413-1420.
- Damasio, A.R. (1998). Emotion in the perspective of an integrated nervous system. *Brain Res Rev*, 26: 83-86.
- Damasio, A.R. (2001). Some notes on brain, imagination and creativity. En K.H. Pfenninger y V.R. Shubik (Eds.), *The origins of creativity*. Oxford, Oxford University Press. Pp. 59-68.
- Damasio, A.R. (2011). *El error de Descartes: la emoción, la razón y el cerebro humano* (Edición original de 1994). Barcelona, Destino.
- Damasio, A.R. y Damasio, H. (1992). El cerebro y el lenguaje. *Investigación y Ciencia*, 194: 58-66.
- Damasio, A.R., Grabowski, T.J., Bechara, A., Damasio, H., Ponto, L.L., Parvizi, J. e Hichwa, R.D. (2000). Subcortical and cortical brain activity during the feeling of self-generated emotions. *Nat Neurosci*, 3:1049-1056.
- Damasio, H., Tranel, D., Grabowski, T., Adolphs, R. y Damasio, A. (2004). Neural systems behind word and concept retrieval. *Cognition*, 92: 179-229.
- Dattani, M. y Brook, C.G. (1996). Outcomes of neonatal screening for congenital hypothyroidism. *Curr Opin Pediatr*, 8: 389-395.
- Davidson, R.J. e Irwin, W. (1999). The functional neuroanatomy of emotion and affective style. *Trends Neurosci*, Vol 3(1): 11-21.
- Davidson, R.J. y Sutton, S.K. (1995). Affective neuroscience: The emergence of a discipline. *Curr Opin Neurobiol*, 5: 217-224.
- Davis, M.H. y Johnsrude, I.S. (2007). Hearing speech sounds: Top-down influences on the interface between audition and speech perception. *Hear Res*, 229(1-2): 132-147.
- De Araujo, I.E. y Rolls, E.T. (2004). Representation in the human brain of food texture and oral fat. *J Neurosci*, 24: 3086-3093.
- De Charms, R.C. y Zador, A. (2000). Neural representation and the cortical code. *Annu Rev Neurosci*, 23: 613-647.
- De Felipe, J. (2002). Sesquicentenary of the birthday of Santiago Ramón y Cajal, the father of modern neuroscience. *Trends Neurosci*, 25: 481-484.
- De Fossé, L., Hodge, S. M., Makris, N., Kennedy, D. N., Caviness, V. S., McGrath, L., ..., Harris, G.J. (2004). Language-association cortex asymmetry in autism and specific language impairment. *Ann Neurol*, 56(6): 757-766.
- Deary, I.J., Penke, L. y Johnson, W. (2010). The neuroscience of human intelligence differences. *Nat Rev Neurosci*, 11: 201-211.

- Dehaene-Lambertz, G., Montavont, A., Jobert, A., Alliol, L., Dubois, J., Hertz-Pannier, L. y Dehaene, S. (2010). Language or music, mother or Mozart? Structural and environmental influences on infants' language networks. *Brain Lang*, 114 (2): 53-65.
- Del Abril, A., Ambrosio, E., Blas, M.R., Caminero, A.A., García, C. y de Pablo, J.M. (2011). *Fundamentos de Psicobiología*. Madrid, Sanz y Torres.
- Demenescu, L.R., Kortekaas, R., Cremers, H.R., Renken, R.J., van Tol, M.J., van der Wee, ..., Aleman, A. (2013). Amygdala activation and its functional connectivity during perception of emotional faces in social phobia and panic disorder. *J Psychiatr Res*, 47: 1024-1031.
- Desmurget, M. y Sirigu, A. (2009). A parietal-premotor network for movement intention and motor awareness. *Trends Cogn Sci*, 13(10): 41-419.
- Deurveilher, S. y Semba, K. (2005). Indirect projections from the suprachiasmatic nucleus to major arousal-promoting cell groups in rat: implications for the circadian control of behavioural state. *Neuroscience*, 130: 165-183.
- Dewsbury, D.A. (1991). Psychobiology. *Am Psychol*, 46: 198-205.
- Dietrich, A. (2004). The cognitive neuroscience of creativity. *Psychon Bull Rev*, 11(6): 1011-1026.
- Dietz, V. (2003). Spinal cord pattern generators for locomotion. *Clin Neurophysiol*, 114(8): 1379-1389.
- Dlouha, O. (2003). Central auditory processing disorder in children with developmental dysphasia. *Int Congr Ser*, 1240: 231-234.
- Dlouha, O., Novak, A. y Vokra, J. (2007). Central auditory processing disorder (CAPD) in children with specific language impairment (SLI). Central auditory tests. *Int J Pediatr Otorhinolaryngol*, 71(6): 903-907.
- Doty, R.L. (2001). Olfaction. *Ann Rev Psychol*, 52: 423-452.
- Doya, K. (2000). Complementary roles of basal ganglia and cerebellum in learning and motor control. *Curr Opin Neurobiol*, 10(6): 732-739.
- Duncan, J. y Owen, A.M. (2000). Common regions of the human frontal lobe recruited by diverse cognitive demands. *Trends Neurosci*, 23: 475-483.
- Duncan, J., Burgess, P. y Emslie, A.H. (1995). Fluid intelligence after frontal lobe lesions. *Neuropsychologia*, 33(3): 261-226.
- Duncan, J., Seitz, R.J., Kolodny, J., Bor, D., Herzog, H., Ahmed, A., ..., Emslie, H. (2000). A neural basis for general intelligence. *Science*; 289: 457-460.
- Duque-Parra, J.E. (2002), Elementos neuroanatómicos y neurológicos asociados con el cerebro a través del tiempo. *Rev Neurol*, 34: 282-286.
- Durmer, J. S. y Dinges, D. F. (2005). Neurocognitive consequences of sleep deprivation. *Semin Neurol*, 25: 117-129.
- Duysens, J. y van de Crommert, H.W. (1998). Neural control of locomotion. Part 1: the central pattern generator from cats to humans (review). *Gait Posture*, 7: 131-141.
- Eichenbaum, H. (2000). A cortical-hippocampal system for declarative memory. *Nat Rev Neurosci*, 1: 41-50.
- Eichenbaum, H. (2001). The long and winding road to memory consolidation. *Nat Neurosci*, 4(11): 1057-1058.

Bibliografía

- Eippert, F., Bingel, U., Schoell, E.D., Yacubian, J., Klinger, R., Lorenz, J. y Buchel, C. (2009). Activation of the opioidergic descending pain control system underlies placebo analgesia. *Neuron*, 63: 533-543.
- Ekman, P. y Friesen, W.V. (1975). *Unmasking the face: A guide to recognizing emotions from facial clues*. New Jersey, Prentice Hall.
- Eliassen, J.C., Lamy, M., Allendorfer, J.B., Boespflug, E., Bullard, D.P., Smith, M.S.,..., Strakowski, S.M. (2012). Selective role for striatal and prefrontal regions in processing first trial feedback during single-trial associative learning. *Brain Res*, 1458: 56-66.
- Elliott, E.M., Bhagat, S.P. y Lynn, S.D. (2007). Can children with (central) auditory processing disorders ignore irrelevant sounds? *Res Dev Disabil*, 28(5): 506-517.
- Elliott, R. (2003). Executive functions and their disorders. *Br Med Bull*, 65: 49-59.
- ENCODE Project Consortium (2012). An integrated encyclopedia of DNA elements in the human genome. *Nature*, 489: 57-74.
- Engel, L.R., Frum, C., Puce, A., Walker, N.A. y Lewis, J.W. (2009). Different categories of living and non-living sound-sources activate distinct cortical networks. *Neuroimage*, 47(4): 1778-1791.
- Engelien, A., Yang, Y., Engelien, W., Zonana, J., Stern, E. y Silbersweig, D. (2002). Physiological mapping of human auditory cortices with a silent event-related fMRI technique. *Neuroimage*, 16: 944-953.
- Ennaceur, A. y Aggleton, J.P. (1994). Spontaneous recognition of object configuration in rats: Effects of fornix lesions. *Exp Brain Res*. 100: 85-92.
- Ennaceur, A. y Delacour, J. (1988). A new one-trial test for neurobiological studies of memory in rats 1: Behavioural data. *Behav Brain Res*. 31: 47-59.
- Ennaceur, A. y Meliani, K. (1992). A new one-trial test for neurobiological studies of memory in rats 3: Spatial vs non spatial working memory. *Behav Brain Res*. 51: 83-92.
- Epstein, H.T. (1979). Correlated brain and intelligence development in humans. En Hahn, M. (ed.) *Development and evolution of brain size: Behavioral Implications*. New York, Academic Press. Pp. 111-131.
- Erickson, K y Schulkin, J. (2003). Facial expressions of emotion: A cognitive neuroscience perspective. *Brain Cognition*, 52: 52-60.
- Eriksson, P.S., Perfilieva, E., Björk-Eriksson, T., Alborn, A.M., Nordborg, C., Peterson, D.A. y Gage, F.H. (1998). Neurogenesis in the adult human hippocampus. *Nat Med*, 4: 1313-1317.
- Esposito, G., Kirkby, B.S., Van Horn, J.D., Ellmore, T.M. y Berman, K.F. (1999). Context dependent, neural system-specific neurophysiological concomitants of ageing: mapping PET correlates during cognitive activation. *Brain*, 122: 963-979.
- Esslen, M., Pascual-Marqui, R.D., Hell, D., Kochi, K. y Lehmann, D. (2004). Brain areas and time course of emotional processing. *Neuroimage*, 21: 1189-1203.
- Eysel, U.T. (2008). Adult cortical plasticity. En Squire, L.R. (ed.) *Encyclopedia of Neuroscience*. Oxford, Academic Press.
- Fautrelle, L., Pichat, C., Ricolfi, F., Peyrin, C. y Bonnetblanc, F. (2011). Catching falling objects: the role of the cerebellum in processing sensory-motor errors that may influence updating of feedforward commands. An fMRI study. *Neuroscience*, 190: 135-144.
- Feinstein, J.S., Stein, M.B., Castillo, G.N. y Paulus, M.P. (2004). From sensory processes to conscious perception. *Conscious Cogn*, 13(2): 323-335.

- Felleman, D. J. y Van Essen, D. C. (1991). Distributed hierarchical processing in the primate cerebral cortex. *Cereb Cortex*, 1: 1-47.
- Fields, H.L., Hjelmstad, G.O., Margolis, E.B. y Nicola, S.M. (2007). Ventral tegmental area neurons in learned appetitive behavior and positive reinforcement. *Annu Rev Neurosci*, 30: 289-316.
- Fields, R.D. (2008). White matter in learning, cognition and psychiatric disorders. *Trends Neurosci*, 31(7): 361-370.
- Fiez, J.A. y Peterson, S.E. (1998). Neuroimaging studies of word reading. *Proc Natl Acad Sci USA*, 95: 914-921.
- Figlewicz, D.P. y Sipols, A.J. (2010). Energy regulatory signals and food reward. *Pharmacology, Biochem Behav*, 97: 15-24.
- Finger, S. (1994). *Origins of Neuroscience*. Nueva York, Oxford University Press.
- Finger, S. (2000). *Minds behind the brain: A history of the pioneers and their discoveries*. New York, Oxford University Press
- Foley, P. y Kirschbaum, C. (2010). Human hypothalamus-pituitary-adrenal axis responses to acute psychosocial stress in laboratory settings. *Neurosci Biobehav Rev*, 35(1): 91-96.
- Forgeard, M., Winner, E., Norton, A. y Schlaug, G. (2008). Practicing a musical instrument in childhood is associated with enhanced verbal ability and nonverbal reasoning. *PLoS ONE* 3(10): e3566. doi:10.1371.
- Formisano, E., Kim, D., Di Salle, F., van de Moortele, P.F., Ugurbil, K. y Goebel, R. (2003). Mirror-symmetric tonotopic maps in human primary auditory cortex. *Neuron*, 40: 859-869.
- Fox, C.J., Iaria, G. y Barton J.J.S. (2008) Disconnection in prosopagnosia and face processing. *Cortex*, 44(8): 996-1009.
- Frankland, P.W. y Bontempi, B. (2005). The organization of recent and remote memories. *Nat Rev Neurosci*, 6: 119-130.
- Frankland, P.W., Bontempi, B., Talton, L.E., Kaczmarek, L. y Silva, A.J. (2004). The involvement of the anterior cingulate cortex in remote contextual fear memory. *Science*, 304: 881-883.
- Fridriksson, J., Moss, J., Davis, B., Baylis, G.C., Bonilha, L. y Rorden, C. (2008). Motor speech perception modulates the cortical language areas. *Neuroimage*, 41: 605-613.
- Fried, I., Wilson, C.L., MacDonald, K.A. y Behnke, E.J. (1998). Electric current stimulates laughter. *Nature*, 391: 650.
- Friedman, B.H. (2010). Feelings and the body: The Jamesian perspective on autonomic specificity of emotion. *Biol Psychol*, 84: 383-393.
- Friedman, N.P., Miyake, A., Corley, R.P., Young, S.E., DeFries, J.C. y Hewitt, J.K. (2006). Not all executive functions are related to intelligence. *Psychol Sci*, 17: 172-179.
- Friedrich, G. y Preiss, G. (2003). Neurodidáctica. *Mente y cerebro*, 4: 39-45.
- Fu, M., Yu, X., Lu, J. y Zuo, Y. (2012). Repetitive motor learning induces coordinated formation of clustered dendritic spines in vivo. *Nature*, 483: 92-95.
- Funahashi, S. (2001). Neuronal mechanisms of executive control by the prefrontal cortex. *Neurosci Res*, 39: 147-165.
- Funahashi, S. y Andreau, J.M. (2013). Prefrontal cortex and neural mechanisms of executive function. *J Physiol Paris*, 107(6): 471-482.
- Fuster, J.M. (1997). Network memory. *Trends Neurosci*, 20(10): 451-459.

- Fuster, J.M. (2000a). Cortical dynamics of memory. *Int J Psychophysiol*, 35: 155-164.
- Fuster, J.M. (2000b). Prefrontal neurons in networks of executive memory. *Brain Res Bull*, 52(5): 331-336.
- Fuster, J.M. (2001). The prefrontal cortex. An update: time is of the essence. *Neuron*, 30: 319-333.
- Fuster, J.M. (2007). Jackson and the frontal executive hierarchy. *Int J Psychophysiol*, 64: 106-107.
- Fuster, J.M. (2008). *The Prefrontal Cortex*. Academic Press, Amsterdam.
- Gainotti, G. (2012). Unconscious processing of emotions and the right hemisphere. *Neuropsychologia*, 50(2): 205-218.
- Gale, T.M y Laws, K.R. (2006). Category-specificity can emerge from bottom-up visual characteristics: Evidence from a modular neural network. *Brain Cognition*, 61(3), 269-279.
- García Hoz, V. (1960). *Principios de Pedagogía sistemática*. Madrid, Rialp.
- García-Molina, A., Tirapu-Ustárrroz, J., Luna-Lario, P., Ibáñez, J. y Duque, P. (2010). ¿Son lo mismo inteligencia y funciones ejecutivas? *Rev Neurol*, 50: 738-746.
- García-Moreno, L.M.; Expósito, F.J.; Sanhueza, C. y Angulo, M.T. (2008). Actividad prefrontal y alcoholismo de fin de semana en jóvenes. *Adicciones*, 20(3): 271-280.
- Gardiner, J.M., Brandt, K.R., Baddeley, A.D., Vargha-Khadem, F. y Mishkin, M. (2008). Charting the acquisition of semantic knowledge in a case of developmental amnesia. *Neuropsychologia*, 46(11): 2865-2868.
- Gauger, L.M., Lombardino, L.J. y Leonard, C.M. (1997). Brain morphology in children with specific language impairment. *J Speech Lang Hear Res*, 40(6): 1272-1284.
- Gazzaniga, M. S. (1995). Principles of human brain organization derived from split brain studies. *Neuron*, 14: 217-228.
- Gazzaniga, M.S. (1964). Cerebral mechanisms involved in ipsilateral eye-hand use in split-brain monkeys. *Exp Neurol*, 10(2): 148-155.
- Gazzaniga, M.S. (1969). Cross-cuing mechanisms and ipsilateral eye-hand control in split-brain monkeys. *Exp Neurol*, 23(1): 11-17.
- Gennaro, L., Russo, L., Losito, L., Zaccaria, A., De Rinaldis, M. y Trabacca, A. (2010). Movement disorders in a twins pair: A casual expression or genetic determination? *Res Dev Disabil*, 31: 692-697.
- Gerlach, C. (2009). Category-specificity in visual object recognition. *Cognition*, 111(3), 281-301.
- Gerlach, C., Law, I. y Paulson, O.B. (2006). Shape configuration and category-specificity. *Neuropsychologia*, 44(7): 1247-1260.
- Geschwind, N (1965). Disconnexion syndromes in animals and man. *Brain*, 88, 237-294, 585-644.
- Ghirlanda, S. y Vallortigara, G. (2004). The evolution of brain lateralization: a game theoretical analysis of population structure. *Proc R Soc Lond B*, 271: 853-857.
- Giedd, J.N. (2004). Structural magnetic resonance imaging of the adolescent brain. *Ann NY Acad Sci*, 1021: 77-85.
- Giedd, J.N., Castellanos, F.X., Rajapakse, J.C., Vaituzis, A.C. y Rapoport, J.L. (1997). Sexual dimorphism of the developing human brain. *Prog Neuropsychopharmacol Biol Psychiatry*, 21:1185-1201.

- Gil Da Costa, R., Martin, A., Lopes, M.A., Munoz, M., Fritz, J.B. y Braun, A.R. (2006). Species-specific calls activate homologs of Broca's and Wernicke's areas in the macaque. *Nat Neurosci*, 9: 1064-1070.
- Gil, R. (1999). *Neuropsicología*. Barcelona, Masson.
- Gilbert, M.E. y Lasley, S.M. (2013). Developmental thyroid hormone insufficiency and brain development: A role for brain-derived neurotrophic factor (BDNF)? *Neuroscience*, 239: 253-270.
- Gittis, A.H. y Kreitzer, A.C. (2012). Striatal microcircuitry and movement disorders. *Trends Neurosci*, 35(9): 557-564.
- Gluck, J.P. y Bell, J. (2003). Ethical issues in the use of animals in biomedical and psychopharmacological research. *Psychopharmacol (Berl)*, 171: 6-12.
- Goldberg, E. (2008). *El cerebro ejecutivo: lóbulos frontales y mente civilizada*. Barcelona: Crítica, D.L.
- Goldberg, E., Roediger, D., Kucukboyaci, N.E., Carlson, C., Devinsky, O., Kuzniecky, R.,..., Thesen, T. (2013). Hemispheric asymmetries of cortical volume in the human brain. *Cortex*, 49: 200 -210.
- Goldenberg, G. y Karnath, H.O. (2006). The neural basis of imitation is body-part specific. *J Neurosci*, 26: 6282-6287.
- Gomez-Beldarrain, M., García-Monco, J. C., Rubio, B. y Pascual-Leone, A. (1998). Effect of focal cerebellar lesions on procedural learning in the serial reaction time task. *Exp Brain Res*, 120: 25-30.
- Gomez-Beldarrain, M., Grafman, J., Pascual-Leone, A. y Garcia-Monco, J. C. (1999). Procedural learning is impaired in patients with prefrontal lesions. *Neurology*, 10: 1853-1860.
- Gongwer, M.A., Murphy, J.M., McBride, W.J., Lumeng, L. y Li, T.K. (1989). Regional brain contents of serotonin, dopamine and their metabolites in the selectively bred high- and low-alcohol drinking lines of rats. *Alcohol*, 6(4): 317-320.
- González Álvarez, J. (2010). *Breve historia del cerebro*. Barcelona, Crítica.
- Goodkin, F. (1980). The development of mature patterns of head-eye coordination in the human infant. *Early Hum Dev*, 4: 373-386.
- Goodwin, C.J. (2009). *Historia de la psicología moderna*. Mexico, Limusa Wiley.
- Gottfried, J.A. (2010). Central mechanisms of odour object perception. *Nat Rev Neurosci*, 11: 628-641.
- Gould, E. (2007). How widespread is adult neurogenesis in mammals? *Nat Rev Neurosci*, 8: 481-488.
- Graf, P. y Schacter, D.L. (1985). Implicit and explicit memory for new associations in normal and amnesic subjects. *J Exp Psychol Learn Mem Cog*. 2(3): 501-518.
- Graziano, G. (2006). The organization of behavioral repertoire in motor cortex. *Annu Rev Neurosci*, 29: 105-134.
- Graziano, M.S.A., Cooke, D.F. y Taylor, C.S.R. (2000) Coding the location of arm by sight. *Science*, 290: 1782-1786.
- Greenough, W.T., Black, J.E. y Wallace, C.S. (1987). Experience and brain development. *Child Dev*, 58(3): 539-559.
- Griffiths, T.D. (2002). Central auditory processing disorders. *Curr Opin Neurol*, 15(1): 31-33.

Bibliografía

- Grill-Spector, K. y Malach, R. (2004). The human visual cortex. *Annu Rev Neurosci*, 27: 649-677.
- Grillner, S. (1985). Neurobiological bases on rhythmic motor acts in vertebrates. *Science*, 228:143-149.
- Groenewegen, H.J. y Uylings, H.B.M. (2010). Organization of prefrontal-striatal connections. En Steiner, H. y Tseng, K.Y. (eds). *Handbook of basal ganglia structure and function*. San Diego, Academic Press.
- Gross, C.G. (2007). The Discovery of Motor Cortex and its Background. *J Hist Neurosci*, 16: 320-331.
- Gubellini, P., Salin, P., Kerkerian-LeGoff, L. y Baunez, C. (2009). Deep brain stimulation in neurological disease and experimental models: From molecule to complex behavior. *Prog Neurobiol*, 89: 79-123.
- Guilford, J.P. (1967). *The nature of human intelligence*. New York, McGraw-Hill.
- Guinea-Hidalgo, A. y Tirapu-Ustárroz, J. (2011). La sustancia blanca en los trastornos del desarrollo. *Rev Neurol*, 53: 361-371.
- Haász, J., Westlye, E.T., Fjaer, S., Espeseth, T., Lundervold, A. y Lundervold, A.J. (2013). General fluid-type intelligence is related to indices of white matter structure in middle-aged and old adults. *Neuroimage*, 83: 372-383.
- Haist, F., Gore, J.B. y Mao, H. (2001). Consolidation of human memory over decades revealed by functional magnetic resonance imaging. *Nat Neurosci*, 4: 1139-1145.
- Halbower, A.C. y Mahone, E.M. (2009). Neuropsychological morbidity linked to childhood sleep-disordered breathing. *Sleep Med Rev*, 10(2): 97-107.
- Halbower, A.C., Degaonkar, M., Barker, P.B., Earley, C.J., Marcus, C.L., Smith, P.L., ..., Mahone, E.M. (2006). Childhood obstructive sleep apnea associates with neuropsychological deficits and neuronal brain injury. *PLoS Medicine*, 3: e301.
- Hall, D.A., Fussell, C. y Summerfield, A.Q. (2005). Reading fluent speech from talking faces: typical brain networks and individual differences. *J Cogn Neurosci*, 17: 939-953.
- Halsband, U. y Freund, H.J. (1993). Motor learning. *Curr Opin Neurobiol*, 3(6): 940-949.
- Hansotia, P. (2003). A Neurologist Looks at Mind and Brain: "The Enchanted Loom". *Clin Med Res*, 1: 327-332.
- Harlow, H.F. y Harlow, M.K. (1970). Developmental aspects of emotional behavior. En P. Black (ed.) *Physiological correlates of emotion*. New York, Academic Press. Pp. 37-58.
- Harm, M.W. y Seidenberg, M.S. (2004). Computing the meanings of words in reading: cooperative division of labor between visual and phonological processes. *Psychol Rev*, 111: 662-720.
- Harms, M.B. y Baloh, R.H. (2013). Clin neurogenetics: Amyotrophic lateral sclerosis. *Neurol Clin*, 31(4): 929-950.
- Harro, J. y Vasar, E. (1991). Cholecystokinin-induced anxiety: how is it reflected in studies on exploratory behavior? *Neurosci Biobehav Rev*, 15: 473-477.
- Hart, H.C., Palmer, A.R. y Hall D.A. (2002). Heschl's gyrus is more sensitive to tone level than non-primary auditory cortex. *Hear Res*, 171: 177-190.
- Hastings, M.H., Maywood, E.S. y Reddy, A.B. (2008). Two decades of circadian time. *J Neuroendocrinol*, 20: 812-19.
- Hawkins, R.D., Kandel, E.R. y Bailey, C.H. (2006). Molecular mechanisms of memory storage in Aplysia. *Biol Bull*, 210:174-179.

- Hayama, T. y Ogawa, H. (2001). Two loci of the insular cortex project to the taste zone of the nucleus of the solitary tract in rats. *Neurosci Lett*, 303(1): 49-52.
- Hebb, D. O. (1949). *The Organization of Behavior: A Neuropsychological Theory*. New York: Wiley and Sons.
- Heilman, K.M. (1997). The neurobiology of emotional experience. *J Neuropsychiatr Clin Neurosci*, 9: 439-448.
- Heinzle, J., Hepp, K. y Martin, K.A. (2010). A biologically realistic cortical model of eye movement control in reading. *Psychol Rev*, 117(3): 808-830.
- Hennessey, B.A. y Amabile, T.M. (2010). Creativity. *Annu Rev Psychol*, 61: 569-598.
- Hensch, T.K. (2004) Critical period regulation. *Annu Rev Neurosci*, 27: 549-579.
- Herbert, M.R., Ziegler, D.A., Deutsch, C.K., O'Brien, L.M., Kennedy, D.N., Filipek, P.A., ..., Caviness, V.S. (2005). Brain asymmetries in autism and developmental language disorder: A nested whole-brain analysis. *Brain*, 128(1): 213-226.
- Hickok, G. y Poeppel, D. (2000). Towards a functional neuroanatomy of speech perception. *Trends Neurosci*, 4: 131-138.
- Hickok, G. y Poeppel, D. (2007). The cortical organization of speech processing. *Nat Rev Neurosci*, 8: 393-402.
- Hitzemann, R. (2000). Animal models of psychiatric disorders and their relevance to alcoholism. *Alcohol Res Health*, 24: 149-158.
- Hogervorst, E., Huppert, F., Matthews, F.E. y Brayne, C. (2008). Thyroid function and cognitive decline in the MRC. Cognitive function and ageing study. *Psychoneuroendocrinol*, 33: 1013-1022.
- Holden, K.R. (2007). Malnutrition and brain development. *Semin Clin Neurol*, 6: 19-36.
- Holtgraves, T. (2012). The role of the right hemisphere in speech act comprehension. *Brain Lang*, 121 (1): 58-64.
- Horn, S y Heuer, H. (2010). Thyroid hormone action during brain development: More questions than answers. *Mol Cel Endocrinol*, 315(1-2): 19-26.
- Hoshi, E. (2006). Functional specialization within the dorsolateral prefrontal cortex: A review of anatomical and physiological studies of non-human primates. *Neurosci Res*, 54(2): 73-84.
- Howard-Jones, P. (2010). *Introducing neuroeducational research*. New York, Routledge.
- Hughes, B.W., Moro De Casillas, M.L. y Kaminski, H.J. (2005). Pathophysiology of myasthenia gravis. *Semin Neurol*, 24: 21-30.
- Hutsler, J. y Galuske, R.A.W. (2003). Hemispheric asymmetries in cerebral cortical networks. *Trends Neurosci*, 26(8): 429-435.
- Huttenlocher, P.R. (1979). Synaptic density in human frontal cortex. Developmental changes and effects of aging. *Brain Res*, 163: 195-205.
- Huttenlocher, P.R., De Courten, C., Garey, L.J. y Van Der Loos, H. (1983). Synaptic development in human cerebral cortex. *Int J Neurol*, 16-17: 144-154.
- Ito, M. (2000). Mechanisms of motor learning in the cerebellum. *Brain Res*, 886(1-2): 237-245.
- Jackson, W.J. (2001). Choice of animal subjects in behavioral analysis. En J.J. Buccafusco (Ed.) *Methods of behavior analysis in neuroscience*. New York, CRC press.
- Jacobson, J.L. y Jacobson, S.W. (1996). Intellectual impairment in children exposed to polychlorinated biphenyls in utero. *N Engl J Med*, 335: 783.

- Jauk, E., Benedek, M., Dunst, B. y Neubauer, A.C. (2013). The relationship between intelligence and creativity: New support for the threshold hypothesis by means of empirical breakpoint detection. *Intelligence*, 41: 212-221.
- Jensen, A.R. (1969). How much can we boost IQ and scholastic achievement? *Harv Educ Rev*, 39(1): 1-123.
- Jerison, H.J (1973). *The evolution of the brain and intelligence*. New York, Academic Press.
- Jessell, T. y Kandel, E.R. (1998). Introduction: One decade of Neuron, six decades of Neuroscience. *Neuron*. 20: 367-369.
- Jessell, T.M. y Sanes, J.R. (2000). Development. The decade of the developing brain. *Curr Opin Neurobiol*, 10: 599-611.
- Johnson, W., Bouchard, T.J., Krueger, R.F., McGue, M. y Gottesman, I.I. (2004). Just one g: consistent results from three test batteries. *Intelligence*, 32: 95-107.
- Johnstone, B., Holland, D. y Larimore, C. (2000). Language and academic abilities. En G. Groth-Marnat (Ed.), *Neuropsychological assessment in clinical practice: A guide to test interpretation and integration*. New York: John Wiley & Sons, Inc. Pp. 335-354.
- Joly, O., Pallier, C., Ramus, F., Pressnitzer, D., Vanduffel, W. y Orban, G.A. (2012). Processing of vocalizations in humans and monkeys: A comparative fMRI study. *Neuroimage*, 62(3): 1376-1389.
- Jongmans, M.J, Smits-Engelsman, B.C. y Schoemaker, M.M. (2003). Consequences of comorbidity of developmental coordination disorders and learning disabilities for severity and pattern of perceptual-motor dysfunction. *J Learn Disabil*, 36: 528-537.
- Jordan, G., Deeb, S.S., Bosten, J.M. y Mollon, J.D. (2010). The dimensionality of color vision in carriers of anomalous trichromacy. *J Vision*, 10(8): 1-19.
- Jung, R.E. y Haier, R.J. (2007). The Parieto-Frontal Integration Theory (P-FIT) of intelligence: converging neuroimaging evidence. *Behav Brain Sci*, 30: 135-154.
- Junqué, C. y Barroso, J. (2009). *Manual de Neuropsicología*. Madrid, Síntesis.
- Kaas, J.H. y Stepniewska, I. (2002). Motor Cortex. En Ramachandran, V.S. (Ed.). *Encyclopedia of the human brain*. San Diego, Academic Press.
- Kadohisa, M., Rolls, E.T. y Verhagen, J.V. (2004). Orbitofrontal cortex: neuronal representation of oral temperature and capsaicin in addition to taste and texture. *Neuroscience*, 127: 207-221.
- Kalivas, P.W., Churchill, L. y Romanides, A. (1999). Involvement of the pallidum-thalamocortical circuit in adaptive behavior. *Ann NY Acad Sci*, 877: 64-70.
- Kanda, M., Nagamine, T., Ikeda, A., Ohara, S., Kunieda, T., Fujiwara, N.,... Shibasaki, H. (2000). Primary somatosensory cortex is actively involved in pain processing in human. *Brain Res*, 853: 282-289.
- Kandel, E. (2001). The molecular biology of memory storage: a dialogue between genes and synapses. *Science*, 294: 1030-1038.
- Kandel, E., Kriegstein, A. y Schacher, S. (1980). Development of the central nervous system of *Aplysia* in terms of the differentiation of its specific identifiable cells. *Neuroscience*, 5(12): 2033-2063.
- Karpinski, A.C., Scullin, M.H. y Montgomery-Downs, H.E. (2008). Risk for sleep-disordered breathing and executive function in preschoolers. *Sleep Med*, 9: 418-424.

- Kasselimis, D., Potagas, C., Kurtidou, E. y Evdokimidis, I. (2012) Classification of the Aphasias: Maybe it's time for a change. *Procedia, Soc Behav Sci*, 61: 161-162.
- Kato, R., Takaura, K., Ikeda, T., Yoshida, M. e Isa, T. (2011). Contribution of the retinotectal pathway to visually guided saccades after lesion of the primary visual cortex in monkeys. *Eur J Neurosci*, 33: 1952-1960.
- Kay, L.M., Crk, T. y Thorngate, J.A. (2005). A redefinition of odor mixture quality. *Behav Neurosci*, 119: 726-733.
- Killgore, W. D. S. (2010). Effects of sleep deprivation on cognition. *Progr Brain Res*, 185: 105-129.
- Kimura, D. (1961): Cerebral dominance and the perception of verbal stimuli. *Can J Psychol*, 15(3): 166-171.
- Kimura, D. (1967): Functional asymmetry of the brain in dichotic listening. *Cortex*, 3(2): 163-178.
- Kinga, B.R., Pangelinana, M.M., Kagererc, F.A. y Clark, J.E. (2010). Improvements in proprioceptive functioning influence multisensory-motor integration in 7- to 13-year-old children. *Neurosci Lett*, 483: 36-40.
- Klausberger, T. y Somogyi, P. (2008). Neuronal diversity and temporal dynamics: the unity of hippocampal circuit operations. *Science*, 321: 53-57.
- Knudsen, E.I. (2007). Fundamental components of attention. *Annu Rev Neurosci*, 30: 57-78.
- Koelsch, S. y Siebel, W.A. (2005). Towards a neural basis of music perception. *Trends Cogn Sci*, 9(12): 578-584.
- Kolb, B. y Wishaw, I.Q. (2009). *Fundamentals of Human Neuropsychology 6th Ed.* New York, Worth Publishers.
- Kolb, B. y Wishaw, I.Q. (2002). *Cerebro y conducta. Una introducción.* Madrid, McGraw-Hill.
- Konczaka, J. y Timmann, D. (2007) The effect of damage to the cerebellum on sensorimotor and cognitive function in children and adolescents. *Neurosci Biobehav Rev*, 31: 1101-1113.
- Kopelman, M.D., Ng, N. y Van Den Brouke, O. (1997). Confabulation extending across episodic, personal and general semantic memory. *Cogn Neuropsychol*, 14: 683-712.
- Kraus, N. y Chandrasekaran, B. (2010). Music training for the development of auditory skills. *Nat Rev Neurosci*, 11: 599-605.
- Kraus, N., Skoe, E., Parbery-Clark, A. & Ashley, R. (2009). Experience-induced malleability in neural encoding of pitch, timbre, and timing. *Ann NY Acad Sci*, 1169: 543-557.
- Kuhl, P.K. (2000). A new view of language acquisition. *Proc Natl Acad Sci USA*, 97: 11850-11857.
- Kumano, H. y Uka, T. (2013). Neuronal mechanisms of visual perceptual learning. *Behav Brain Res*, 249: 75- 80.
- Kushnir, T., Arzouan, Y., Karni, A. y Manor, D. (2013). Brain activation associated with practiced left hand mirror writing. *Brain Lang*, 125: 38-46.
- Kuypers, H.G.J.M. (1981). Anatomy of the descending pathways. En Brookhart, J.M. y Mountcastle, V.B. (eds.) *Handbook of Physiology-The Nervous System II*. Bethesda, MD: Am Physiol Soc. Pp. 597-666.
- LaBar, K.S. y Cabeza, R. (2006). Cognitive neuroscience of emotional memory. *Nat Rev Neurosci*, 7: 54-64.

Bibliografía

- Lai, C.S.L., Fisher, S.E., Hurst, J.A., Vargha-Khadem, F. y Monaco, A.P. (2001). A fork-head-domain gene is mutated in a severe speech and language disorder. *Nature*, 413(6855), 519-523.
- Landing, B.H., Shankle, W.R., Hara, J., Brannock, J. y Fallon, J.H. (2002). The development of structure and function in the postnatal human cerebral cortex from birth to 72 months: changes in thickness of layers II and III co-relate to the onset of new age-specific behaviors. *Pediatr Pathol Mol Med*, 21: 321-342.
- Lane, R.D. y Nadel, L. (2000). *Cognitive neuroscience of emotion*. Oxford, Oxford University Press.
- Lau, H.C., Rogers, R.D., Haggard, P., Passingham, R.E. (2004). Attention to intention. *Science*, 303: 1208-1210.
- Lavond, D.G. y Steinmetz, J.E. (1989). Acquisition of classical conditioning without cerebellar cortex. *Behav Brain Res*, 33(2): 113-164.
- Lazarini, F. y Lledo, P.M. (2011). Is adult neurogenesis essential for olfaction? *Trends Neurosci*, 34(1): 20-30.
- Leahey, T.H. (2004). *Historia de la Psicología: Principales corrientes del pensamiento psicológico*. Madrid, Prentice Hall.
- LeDoux, J. (1999). *El cerebro emocional* (Edición original de 1996). Barcelona, Planeta.
- LeDoux, J. (2000). Emotion circuits in the brain. *Annu Rev Neurosci*, 23: 155-184.
- LeDoux, J. (2003). The emotional brain, fear, and the amygdala. *Cell Mol Neurobiol*, 23(4-5): 727-738.
- Lee, K.H., Choi, Y.Y., Gray, J.R., Cho, S.H., Chae, J.H., Lee, S. y Kim, K. (2006). Neural correlates of superior intelligence: Stronger recruitment of posterior parietal cortex. *Neuroimage*, 29: 578-586.
- Lemon, R.N. (2008). Descending pathways in motor control. *Annu Rev Neurosci*, 31: 195-218.
- Leppänen, J.M. y Nelson, C.A. (2009). Tuning the developing brain to social signals of emotions. *Nat Rev Neurosci*, 10: 37-47.
- Levine, B., Black, S.E., Cabeza, R., Sinden, M., Mcintosh, A.R., Toth, J.P.,..., Stuss, D.T. (1998). Episodic memory and the self in a case of isolated retrograde amnesia. *Brain*, 121(10): 1951-1973.
- Levitt, P. (2003). Structural and functional maturation of the developing primate brain. *J Pediatr*, 143: S35-S45.
- Lezak, M.D. (1982). The problem of assessing executive functions. *Int J Psychol*, 17: 281-297.
- Li, T.K. y Lumeng, L. (1984). Alcohol preference and voluntary alcohol intakes of inbred rat strains and the National Institutes of Health heterogeneous stock of rats. *Alcohol: Clin Exp Res*, 8(5): 485-486.
- Liang, H. y Wang, H. (2003). Top-down anticipatory control in prefrontal cortex. *Theory Biosci*, 122(1): 70-86
- Liberman, A.M. y Mattingly, I.G. (1985). The motor theory of speech perception revised. *Cognition*, 21(1): 1-36.
- Lipschutz, B., Kolinsky, R., Damhaut, P., Wikler, D., Goldman, S., 2002. Attention-dependent changes of activation and connectivity in dichotic listening. *Neuroimage* 17, 643-656.

- Liu, C. y Chambers, W. (1958). Intraspinal sprouting of dorsal root axons: development of new collaterals and preterminals following partial denervation of the spinal cord in the cat. *AMA Arch Neuropsych*, 79(1): 46-61.
- Livingstone, M.S., Rosen, G.D., Drislane, F.W. y Galaburda, A.M. (1991). Physiological and anatomical evidence for a magnocellular defect in developmental dyslexia. *Proc Natl Acad Sci USA*, 88: 7943-7947.
- Ljungberg, T., Apicella, P. y Schultz, W. (1992). Responses of monkey dopamine neurons during learning of behavioral reactions. *J Neurophysiol*, 67: 145-163.
- Logue, S.F. y Gould, T.J. (2013). The neural and genetic basis of executive function: Attention, cognitive flexibility, and response inhibition. *Pharmacol Biochem Behav*, <http://dx.doi.org/10.1016/j.pbb.2013.08.007>
- Longo, M.R., Azañón, E. y Haggard, P. (2010). More than skin deep: Body representation beyond primary somatosensory cortex. *Neuropsychologia*, 48: 655-668.
- López Piñero, J.M. (2006). *Santiago Ramón y Cajal*. Valencia, Universitat de Valencia.
- López-Escribano, C. (2012). Escritura. En F. Cuetos (coord.). *Neurociencia del Lenguaje. Bases neurológicas e implicaciones clínicas*. Madrid, Médica Panamericana. Pp. 153-169.
- López-Muñoz, F., Boya, J. y Álamo, C. (2006). Neuron theory, the cornerstone of neuroscience, on the centenary of the Nobel Prize award to Santiago Ramon y Cajal. *Brain Res Bull*, 70: 391-405.
- Loughead, J., Gur, R.C., Elliott, M. y Gur, R.E. (2008). Neural circuitry for accurate identification of facial emotions. *Brain Res*, 1194: 37-44.
- Lovegrove, W.J., Bowling, A., Badcock, D. y Blackwood, M. (1980). Specific reading disability: Differences in contrast sensitivity as a function of spatial frequency. *Science*, 210: 439-440.
- Lubin FD (2011) Epigenetic gene regulation in the adult mammalian brain: multiple roles in memory formation. *Neurobiol Learn Mem*, 96(1): 68-78.
- Lubrano, V., Roux, F.E. y Demonet, J.F. (2004). Writing-specific sites in frontal areas: A cortical stimulation study. *J Neurosurg*, 101: 787-798.
- Luyendijk, W. y Treffers, P. D. (1992). The smile in anencephalic infants. *Clin Neurol Neurosurg*, 94(Suppl): S113-S117.
- Lyon, G.R., Shaywitz, S.E. y Shaywitz, B.A. (2003): A definition of dyslexia. *Ann Dyslexia*, 53: 1-14.
- Macaluso, E. y Maravita, A. (2010). The representation of space near the body through touch and vision. *Neuropsychologia*, 48: 782-795.
- Macchi, M.M. y Bruce, J.N. (2004). Human pineal physiology and functional significance of melatonin. *Front Neuroendocrinol*, 25(3-4): 177-195.
- Magne, C., Schon, D. y Besson, M. (2006). Musician children detect pitch violations in both music and language better than nonmusician children: behavioral and electrophysiological approaches. *J Cogn Neurosci*, 18: 199-211.
- Makinodan, M., Rosen, K.M., Ito, S. y Corfas, G. (2012). A critical period for social experience-dependent oligodendrocyte maturation and myelination. *Science*, 337: 1357-1360.
- Mancini, F., Longo, M.R., Iannetti, G.D. y Haggard, P. (2011). A supramodal representation of the body surface. *Neuropsychologia*, 49: 1194-1201.

- Manning, L. y Thomas-Anterion, C. (2011) Marc Dax and the discovery of the lateralisation of language in the left cerebral hemisphere. *Rev Neurol (Paris)*, 167: 868-872.
- Maravita, A., Spence, C. y Driver, J. (2003). Multisensory integration and the body schema: close to hand and within reach. *Curr Biol*, 13: R531-R539.
- Marder, E. y Bucher, D. (2001). Central pattern generators and the control of rhythmic movements. *Curr Biol*, 11(23): R986-R996.
- Maren, S. (1999) Long-term potentiation in the amygdala: a mechanism for emotional learning and memory. *Trends Neurosci*, 22: 561-567.
- Marín, O. (2012). Interneuron dysfunction in psychiatric disorders. *Nat Rev Neurosci*, 13(2):107-120.
- Marina, J.A. (2012). *La inteligencia ejecutiva*. Barcelona, Ariel.
- Marino, L. (1998). A comparison of encephalization between odontocete cetaceans and anthropoid primates. *Brain Behav Evol*, 51: 230-238.
- Markopoulos, F., Rokni, D., Gire, D.H. y Murthy, V.N. (2012). Functional properties of cortical feedback projections to the olfactory bulb. *Neuron*, 76(6): 1175-1188.
- Markowitsch, H.J., Calabrese, P., Würker, M., Durwen, H.F., Kessler, J., Babinsky, R., ..., Gehlen, W. (1994). The amygdala's contribution to memory. A study on two patients with Urbach-Wiethe disease. *Neuroreport*, 5(11): 1349-1352.
- Markram, H., Toledo-Rodríguez, M., Wang, Y., Gupta, A., Silberberg, G. y Wu, C. (2004). Interneurons of the neocortical inhibitory system. *Nature Rev Neurosci*, 5: 793-807.
- Marr, D. (1969). A theory of cerebellar cortex. *J Physiol (Lond)*, 202: 437-470.
- Marshall, L. y Born, J. (2007). The contribution of sleep to hippocampus-dependent memory consolidation. *Trends Cogn Sci*, 11: 442-450.
- Marshall, R.S., Lazar, R.M. y Mohr, J.P. (1998). Aphasia. *Medical Update for Psychiatrists*, 3(5): 132-138.
- Martín Lobo, P. (2004). *Niños inteligentes. Guía para desarrollar sus talentos y altas capacidades*. Madrid, Ediciones Palabra.
- Martín-Loeches, M. (2001). *¿Qué es la actividad cerebral?* Madrid, Biblioteca Nueva.
- Martín-Loeches, M. (2012). Sintaxis. En F. Cuetos (coord.). *Neurociencia del Lenguaje. Bases neurológicas e implicaciones clínicas*. Madrid, Médica Panamericana. Pp. 77-91.
- Martínez Sanchís, S. (2007). *Hormonas, estado de ánimo y función cognitiva*. Madrid, Delta Publicaciones.
- Martinez-Conde, S., Otero-Millan, J. y Macknik, S.L. (2013). The impact of microsaccades on vision: towards a unified theory of saccadic function. *Nat Rev Neurosci*, 14: 83-96.
- Matsuzaka, Y., Aizawa, H. y Tanji, J. (1992). A motor area rostral to the supplementary motor area (presupplementary motor area) in the monkey: neuronal activity during a learned motor task. *J Neurophysiol*, 68: 653-662.
- Maviel, T., Durkin, T.P., Menzaghi, F. y Bontempi, B. (2004). Sites of neocortical reorganization critical for remote spatial memory. *Science*, 305: 96-99.
- May, B.J. (2000) Role of the dorsal cochlear nucleus in the sound localization behavior of cats. *Hear Res*, 148: 74-87.
- Mayberg, H.S., Liotti, M., Brannan, S.K., Mcginnis, S., Mahurin, R.K., Jerabek, P.A., ..., Fox, P.T. (1999). Reciprocal limbic-cortical function and negative mood: converging PET findings in depression and normal sadness. *Am J Psychiatry*, 156: 675-682.

- Mayer, J.D. y Salovey, P. (1997). "What is emotional intelligence?" En P. Salovey y D. Sluyter (Eds). *Emotional development and emotional intelligence: Implications for educators*. New York: Basic Books. Pp. 3-31.
- McCandliss, B.D., Cohen, L. y Dehaene, S. (2003). The visual word form area: expertise for reading in the fusiform gyrus. *Trends Cogn Sci*, 7: 293-299.
- McCarthy, R.A., Kopelman, M.D. y Warrington, E.K. (2005). Remembering and forgetting of semantic knowledge in amnesia: a 16-year follow-up investigation of RFR. *Neuropsychologia*, 43(3): 356-372.
- McClelland, J.L., McNaughton, B.L. y O'Reilly, R.C. (1995). Why there are complementary learning systems in the hippocampus and neocortex: Insights from the successes and failures of connectionist models of learning and memory. *Psychol Rev*, 102, 419-457.
- McCormick, C.M. y I.Z. Mathews, I.Z. (2010). Adolescent development, hypothalamic-pituitary-adrenal function, and programming of adult learning and memory. *Prog Neuropsychopharmacol Biol Psychiatry*, 34(5): 756-765.
- McCoy, J.G. y Strecker, R.E. (2011). The cognitive cost of sleep lost. *Neurobiol Learn Mem*, 96(4): 564-582.
- McEwen, B.S. (1999). Neuroendocrinology. En Wilson, R.A. y Keil, F.C. (eds.) *The MIT Encyclopedia of the Cognitive Sciences*. Cambridge, Massachusetts, The MIT Press. Pp. 601-602.
- Medina, J.F., Nores, W.L., Ohyama, T. y Mauk, M.D. (2000). Mechanisms of cerebellar learning suggested by eyelid conditioning. *Curr Opin Neurobiol*, 10(6): 717-724.
- Melega, W.P., Lacan, G., Gorgulho, A.A., Behnke, E.J., De Salles, A.A.F. (2012). Hypothalamic deep brain stimulation reduces weight gain in an obesity-animal model. *PLoS ONE* 7(1):e30672.doi:10.1371/J.pone.0030672
- Meltzoff, A. N. (2007). The 'like me' framework for recognizing and becoming an intentional agent. *Acta Psychol*, 124: 26-43.
- Melzack, R. y Wall, P.D. (1965). Pain mechanisms: A new theory. *Science*, 150(3699): 971-979.
- Mesulam, M.M. (1990). Large-scale neurocognitive networks and distributed processing for attention, language, and memory. *Ann Neurol*, 28(5): 597-613.
- Meyer, M., Baumann, S., Wildgruber, D. y Alter, K. (2007). How the brain laughs. Comparative evidence from behavioral, electrophysiological and neuroimaging studies in human and monkey. *Behav Brain Res*, 182: 245-260.
- Middlebrooks, J.C. y Green, D.M. (1991). Sound localization by human listeners. *Annu Rev Psychol*, 42: 135-159.
- Middleton, F.A. y Strick, P.L. (2001). Cerebellar projections to the prefrontal cortex of the primate. *J Neurosci*, 15: 700-712.
- Miller, E.K. (2000). The prefrontal cortex and cognitive control. *Nat Rev Neurosci*, 1: 59-65.
- Miller, K.J., den Nijs, M., Shenoy, P., Miller, J.W., Rao, R.P.N. y Ojemann, J.G. (2007). Real-time functional brain mapping using electrocorticography. *Neuroimage*, 37: 504-507.
- Milner, P.M. (1986). Donald Olding Hebb (1904-1985). *Trends Neurosci*, 9: 347-351.
- Ming, G. y Song, H. (2011). Adult neurogenesis in the mammalian brain: significant answers and significant questions. *Neuron*, 70: 687-702.

- Mistlberger, R.E. (2005). Circadian regulation of sleep in mammals: Role of the suprachiasmatic nucleus. *Brain Res Rev*, 49: 429-454.
- Mitchell, R.B. y Kelly, J. (2006). Behavior, neurocognition and quality-of-life in children with sleep-disordered breathing. *Int J Pediatr Otorhinolaryngol*, 70(3): 395-406.
- Miyake, A., Friedman, N.P., Emerson, M.J., Witzki, A.H., Howerter, A. y Wager, T.D. (2000). The unity and diversity of executive functions and their contributions to complex “frontal lobe” tasks: A latent variable analysis. *Cogn Psychol*, 41: 49-100.
- Miyamoto, T., Fujiyama, R., Okada, Y. y Sato, T. (2000). Acid and salt responses in mouse taste cells. *Prog Neurobiol*, 62 (2): 135-157.
- Miyashita, Y. (2004). Cognitive memory: cellular and network machineries and their top-down control. *Science*, 306: 435-440.
- Mobbs, D., Greicius, M.D., Abdel-Azim, E., Menon, V. y Reiss, A.L. (2003). Humour modulates the mesolimbic reward centers. *Neuron*, 40: 1041-1048.
- Momennejad, I. y Haynes, J.D. (2012). Human anterior prefrontal cortex encodes the ‘what’ and ‘when’ of future intentions. *Neuroimage*, 61(1): 139-148.
- Monti, J.M. (2010). The role of dorsal raphe nucleus serotonergic and non-serotonergic neurons, and of their receptors, in regulating waking and rapid eye movement (REM) sleep. *Sleep Med Rev*, 14: 319-327.
- Moore, D.R., Hartley, D.E. y Hogan, S.C (2003). Effects of otitis media with effusion (OME) on central auditory function. *Int J Pediatr Otorhinolaryngol*, 67(Sup 1): S63-S67.
- Morgado, I. (2005). Psicobiología del aprendizaje y la memoria: fundamentos y avances recientes. *Rev Neurol*, 40(5): 289-297.
- Morin, O. y Grèzes, J. (2008). What is “mirror” in the premotor cortex? A review. *Neurophysiol Clin*, 38: 189-195.
- Morosan, P., Rademacher, J., Schleicher, A., Amunts, K., Schormann, T. y Zilles, K., 2001. Human primary auditory cortex: Cytoarchitectonic subdivisions and mapping into a spatial reference system. *Neuroimage*, 13: 684-701.
- Morris, R.G.M. (1984). Development of a water-maze procedure for studying spatial learning in the rat. *J Neurosci Methods*, 11: 47-60.
- Moruzzi, G. y Magoun, H.W. (1949). Brain stem reticular formation and activation of the EEG. *Electroencephalog Clin Neurophysiol*, 1(1-4), 455-473.
- Mulders, W.H., Robertson, D. (2000). Evidence for direct cortical innervation of medial olivocochlear neurones in rats. *Hear Res*, 144: 65-72.
- Munar, E., Roselló, J., Maiche, A., Travieso, D. y Nadal, M. (2008). Modelos teóricos y neurociencia cognitiva de la percepción. En Tirapu, J., Rios, M. y Maestú, F (Eds.). *Manual de Neuropsicología*. Barcelona, Viguera Editores. Pp. 59-95.
- Murphy, F.C., Nimmo-Smith, I. y Lawrence, A.D. (2003). Functional neuroanatomy of emotions: a meta-analysis. *Cogn Affect Behav Neurosci*, 3: 207-233.
- Nagy, Z., Westerberg, H. y Klingberg, T. (2004). Maturation of white matter is associated with the development of cognitive functions during childhood. *J Cogn Neurosci*, 16: 1227-1233.
- Nakamura, K. Kuo, W.J., Pegado, F., Pegado, L., Tzeng, O.J.L. y Dehaene, S. (2012). Universal brain systems for recognizing word shapes and handwriting gestures during reading. *Proc Natl Acad Sci USA*, 109: 20762-20767.

- Nakata, T. y Trehub, S.E. (2004). Infants' responsiveness to maternal speech and singing. *Infant Behav Dev*, 27: 455-464.
- Narbona, J. y Crespo, N. (2002). Amnesias del desarrollo. *Rev Neurol*, 34(Supl 1): S110-S114.
- Narbona, J., Crespo-Eguílaz, N. y Magallón, S. (2011). Trastorno de aprendizaje procedimental. En Artigas-Pallarés, J. y Narbona, J. (Coords.) *Trastornos del neurodesarrollo*. Barcelona, Viguera.
- Nebel, K., Wiese, H., Stude, P., de Greiff, A., Diener, H.C. y Keidel, M. (2005). On the neural basis of focused and divided attention. *Cogn Brain Res*, 25(3): 760-776.
- Neggers, S.F.W., Van der Lubbe, R.H.J., Ramsey, N.F. y Postma, A. (2006). Interactions between ego- and allocentric neuronal representations of space. *Neuroimage*, 31: 320-331.
- Nelson, C.A. y Collins, P. (1992). Neural and behavioral correlates of recognition memory in 4 and 8 month old infants. *Brain Cognition*, 19: 105-121.
- Nelson, C.A. y Salapatek, P. (1986). Electrophysiological correlates of infant recognition memory. *Child Dev*, 57: 1483-1497.
- Nicholson, K.G., Baum, S., Kilgour, A., Koh, C.K., Munhall, K.G. y Cuddy, L.L. (2003). Impaired processing of prosodic and musical patterns after right hemisphere damage. *Brain Cognition*, 52(3): 382-389.
- Nicolson, R.I., Fawcett, A.J. y Dean, P. (2001). Developmental dyslexia: the cerebellar deficit hypothesis. *Trends Neurosci*, 24: 508-511.
- Norman, D.A. y Shallice, T. (1986). Attention to action: willed and automatic control of behavior. En Davidson, R.J., Schwartz, G.E. y Shapiro, D. (eds.) *Consciousness and self-regulation*. New York: Plenum Press. Pp. 1-18.
- O'Rourke, N.A., Dailey, M.E., Smith, S.J. y McConnell, S.K. (1992). Diverse migratory pathways in the developing cerebral cortex. *Science*, 258: 299-302.
- OECD. Organisation for Economic Co-operation and Development (2002) *Understanding the brain: Towards a new learning science*. Paris, OECD Publications.
- Ohayon, M.M. (2003). The effects of breathing-related sleep disorders on mood disturbances in the general population. *J Clin Psychiat*, 64: 1195-2000.
- Ohno, K. y Sakurai, T. (2008). Orexin neuronal circuitry: Role in the regulation of sleep and wakefulness. *Front Neuroendocrinol*, 29: 70-87.
- Olson, E.C. y Walsh, C.A. (2002). Smooth, rough and upside-down neocortical development. *Curr Opin Genet Dev*, 12: 320-327.
- Olton, D.S. y Samuelson, R.J. (1976). Remembrance of places passed: Spatial memory in rats. *J Exp Psychol Anim Behav Process*, 2: 97-116.
- Ors, M., Ryding, E., Lindgren, M., Gustafsson, P., Blennow, G. y Rosén, I. (2005). Spect findings in children with specific language impairment. *Cortex*, 41(3): 316-326.
- Oswald, A.M. y Urban, N. N. (2012). There and back again: The corticobulbar loop. *Neuron*, 76(6): 1045-1047.
- Owen, A.M. (1997). The functional organization of working memory processes within human lateral frontal cortex: The contribution of functional neuroimaging. *Eur J Neurosci*, 9: 1329-1339.
- Parent, P. y Hazrati, L.N. (1995). Functional anatomy of the basal ganglia. I. The cortico-basal ganglia-thalamo-cortical loop. *Brain Res Rev*, 20(1): 91-127.

- Pásaro, E. y Fernández, R.M. (2005). Genética de la conducta y el Proyecto Genoma Humano. En Morgado I (coord.), *Psicobiología: De los genes a la cognición y el comportamiento*. Barcelona, Ariel.
- Pascual-Leone, A. y Tormos-Muñoz, J.M. (2008). Estimulación magnética transcraneal: fundamentos y potencial de la modulación de redes neurales específicas. *Rev Neurol*, 46 (Supl 1): S3-S10.
- Patel, A. D. (2003). Language, music, syntax and the brain. *Nature Neurosci*, 6: 674-681.
- Patel, J.D. y Ebenezzer, I.S. (2008). The effect of intraperitoneal administration of leptin on short-term food intake in rats. *Eur J Pharmacol*, 580: 143-152.
- Paulson, H.L. y Paulson, G.W. (2003). Genetics of pediatric movement disorders. *Semin Pediatr Neurol*, 10(1): 88-95.
- Paus, T., Keshavan, M. y Giedd, J.N. (2008). Why do many psychiatric disorders emerge during adolescence? *Nat Rev Neurosci*, 9(12): 947-957.
- Paxinos, G. y Watson, C. (1998). *The rat brain in stereotaxic coordinates*. San Diego, Academic Press
- Penke, L., Maniega, S.M., Bastin, M.E., Valdes Hernandez, M.C., Murray, C., Royle, N.A., ..., Deary, I.J. (2012). Brain white matter tract integrity as a neural foundation for general intelligence. *Mol Psychiat*, 17(10): 1026-1030.
- Peretz, I. y Zatorre, R.J. (2005). Brain organization for music processing. *Annu Rev Psychol*, 56: 89-114.
- Petersen, S.E. y Posner, M.I. (2012). The attention system of the human brain: 20 years after. *Annu Rev Neurosci*, 35: 73-89.
- Petrides, M., Tomaiuolo, F., Yeterian, E.H. y Pandya, D.N. (2012). The prefrontal cortex: Comparative architectonic organization in the human and the macaque monkey brains. *Cortex*, 48: 46-57.
- Petrovich, G.D. (2013). Forebrain networks and the control of feeding by environmental learned cues. *Physiol Behav*, 121:10-18.
- Phan, K.L., Wager, T.D., Taylor, S.F. y Liberzon, I. (2004). Functional neuroimaging studies of human emotions. *CNS Spectr*, 9: 258-266.
- Philiastides, M.G., Aukstulewicz, R., Heekeren, H.R. y Blankenburg, F. (2011). Causal role of dorsolateral prefrontal cortex in human perceptual decision making. *Curr Biol*, 21(11): 980-983.
- Phillip, P. y Akerstedt, T. (2006). Transport and industrial safety: How are they affected by sleepiness and sleep restriction? *Sleep Med Rev*, 10: 347-356.
- Picard, N., Strick, P.L. (1996). Medial wall motor areas: a review of their location and functional activation. *Cereb Cortex*, 6: 342-353.
- Pinel, J.P.J. (2007). *Biopsicología*. Madrid, Pearson Educación.
- Pinker, S. (1994). *The language instinct*. London, Penguin Books.
- Planton, S., Jucla, M., Roux, F.E. y Demonet, J.F. (2013). The “handwriting brain”: A meta-analysis of neuroimaging studies of motor versus orthographic processes. *Cortex*, 49(10): 2772-2787.
- Poeppel, D. y Hickok, G. (2004). Towards a new functional anatomy of language. *Cognition*, 92(1-2): 1-12.
- Poremba, A. y Mishkin, M. (2007). Exploring the extent and function of higher-order auditory cortex in rhesus monkeys. *Hear Res*, 229(1-2): 14-23.

- Porkka-Heiskanen, T. y Kalinchuk, A.V. (2011). Adenosine, energy metabolism and sleep homeostasis. *Sleep Med Rev*, 15: 123-135.
- Pourtois, G., Rauss, K.S., Vuilleumier, P. y Schwartz, S. (2008). Effects of perceptual learning on primary visual cortex activity in humans. *Vision Res*, 48: 55-62.
- Price, C.J. (2012). A review and synthesis of the first 20 years of PET and fMRI studies of heard speech, spoken language and Reading. *Neuroimage*, 62: 816-847.
- Price, D.D. (2000). Psychological and neural mechanisms of the affective dimension of pain. *Science*, 288(5472): 1769-1772.
- Price, J. L. y Slotnick, B. M. (1983). Dual olfactory representation in the rat thalamus: an anatomical and electrophysiological study. *J Comp Neurol*, 215: 63-77.
- Proverbio, A.M., Manfredi, M., Zani, A. y Adorni, R. (2013). Musical expertise affects neural bases of letter recognition. *Neuropsychologia*, 51(3): 538-549.
- Rabbitt, P. (1997). Introduction: methodologies and models in the study of executive function. En Rabbitt, P. (Ed.) *Methodology of frontal and executive function*. Hove, East Sussex, UK, Psychology Press. Pp. 1-38.
- Rakic, P. (2003). Developmental and evolutionary adaptations of cortical radial glia. *Cereb Cortex*, 13: 541-549.
- Rakic, P. (2009). Evolution of the neocortex: a perspective from developmental biology. *Nat Rev Neurosci*, 10: 724-735.
- Ramachandran, V.R. (1998). The neurology and evolution of humor, laughter, and smiling: the false alarm theory. *Med Hypotheses*, 51: 351-354
- Ramnani, N. y Owen, A. M. (2004). Anterior prefrontal cortex: Insights into function from anatomy and neuroimaging. *Nat Rev*, 5: 184-194.
- Ramos Platón, M.J. (2005). El sueño a lo largo de la vida. En I. Morgado (coord.) *Psicobiología: De los genes a la cognición y el comportamiento*. Barcelona, Ariel. Pp. 79-99,
- Ramus, F., Rosen, S., Dakin, S., Day, B., Castellote, J, White, S. y Frith, U. (2003): Theories of developmental dyslexia: insights from a multiple case study of dyslexic adults. *Brain*, 126: 841-865.
- Raphael, Y. y Altschuler, R.A. (2003). Structure and innervation of the cochlea. *Brain Res Bull*, 60: 397-422
- Rayport, S.G. y Kandel, E.R. (1986). Development of plastic mechanisms related to learning at identified chemical synaptic connections in *Aplysia*. *Neuroscience*, 17(2): 283-294.
- Reimann, M. y Bechara, A. (2010). The somatic marker framework as a neurological theory of decision-making: Review, conceptual comparisons, and future neuroeconomics research. *J Econ Psychol*, 31: 767-776.
- Repacholi, B.M. (1998). Infant's use of attentional cues to identify the referent of another person's emotional expression. *Dev Psychol*, 34: 1017-1025.
- Reynolds, B. (2006). A review of delay-discounting research with humans: relations to drug use and gambling. *Behav Pharmacol*, 17(8): 651-667.
- Ribot, TH. (1881). *Las enfermedades de la memoria*. Traducción española de Ricardo Rubio. Madrid: Fernando Fé y Victoriano Suárez, 1899.
- Rice, D. (1996). Evidence for delayed neurotoxicity produced by methylmercury. *Neurotoxicology*, 17: 583-596.

Bibliografía

- Rice, D. y Barone, S. (2000). Critical periods of vulnerability for the developing nervous system: evidence from humans and animal models. *Environ Health Perspec*, 108(3): 511-533.
- Riek, S., Hinder, M.R. y Carson, R.G. (2012). Primary motor cortex involvement in initial learning during visuomotor adaptation. *Neuropsychologia*, 50(10): 2515-2523.
- Rigau-Ratera, E., García-Nonell, C. y Artigas-Pallarés, J. (2004). Características del trastorno de aprendizaje no verbal. *Rev Neurol*, 38(Supl 1): S33-S38.
- Rizzolatti, G. y Arbib, M.A. (1998). Language within our grasp. *Trends Neurosci*, 21(5): 188-194.
- Rizzolatti, G. y Craighero, L. (2004). The mirror-neuron system. *Annu Rev Neurosci*, 27: 169-192.
- Rizzolatti, G., Fadiga, L., Gallese, V. y Fogassi, L. (1996). Premotor cortex and the recognition of motor actions. *Cognit Brain Res*, 3: 131-141.
- Roca, M., Torralva, T., Gleichgerrcht, E., Woolgar, A., Thompson, R., Duncan, J. y Manes, F. (2011). The role of Area 10 (BA10) in human multitasking and in social cognition: A lesion study. *Neuropsychologia*, 49: 3525- 3531.
- Rochat, P. (2010). The innate sense of the body develops to become a public affair by 2-3 years. *Neuropsychologia*, 48: 738-745.
- Rockland, K.S. y Ojima, H. (2003) Multisensory convergence in calcarine visual areas in macaque monkey. *Int J Psychophysiol*, 50(1-2): 19-26.
- Rodrigo, A.H., Domenico, S.I., Ayaz, H., Gulrajani, S., Lam, J. y Ruocco, A.C. (2014). Differentiating functions of the lateral and medial prefrontal cortex in motor response inhibition. *Neuroimage*, 85: 423-431.
- Roediger, H.L. y McDermott, K.B. (1995). Creating false memories: Remembering words not presented in lists. *J Exp Psychol: Learn Mem Cogn*, 21: 803-814.
- Rolls, E.T. (1990). A theory of emotion, and its application to understanding the neural basis of emotion. *Cognit Emotion*, 4: 161-190.
- Rolls, E.T. (2006). Brain mechanisms of emotion and decision-making. *Int Congr Ser*, 1291: 3-13
- Rolls, E.T., Kringelbach, M.L. y de Araujo, I.E. (2003). Different representations of pleasant and unpleasant odours in the human brain. *Eur J Neurosci*, 18: 695-703.
- Román, F. y Sánchez-Navarro, J.P. (2008). Neuropsicología de la emoción. En J. Tirapu, M. Ríos y F. Maestú (eds). *Manual de Neuropsicología*. Barcelona, Viguera. Pp. 285-303.
- Rosen, C.L., Palermo, T.M., Larkin, E.K. y Redline, S. (2002) Health-related quality of life and sleep-disordered breathing in children. *Sleep*, 25: 657-666.
- Rosenbaum, P., Paneth, N., Leviton, A., Goldstein, M. y Bax, M. (2007). A report: the definition and classification of cerebral palsy April 2006. *Dev Med Child Neurol*, 49: 8-14.
- Rosenbaum, R.S., Priselac, S., Köhler, S., Black, S.E., Gao, F., Nadel, L. y Moscovitch, M. (2000). Remote spatial memory in an amnesic person with extensive bilateral hippocampal lesions. *Nat Neurosci*, 3(10):1044-1048.
- Rosenzweig, M.R. (1964). Experience, memory and the brain. *Am Psychol*, 39: 365-376.
- Rosenzweig, M.R. y Bennett, E.L. (1977). Effects of environmental enrichment or impoverishment on learning and on brain values in rodents. En A. Oliveno (Ed.) *Genetics, environment, and intelligence*. Amsterdam, Elsevier.

- Roux, F.E., Dufor, O., Giussani, C., Wamain, Y., Draper, L. y Longcamp, M. y Demonet, J.F. (2009). The graphemic motor frontal area: Exner's area revisited. *Ann Neurol*, 66: 537-545.
- Rowe, M.J., Turman, A.B., Murray, G.M. y Zhang, H.Q. (1996). Parallel organization of somatosensory cortical areas I and II for tactile processing. *Clin Exp Pharmacol Physiol*, 23(10-11): 931-938.
- Rufo-Campos, M. (2006). La neuropsicología: historia, conceptos básicos y aplicaciones. *Rev Neurol*, 43 (Supl 1): S57-S58.
- Rushworth, M.F.S., Johansen-Berg, H., Gobel, S.M. y Devlin, J.T. (2003). The left parietal and premotor cortices: motor attention and selection. *Neuroimage*, 20: S89-S100.
- Ryan, B.C. y Vandenberg, J.G. (2006). Developmental exposure to environmental estrogens alters anxiety and spatial memory in female mice. *Horm Behav*, 50 (1): 85-93.
- Sakurai, T. (2005). Roles of orexin/hypocretin in regulation of sleep/wakefulness and energy homeostasis. *Sleep Med Rev*, 9: 231-241.
- Salovey, P. y Mayer, J.D. (1990). Emotional intelligence. *Imagin Cogn Pers*, 9: 185-211.
- Sammler, D., Koelsch, S. y Friederici, A.D. (2011). Are left fronto-temporal brain areas a prerequisite for normal music-syntactic processing? *Cortex*, 47(6): 659-673.
- Sandrini, M., Censor, N., Mishoe, J. y Cohen, L.G. (2013). Causal role of prefrontal cortex in strengthening of episodic memories through reconsolidation. *Curr Biol*, 23(21): 2181-2184.
- Sanhueza, C.; García-Moreno, L.M. y Expósito, F.J. (2011). Weekend alcoholism in youth and neurocognitive aging. *Psicothema*, 23(2): 209-214.
- Saper, C.B., Scammell, T.E y Lu, J. (2005). Hypothalamic regulation of sleep and circadian rhythms. *Nature*, 437: 1257-1263.
- Sapolsky, R.M., Romero, L.M. y Munck, A.U. (2000). How do glucocorticoids influence stress responses? Integrating permissive, suppressive, stimulatory, and preparative actions. *Endocr Rev*, 21: 55-89.
- Savater, F. (1998). *El valor de educar*. Barcelona, Ariel.
- Schacter, D.L. (2007). *Los siete pecados de la memoria*. Barcelona, Ariel
- Schantz, S.L. y Widholm, J.J. (2001). Cognitive effects of endocrine-disrupting chemicals in animals. *Environ Health Perspect*, 109 (12): 1197-1206.
- Schirmer, A., Fox, P.M. y Grandjean, D. (2012). On the spatial organization of sound processing in the human temporal lobe: A meta-analysis. *Neuroimage*, 63(1): 137-147.
- Schlaggar, B.L. y McCandliss, B.D. (2007). Development of neural systems for reading. *Annu Rev Neurosci*, 30: 475-503.
- Schmidt, F.L. y Hunter, J.E. (1998). The validity and utility of selection methods in personnel psychology: practical and theoretical implications of 85 years of research findings. *Psychol Bull*, 124: 262-274.
- Schofield, B.R. y Coomes, D.L. (2005). Auditory cortical projections to the cochlear nucleus in guinea pigs. *Hear Res*, 199: 89-102.
- Schön, D., Boyer, M., Moreno, S., Besson, M., Peretz, I., Kolinsky, R. (2008). Songs as an aid for language acquisition. *Cognition*, 106(2): 975-983.
- Schweckendiek, J., Klucken, T., Merz, C.J., Tabbert, K., Walter, B., Ambach, W.,..., Stark, R. (2011). Weaving the (neuronal) web: Fear learning in spider phobia. *Neuroimage*, 54: 681-688.

- Scott, K. (2004). The sweet and the bitter of mammalian taste. *Curr Opin Neurobiol*, 14(4): 423-427.
- Scott, K. (2005). Taste recognition: food for thought. *Neuron*, 48(3): 455-464.
- Scoville, W.B. y Milner, B. (1957). Loss of recent memory after bilateral hippocampal lesions. *J Neurol Neurosurg Psychiatry*, 20: 11-21.
- Seamans, J.K. y Yang, C.R. (2004) The principal features and mechanisms of dopamine modulation in the prefrontal cortex. *Prog. Neurobiol*, 74, 1-58.
- Seger, C.A. y Cincotta, C.M. (2005). The roles of the caudate nucleus in human classification learning. *J Neurosci*, 25: 2941-2951.
- Seidenberg, M., Giordani, B., Berent, S. y Boll, T. (1983). IQ level and performance of the Halstead-Reitan Neuropsychological Test battery for older children. *J Consul Clin Psychol*, 51(3): 406-413.
- Sela, L., Sacher, Y., Serfaty, C., Yeshurun, Y., Soroker, N. y Sobel, N. (2009). Spared and impaired olfactory abilities after thalamic lesions. *J Neurosci*, 29: 12059-12069.
- Sewards, T.V. (2004). Dual separate pathways for sensory and hedonic aspects of taste. *Brain Res Bull*, 62: 271-283.
- Shamma, S., 2001. On the role of space and time in auditory processing. *Trends Cogn Sci*, 5: 340-348.
- Sharda, M. y Singh, N.C. (2012). Auditory perception of natural sound categories. An fMRI study. *Neuroscience*, 214: 49-58.
- Shaywitz, B.A., Shaywitz, S.E., Pugh, K.R., Mencl, W.E., Fulbright, R.K., Skudlarski, P.,..., Gore, J.C. (2002). Disruption of posterior brain systems for reading in children with developmental dyslexia. *Biol Psychiatry*, 52: 101-110.
- Shaywitz, S.E. y Shaywitz, B.A. (2005). Dyslexia (Specific Reading Disability). *Biol Psychiatry*, 57: 1301-1309.
- Shepherd, G.M. y Erulkar, D. (1997). Centenary of the synapse: from Sherrington to the molecular biology of the synapse and beyond. *Trends Neurosci*, 20: 385-392.
- Sherman, S. M. y Guillery R.W. (2002). The role of the thalamus in the flow of information to the cortex. *Phil Trans R Soc Lon B*, 357: 1695-1708.
- Shibasaki, H. (2012). Cortical activities associated with voluntary movements and involuntary movements. *Clin Neurophysiol*, 123: 229-243.
- Shimamura, A.P., Gershberg, F.B., Jurica, P.J., Mangels, J.A. y Knight, R.T. (1992). Intact implicit memory in patients with frontal lobe lesions. *Neuropsychologia*, 30(10): 931-937.
- Sidman, M. (1991). Foreword. En I.H. Iversen y K.A. Lattal (Eds.) *Experimental Analysis of Behavior*. Vol 1. Amsterdam, Elsevier. Pp. XI-XIV.
- Silani, G., Bird, G., Brindley, R., Singer, T., Frith, C. y Frith, U. (2008). Levels of emotional awareness and autism: an fMRI study. *Soc Neurosci*, 3: 97-112.
- Sisk, C.L. y Zehr, J.L. (2005). Pubertal hormones organize the adolescent brain and behavior. *Front Neuroendocrinol*, 26:163-174.
- Skinner, B.F. (1938) *The Behavior of Organisms. An experimental analysis*. New York, Appleton-Century-Crofts.
- Small, D.M., Voss, J., Mak, Y.E., Simmons, K.B., Parrish, T. y Gitelman, D. (2004). Experience-dependent neural integration of taste and smell in the human brain. *J Neurophysiol*, 92: 1892-1903.

- Smith, D.V. y Margolskee, R.F. (2001). Making sense of taste. *Sci Am*, 284: 32-39.
- Smoski, W.J., Brunt, M.A. y Tannahill, T.C. (1992). Listening characteristics of children with central auditory processing disorders. *Lang Speech Hear Serv School*, 23:145-152.
- Sobel, V., Zhu, Y. e Imperato-McGinley, J. (2004). Fetal hormones and sexual differentiation. *Obstet Gynecol Clin North Am*, 31(4): 837-856.
- Somel, M., Liu, X. y Khaitovich, P. (2013). Human brain evolution: transcripts, metabolites and their regulators. *Nat Rev Neurosci*, 14: 112-127.
- Song, M., Zhou, Y., Li, J., Liu, Y., Tian, L., Yu, C. y Jiang, T. (2008). Brain spontaneous functional connectivity and intelligence. *Neuroimage*, 41: 1168-1176.
- Sowell, E.R., Peterson, B.S., Thompson, P.M., Welcome, S.E., Henkenius, A.L. y Toga, A.W. (2003). Mapping cortical change across the human life span. *Nat Neurosci*, 6(3): 309-315.
- Squire, L.R. (1992). Memory and the Hippocampus: A synthesis from findings with rats, monkeys, and humans. *Psychol Rev*, 99(2): 195-231.
- Squire, L.R. (2004). Memory systems of the brain: A brief history and current perspective. *Neurobiol Learn Mem*, 82: 171-177.
- Squire, L.R. y Alvarez, P. (1995). Retrograde amnesia and memory consolidation: a neurobiological perspective. *Curr Opin Neurobiol*, 5: 169-177.
- Squire, L.R. y Moore, R.Y. (1979). Dorsal thalamic lesion in a noted case of human memory dysfunction. *Ann Neurol*, 6(6): 503-506.
- Squire, L.R. y Zola-Morgan, S. (1988). Memory: Brain systems and behavior. *Trends Neurosci*, 11: 170-175.
- Staeren, N., Renvall, H., De Martino, F., Goebel, R. y Formisano, E. (2009). Sound categories are represented as distributed patterns in the human auditory cortex. *Curr Biol*, 19(6): 498-502.
- Steinbrink, C., Vogt, K., Kastrup, A., Müller, H.P., Juengling, F.D., Kassubek, J. y Riecker, A. (2008). The contribution of white and gray matter differences to developmental dyslexia: insights from DTI and VBM at 3.0 T. *Neuropsychologia*, 46: 3170-3178.
- Stengel, A., Goebel, M., Wang, L. y Tache, Y. (2010). Ghrelin, des-acyl ghrelin and nesfat-in-1 in gastric X/A-like cells: Role as regulators of food intake and body weight. *Peptides*, 31: 357-369.
- Stephan, K.E., Fink, G.R. y Marshall, J.C. (2007). Mechanisms of hemispheric specialization: Insights from analyses of connectivity. *Neuropsychologia*, 45: 209-228.
- Stern, J.S. (2006). Tourette's and tics. *Curr Paediat*, 16: 459-463.
- Sternberg, R. J. y Lubart, T. I. (1999). The concept of creativity: Prospects and paradigms. En R.J. Sternberg (Ed.), *Handbook of creativity*. Cambridge, Cambridge University Press. Pp. 3-15.
- Stevenson, R. J. y Wilson, D. A. (2007). Odour perception: an object-recognition approach. *Perception*, 36: 1821-1833.
- Stich, S. (1993). *The fragmentation of reason: preface to a pragmatic theory of cognitive evaluation*. Cambridge, The MIT Press.
- Stickgold, R. y Walker, M. P. (2007). Sleep-dependent memory consolidation and reconsolidation. *Sleep Med*, 8: 331-343.
- Stiles, J. y Jernigan, T.L. (2010). The basics of brain development. *Neuropsychol Rev*, 20: 327-348.

- Stoerig, P., Zontanou, A., y Cowey, A. (2002). Aware or unaware? Assessment of cortical blindness in four men and a monkey. *Cereb Cortex*, 12, 565-574.
- Stokoe, W. C. (2001). *Language in hand: Why sign came before speech*. Washington, DC: Gallaudet University Press.
- Stuss, D.T. y Benson, D.F. (1984). Neuropsychological studies of the frontal lobes. *Psychol Bull*, 95: 3-28.
- Stuss, D.T. y Benson, D.F. (1986). *The frontal lobes*. New York: Raven Press.
- Sugihara, G., Kaminaga, T. y Sugishita, M. (2006). Interindividual uniformity and variety of the “Writing center”: A functional MRI study. *Neuroimage*, 32:1837-1849.
- Sultan, F.A. y Day, J.J. (2011). Epigenetic mechanisms in memory and synaptic function. *Epigenomics*, 3(2): 157-181.
- Sun, Y.F., Lee, J.S. y Kirby, R. (2010). Brain imaging findings in dyslexia. *Pediatr Neonatol*, 51(2): 89-96.
- Swanson, L.W. (2000). Cerebral hemisphere regulation of motivated behavior. *Brain Res*, 886:113-164.
- Takeuchi, H., Taki, Y., Sassa, Y., Hashizume, H., Sekiguchi, A., Fukushima, A. y Kawashima, R. (2010). White matter structures associated with creativity: Evidence from diffusion tensor imaging. *Neuroimage*, 51: 11-18.
- Talavage, T.M., Ledden, P.J., Benson, R.R., Rosen, B.R., Melcher, J.R. (2000). Frequency-dependent responses exhibited by multiple regions in human auditory cortex. *Hear Res*, 150: 225-244.
- Tallal, P. (1980). Auditory temporal perception, phonics, and reading disabilities in children. *Brain Lang*, 9: 182-198.
- Tallal, P. (2000). The science of literacy: From the laboratory to the classroom. *Proc Natl Acad Sci USA*, 97: 2402-2404.
- Tallal, P. y Gaab, N. (2006). Dynamic auditory processing, musical experience and language development. *Trends Cogn Sci*, 29: 382-390.
- Tammen, S.A., Friso, S. y Choi, S.W. (2012). Epigenetics: The link between nature and nurture. *Mol Aspects Med*, 34(4): 753-764.
- Tanji, J. (2001). Sequential organization of multiple movements: involvement of cortical motor areas. *Annu Rev Neurosci*, 24: 631-651.
- Tansey EM (2006) Pavlov at home and abroad: His role in international physiology. *Auton Neurosci*, 125: 1-11.
- Tau, G.Z. y Peterson, B.S. (2010). Normal development of brain circuits. *Neuropsychopharmacol Rev*, 35: 147-168.
- Temple, C.M. y Richardson, P. (2004). Developmental amnesia: a new pattern of dissociation with intact episodic memory. *Neuropsychologia*, 42(6): 764-781.
- Tirapu-Ustárroz, J., García Molina, A., Luna-Lario, P., Verdejo García, A. Ríos Lago, M. (2012a). Corteza prefrontal, funciones ejecutivas y regulación de la conducta. En Tirapu-Ustárroz, J., García Molina, A., Ríos Lago, M. y Ardila, A. (coords.) *Neuropsicología de la corteza prefrontal y las funciones ejecutivas*. Barcelona, Viguera.
- Tirapu-Ustárroz, J., García Molina, A., Ríos Lago, M. y Ardila, A. (2012b). *Neuropsicología de la corteza prefrontal y las funciones ejecutivas*. Barcelona, Viguera.

- Tirapu-Ustárrroz, J., Luna-Lario, P., Iglesias-Fernández, M.D. y Hernáez-Goñi, P. (2011). Contribución del cerebelo a los procesos cognitivos: avances actuales. *Rev Neurol*, 53(5): 301-315.
- Tirapu-Ustárrroz, J., Muñoz-Céspedes, J.M. y Pelegrín-Valero, C. (2002). Funciones ejecutivas: necesidad de una integración conceptual. *Rev Neurol*, 34(7): 673-685.
- Tomita, H., Ohbayashi, M., Akahara, K., Hasegawa, I. y Miyashita, Y. (1999). Top-down signal from prefrontal cortex in executive control of memory retrieval. *Nature*, 401: 699-703.
- Trevethan, C.T., Sahraie, A. y Weiskrantz, L. (2007). Form discrimination in a case of blindsight. *Neuropsychologia*, 45: 2092-2103.
- Tsakiris, N. (2010). My body in the brain: A neurocognitive model of body-ownership. *Neuropsychologia*, 48: 703-712
- Tucker, M.A., Hirota, Y., Wamsley, E.J., H.Lau, H., Chaklader, A. y Fishbein, W. (2006). A daytime nap containing solely non-REM sleep enhances declarative but not procedural memory. *Neurobiol Learn Mem*, 86: 241-247.
- Tulving, E. (1972). Episodic and semantic memory. En E. Tulving y W. Donaldson (eds.) *Organization of memory*. Nueva York, Academic Press.
- Turek, F.W. y Gillette, M.U. (2004). Melatonin, sleep, and circadian rhythms: rationale for development of specific melatonin agonists. *Sleep Med*, 5: 523-532.
- Turner, M.S., Cipolotti, L., Yousry, T.A. y Shallice, T. (2008a). Confabulation: Damage to a specific inferior medial prefrontal system. *Cortex*, 44(6): 637-648.
- Turner, M.S., Simons, J.S., Gilbert, S.J., Frith, C.D. y Burgess, P.W. (2008b). Distinct roles for lateral and medial rostral prefrontal cortex in source monitoring of perceived and imagined events. *Neuropsychologia*, 46(5): 1442-1453.
- Tyrer, P.J. (1973). Relevance of bodily feelings in emotion. *Lancet*, 301(7809): 915-916.
- Ulrich-Lai, Y.M. y Herman, J.P. (2009). Neural regulation of endocrine and autonomic stress responses. *Nat Rev Neurosci*, 10: 397-409.
- Ungerleider, L.G., Doyon, J. y Karni, A. (2002). Imaging brain plasticity during motor skill learning. *Neurobiol Learn Mem*, 78(3): 553-564.
- Uschakov, A., Gong, H., McGintya, D. y Szymusiak, R. (2007). Efferent projections from the median preoptic nucleus to sleep- and arousal-regulatory nuclei in the rat brain. *Neuroscience*, 150: 104-120.
- Van Atteveldt, N., Formisano, E., Goebel R. y Blomert, L. (2004). Integration of letters and speech sounds in the human brain. *Neuron*, 43: 271-282.
- Van der Staay, F.J. (2006). Animal models of behavioral dysfunctions: basic concepts and classifications, and an evaluation strategy. *Brain Res Rev*, 52: 131-159.
- Van Wyhe, J. (2009). Charles Darwin 1809-2009. *Int J Biochem Cell Biol*, 41: 251-253.
- Verhagen, J.V. (2007). The neurocognitive bases of human multimodal food perception: Consciousness. *Brain Res Reviews*, 53(2): 271-286.
- Verhagen, J.V. y Engelen, E. (2006). The neurocognitive bases of human multimodal food perception: Sensory integration. *Neurosci Biobehav Rev*, 30(5): 613-650.
- Vicari, S., Menghini, D., Di Paola, M., Serra, L., Donfrancesco, A., Fidani, P., ..., Carlesimo, G.A. (2007). Acquired amnesia in childhood: A single case study. *Neuropsychologia*, 45(4): 704-715.

Bibliografía

- Vigil, P., Orellana, R.F., Cortes, M.E., Molina, C.T., Switzer, B.E. y Klaus, H. (2011). Endocrine Modulation of the Adolescent Brain: A Review. *J Pediatr Adolesc Gynecol*, 24: 330-337.
- Villemure, C. y Bushnell, M.C. (2002). Cognitive modulation of pain: how do attention and emotion influence pain processing? *Pain*, 95: 195-199.
- Vogel, A.C., Power, J.D., Petersen, S.E. y Schlaggar, B.L. (2010). Development of the brain's functional network architecture. *Neuropsychol Rev*, 20:362-375.
- Volpato, S., Guralnik, J.M., Fried, L.P., Remaley, A.T., Cappola, A.R., Launer, L.J. (2002). Serum thyroxine level and cognitive decline in euthyroid older women. *Neurology*, 58: 1055-1061.
- Wagner, A.D., Maril, A., Bjork, R.A. y Schacter, D.L. (2001). Prefrontal contributions to executive control: fMRI evidence for functional distinctions within lateral prefrontal cortex original. *Neuroimage*, 14(6): 1337-1347.
- Walker, M.P. (2008). Cognitive consequences of sleep and sleep loss. *Sleep Med*, 9(Suppl. 1): S29-S34.
- Walker, M.P. y Stickgold, R. (2006). Sleep, memory, and plasticity. *Annu Rev Psychol*, 57: 139-166.
- Wanderwolf, C.H. (1989). A general role for serotonin in the control of behavior: studies with intracerebral 5,7-dihydroxytryptamine. *Brain Res*, 504(2): 192-198.
- Waring, R.H. y Harris, R.M. (2009). Endocrine disrupters: A human risk? *Mol Cel Endocrinol*, 244(1-2): 2-9.
- Warren, J.D., Griffiths, T.D. (2003). Distinct mechanisms for processing spatial sequences and pitch sequences in the human auditory brain. *J Neurosci*, 23: 5799-5804.
- Weinberger, N.M. (1998). Physiological memory in primary auditory cortex: characteristics and mechanisms. *Neurobiol Learn Mem*, 70(1-2): 226-251.
- Weiskrantz, L. (1956). Behavioral changes associated with ablation of the amygdaloid complex in monkeys. *J Comp Physiol Psychol*, 49: 381-391.
- Weiskrantz, L., Warrington, E.K., Sanders, M.D., and Marshall, J. (1974) Visual capacity in the hemianopic field following a restricted occipital ablation. *Brain*, 97, 709-728.
- Wessinger, C.M., Buonocore, M.H., Kussmaul, C.L. y Mangun, G.R. (1997). Tonotopy in human auditory cortex examined with functional magnetic resonance imaging. *Hum Brain Mapp*, 5: 18-25.
- Westmacott, R., Black, S.E., Freedman, M. y Moscovitch, M. (2004). The contribution of autobiographical significance to semantic memory: evidence from Alzheimer's disease, semantic dementia, and amnesia. *Neuropsychologia*, 42(1): 25-48.
- Whitehouse, A.J.O. y Bishop, D.V.M. (2008). Cerebral dominance for language function in adults with specific language impairment or autism. *Brain*, 131(12): 3193-3200.
- Whiten, A. y Erdal, D. (2012). The human socio-cognitive niche and its evolutionary origins. *Phil Trans R Soc B*, 367: 2119-2129.
- Wickett, J.C., Vernon, P.A. y Lee, D.H. (2000). Relationships between factors of intelligence and brain volumen. *Pers Individ Dif*, 29: 1095-1122.
- Wild, B., Rodden, F.A., Grodd, W. y Ruch, W. (2003). Neural correlates of laughter and humour. *Brain*, 126:2121-2138.
- Wilhelm, I., Prehn-Kristensen, A. y Born, J. (2012). Sleep-dependent memory consolidation. What can be learnt from children? *Neurosci Biobehav Rev*, 36:1718-1728.

- Williams, C.L. (2008). Food for thought: Brain, genes, and nutrition. *Brain Res*, 1237: 1-4.
- Windhorst, U. (2009). Motor Control. En Binder, M.D., Hirokawa, N. y Windhorst, U. (eds.) *Encyclopedia of Neuroscience*. Berlin, Springer-Verlag.
- Wise, R.J.S., Scott, S.K., Blank, S.C., Mummery, C.J., Murphy, K. y Warburton, E.A. (2001). Separate neural sub-systems within “Wernicke’s area”. *Brain*, 124: 83-95.
- Wise, S.P. y Shadmehr, R. (2002). Motor Control. En Ramachandran, V.S.(Ed.). *Encyclopedia of the human brain*. San Diego, Academic Press.
- Witter, M.P. (2001). Hippocampus and Related Structures. En N.J. Smelser y P.B. Baltes (eds.) *International encyclopedia of the social and behavioral sciences*. Oxford, Pergamon Press. Pp. 6711-6718.
- Wolk, D.A., Coslett, H.B. y Glosser, G. (2005). The role of sensory-motor information in object recognition: Evidence from category-specific visual agnosia. *Brain Lang*, 94(2), 131-146.
- Woodward, D.J., Moises, H.C., Waterhouse, B.D., Yeh, H.H. y Cheun, J.E. (1991). Modulatory actions of norepinephrine on neural circuits. *Adv Exp Med Biol*, 287: 193- 208.
- Woodward, T.S., Meier, B., Cairo, T.A. y Ngan, E.T.C. (2006). Temporo-prefrontal coordination increases when semantic associations are strongly encoded. *Neuropsychologia*, 44(12): 2308-2314.
- Woolgar, A., Parr, A., Cusack, R., Thompson, R., Nimmo-Smith, I., Torralva, T., ..., Duncan, J. (2010). Fluid intelligence loss linked to restricted regions of damage within frontal and parietal cortex. *Proc Nat Acad Sci USA*, 107(33): 14899-14902.
- Wray, N. y Visscher, P. (2008) Estimating trait heritability. *Nature Education*, 1(1): 29.
- Xomskaya, E. (2002). La escuela neuropsicológica de A. R. Luria. *Rev Esp Neuropsicol*, 4: 130-150.
- Yamamoto, T., Shimura, T., Sakai, N. y Ozaki, N. (1994). Representation of hedonics and quality of taste stimuli in the parabrachial nucleus of the rat. *Physiol Behav*. 56: 1197-1202.
- Yeterian, E.H., Pandya, D.N., Tomaiuolo, F. y Petrides, M. (2012). The cortical connectivity of the prefrontal cortex in the monkey brain. *Cortex*, 48(1): 58-81.
- Yilmaz, P., Diers, M., Diener, S., Rance, M., Wessa, M. y Flor, H. (2010). Brain correlates of stress-induced analgesia *Pain*, 51: 522-529.
- Yin, H.H. y Knowlton, B.J. (2006). The role of the basal ganglia in habit formation. *Nat Rev Neurosci*, 7: 464-476.
- Zald, D.H. y Andreotti, C. (2010). Neuropsychological assessment of the orbital and ventromedial prefrontal cortex. *Neuropsychologia*, 48: 3377-3391.
- Zanto, T.P., Rubens, M.T., Thangavel, A. y Gazzaley, A. (2011). Causal role of the prefrontal cortex in top-down modulation of visual processing and working memory. *Nat Neurosci*, 14(5): 656-661.
- Zatorre, R. y McGill, J. (2005). Music, the food of neuroscience? *Nature*, 434: 312-315.
- Zatorre, R.J., Belin, P. (2001). Spectral and temporal processing in human auditory cortex. *Cereb Cortex*, 11: 946-953.
- Zatorre, R.J., Belin, P. y Penhune, V.B. (2002). Structure and function of auditory cortex: music and speech. *Trends Cogn Sci*, 6(1): 37-46.
- Zatorre, R.J., Evans, A.C., Meyer, E. y Gjedde, A. (1992). Lateralization of phonetic and pitch discrimination in speech processing. *Science*, 256: 846-849.

Bibliografía

- Zhao, C., Deng, W., and Gage, F.H. (2008). Mechanisms and functional implications of adult neurogenesis. *Cell*, 132: 645-660.
- Zhu, J., Feng, F., Ni, K., Zheng, Y. y Zhang, J. (2012). Four subtypes of motor neurons exhibiting mutually exclusive firing patterns in the spinal ventral horn. *Neurosci Lett*, 525(2): 163-167.
- Ziegler, J.C. (2006). Do differences in brain activation challenge universal theories of dyslexia? *Brain Lang*, 98: 341-343.
- Zilles, K. y Amunts, K. (2010). Centenary of Brodmann's map. Conception and fate. *Nat Rev Neurosci*, 11:139-145.
- Zola-Morgan, S., Squire, L.R. y Amaral, D.G. (1986). Human amnesia and the medial temporal region: enduring memory impairment following a bilateral lesion limited to field CA1 of the hippocampus. *J Neurosci*, 6: 2950-2967.
- Zollikofer, C. P. E. y Ponce de León, M. S. (2010). The evolution of hominin ontogenies. *Semin Cell Dev Biol*, 21: 441-452.
- Zysset, S., Huber, O., Samson, A., Ferstl, E.C. y von Cramon, D.Y. (2003). Functional specialization within the anterior medial prefrontal cortex: a functional magnetic resonance imaging study with human subjects. *Neurosci Lett*, 335(3): 183-186.