

Bibliografía

- Abreu, P.R., Costa, M.M. y Lucchese, F.(2012). The role of shaping the client's interpretations in Functional Analytic Psychotherapy. *The Analysis of Verbal Behavior*, 28, 151-157.
- American Psychiatric Association (2013). *Diagnostic and Statistical Manual of Mental Disorders (DSM-5)*. Arlington, VA: APA Publishing.“.
- American Psychological Association (2013). Recognition of psychotherapy effectiveness. *Psychotherapy*, 50, 102-109.
- Anderson, T., Bein, E., Pinnell, B.J., y Strupp, H.H. (1999). Linguistic analysis of affective speech in psychotherapy: A case grammar approach. *Psychotherapy Research*, 9, 1, 88-99.
- Barlow, D.H. (1981). On the relation of clinical research to clinical practice. *Journal of Consulting and Clinical Psychology*, 49, 147-155.
- Barret, M.D., y Berman, J.S. (2001). Is psychotherapy more effective when therapist disclose information about themselves?. *Journal of Consulting and Clinical Psychology*, 69, 597-603.
- Baruch, D. E., Kanter, J. W., Busch, A. M., y Juskiewicz, K. (2009). Enhancing the therapy relationship in Acceptance and Commitment Therapy for psychotic symptoms. *Clinical Case Studies*, 8, 241-257.
- Baruch, D. E., Kanter, J. W., Busch, A.M., Plummer, M.D., Tsai, M., Rusch, L. C., Landes, S. J. y Holman, G. I. (2009). Lines of evidence in support of FAP. En M. Tsai, R. J. Kohlenberg, J. W. Kanter, B. Kohlenberg, W.C. Follette, y G. M. Callaghan, G.M. (Eds). *A Guide to Functional Analytic Psychotherapy. Awareness, Courage, Love and Behaviorism*. (pp.: 21-36). New York: Springer.
- Bastos, C.K., Kanter, J. y Meyer, S. (2012). A single-case experimental demonstration of Functional Analytic Psychotherapy with two clients with severe interpersonal problems. *International Journal of Behavioral Consultation and Therapy*, 7, 2-3. 111-116.
- Beck, A., Rush, A.J., Shaw, B.F., y Emery, G. (1979/1983). *Terapia cognitiva de la depresión*. Bilbao: Desclée de Brouwers. Original New York: Guilford.

- Bilgrave, D.P., y Deluty, R.H. (2002). Religious beliefs and political ideologies as predictors of psychotherapeutic orientations of clinical and counseling psychologists. *Psychotherapy*, 39(3), 245-260.
- Bjornsson, A.S. (2011). Beyond the “psychological placebo”: Specifying the nonspecific in psychotherapy. *Clinical Psychology*, 18, 113-118.
- Bloom, J.W. (2007). A theoretical model of learning for complexity: depth, extent, abstraction, and transfer. *Annual Meeting of the American Education Research Association*. Chicago.
- Bonow, J.T., Maragakis, A., y Follette, W., (2012). The challenge of developing a universal case conceptualization for functional Analytic Psychotherapy. *International Journal of Behavioral Consultation and Therapy*, 7 (2-3), 2-8.
- Bordin, E.S. (1976). The generalizability of the psychoanalytic concept of the working alliance. *Psychotherapy: Theory, Research, Practice and Training*, 16, 252-260.
- Bowen, S., Haworth, K., Grow, J. Tsai, y Kohlenberg, R.J. (2012). Interpersonal mindfulness informed by Functional Analytic Psychotherapy: Finding from a Pilot Randomized Trial. *International Journal of Behavioral Consultation and Therapy*, 7, 2-3. 9-15.
- Braga, G. L. B. y Vandenberghe, L. (2006). Therapeutic relationship scope and function in behavioral therapy. *Estudos de Psicologia Campinas*, 23, 307-314.
- Busch, A. M., Callaghan, G. C., Kanter, J. W., Baruch, D. E., y Weeks, C. E. (2010). The Functional Analytic Psychotherapy Rating Scale: A replication and extension. *Journal of Contemporary Psychotherapy*, 40, 11-19.
- Busch, A. M., Kanter, J. W., Callaghan, G. M., Baruch, D. E., Weeks, C. E. y Berlin, K. S. (2009). A micro-process analysis of Functional Analytic Psychotherapy’s mechanism of change. *Behavior Therapy*, 40(3), 280-290.
- Busch, A.M., Manos, R.C., Rusch, L.C., Bove, W.M., y Kanter, J.W. (2010). Functional Analytic Psychotherapy and Behavioral Activation. En J.W. Kanter, M. Tsai y R.J. Kohlenberg (eds). *Functional Analytic Psychotherapy in Practice* (pp. 65-82). New York: Springer.
- Callaghan, G. M. (1996). The clinical utility of client dream reports from a radical behavioral perspective. *The Behavior Therapist*, 19, 49-52.
- Callaghan, G. M. (2006a). Functional Analytic Psychotherapy and Supervision. *International Journal of Behavioral and Consultation Therapy*. 2(3), 416-431.
- Callaghan, G. M. (2006b). The Functional Idiographic Assessment Template (FIAT) System. *The Behavior Analyst Today*, 7, 357-398.
- Callaghan, G. M. (2006c). The Functional Assessment of Skills for Interpersonal Therapists: The FASIT System. *The Behavior Analyst Today*, 7, 399-433.
- Callaghan, G. M. (2006d). Functional Assessment of Skills for Interpersonal Therapists: The FASIT System. For the assessment of therapist behavior for in-

- terpersonally-based interventions including Functional Analytic Psychotherapy or FAP- enhanced treatments. *The Behavior Analyst Today*, 7(3), 399-433.
- Callaghan, G. M., Follette, W. C., Ruckstuhl, Jr., L. E. y Linnerooth, P. J. N. (2008). The Functional Analytic Psychotherapy Rating Scale (FAPRS): A behavioral psychotherapy coding system. *The Behavior Analyst Today*, 9(1), 98-116.
- Callaghan, G. M., Gregg, J. A., Marx, B. P., Kohlenberg, B. S. y Gifford, E. (2004). FACT: The utility of an integration of Functional Analytic Psychotherapy and Acceptance and Commitment Therapy to alleviate human suffering. *Psychotherapy: Theory, Research, Practice, Training*, 41, 195-207.
- Callaghan, G. M., Naugle, A. E. y Follette, W. C. (1996). Useful constructions of the client-therapist relationship. *Psychotherapy*, 33(3), 381-390.
- Callaghan, G. M., Summers, C. J. y Weidman, M. (2003). The treatment of histrionic and narcissistic personality disorder behavior: A single-subject demonstration of clinical improvement using Functional Analytic Psychotherapy. *Journal of Contemporary Psychotherapy*, 33, 4, 321-339.
- Callaghan, G. M., y Follete, W. C. (2008). FAPRS Manual: Manual for the Functional Analytic Psychotherapy Rating Scale. *The Behavior Analyst Today*. 9 (1), 57-97.
- Callaghan, G.M., Duenas, J.A., Nadeau, S.E., Darrow, S.M. Vander merwe, J., y Misko, J. (2012). An empirical model of body image disturbance using behavioral principles found in Functional Analytic Psychotherapy and Acceptance and Commitment Therapy. *International Journal of Behavioral Therapy*, 7(2), 16-24.
- Carrascoso, F. J. (2003). Jealousy: A case of application of Functional Analytic Psychotherapy. *Psychology in Spain*, 7, 88-98.
- Catania, A.C. (1998). *Learning* (4th ed). Upper Saddle River, NJ: Prentice Hall.
- Catania, A.C. (2006a). Words as behavior. *The Analysis of Verbal Behavior*, 22, 87-88.
- Catania, A.C. (2006b). Antecedents and consequences of words. *The Analysis of Verbal Behavior*, 22, 89-100.
- Cattivelli, R., Musetti, A., y Perini, S. (2014). L'approccio ACT-FAP nella promozione delle abilità sociali in adolescenti e preadolescenti con difficoltà emotive. *Psicologia dell'Educazione*, 8(1), 97-112.
- Cattivelli, R., Tirelli, V. Berardo, F. y Perini, S. (2012). Promoting appropriate behavior in daily life context using Functional Analytic Psychotherapy in early-adolescent children. *International Journal of Behavioral Consultation and Therapy*, 7, 2-3, 25-32.
- Cautilli, J., Riley, T.C., Axelrod, y Hinline, P. (2005). The role of verbal conditioning in third generation behavior therapy. *The Behavior Analyst Today*, 6(2), 135-145.

- Collins, P. (2012). An example of a Hakomi technique adapted for Functional Analytic Psychotherapy. *International Journal of Behavioral Consultation and Therapy*, 7 (2-3), 33-38.
- Colombini, F.A., y Pergher, N.K. (2009). Decisoes clinicas na Terapia Analítico Comportamental. *Acta Comportamental*, 17(2), 235-253.
- Cone, J.D., (1997). Issues in functional analysis in behavioral assessment. *Behavior Research and Therapy*, 35(3), 259-275.
- Corbella, S., y Botella, L. (2003). La alianza terapéutica: historia, investigación y evaluación. *Anales de Psicología*, 19(2), 205-221.
- Cordova, J. V. y Scott, R. L. (2001). Intimacy: A behavioral interpretation. *The Behavior Analyst*, 24, 75-86.
- Cordova, J.V., y Koerner, K. (1993). Persuasion criteria in research and practice: Gathering more meaningful psychotherapy data. *The Behavior Analyst*, 16(2), 317-330.
- Corrigan, P. W. (2001). Getting ahead of the data: A threat to some behavior therapies. *The Behavior Therapist*, 24(9), 189-193.
- Cuijpers, P., Van Straten, A., y Warmerdam, L. (2007). Behavioral activation treatments of depression: A meta-analysis. *Clinical Psychology Review*, 27, 318, 326.
- Dale, R., y Spivey, M.J. (2006). Unraveling the dyad: Using recurrence analysis to syntactic coordination between children and caregivers in conversation. *Language Learning*, 56, 391-430.
- Darrow, S.M., Callaghan, G.C., Bonow, J.T., y Follette, W.C. (2014). The Functional Idiographic Assessment Template-Questionnaire (FIAT-Q): initial psychometric properties. *Journal of Contextual Behavior Science*, 3(2), 124-135.
- Darrow, S.M., Dalto, G., y Follete, W.C. (2012). Equifinality in Functional Analytic Psychotherapy: Different strokes for diferent folks. *International Journal of Behavior and Cognitive Therapy*, 7, 38-44.
- David, D, y Montgomery, G.H. (2011). The scientific status of psychotherapies: A new evaluative framework for evidence-based psychological intervention. *Clinical Psychology*, 18, 89-99.
- Del Prette, G. (2011). *Objetivos analítico comportamentais e estratégias de intervenção nas interações com a criança em sessões de duas renomadas terapeutas infantis*. Tese de Doutorado. São Paulo: Universidade de São Paulo.
- Delgado, U., y Mares, G. (2012). Generalización de la correspondencia decir-hacer a través de tareas de diferente complejidad. *Revista Mexicana de Análisis de Conducta*, 38(1), 24-38.
- Dimidjian, S., Hollon, S.D., Dobson, K.S., Schamaling, K.B., Kohlenberg, R.J., Addis, M.E., Gallop, R., McGlinchey, J.B., Markley, D.K. Gollan, J.K., Atkins, d.C., Dunner, D.L., y Jacobson, N.S. (2006). Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the acute treatment of adult. *Journal of Consulting and clinical Psychology*, 74(4), 658-670.

Bibliografía

- Dougher, M. J., y Hackbert, L. (1994). A behavior-analytic account of depression and a case report using acceptance-based procedures. *Behavior Analyst*, 17(2), 321-334.
- Dougher, M.J., (2000). *Clinical behavior analysis*. Reno, NV: Context Press.
- Durand, V. M. (1990). *Severe behavior problems: A functional communication training approach*. New York: Guilford Press.
- Dymond, S. y Roche, B. (2013). *Advances in Relational Frame Theory. Research and Application*. Oakla nd: New Harbinger
- Dystra, T.A., Shontz, K.A., Indovina, C.V., y Moran, D.J. (2010). The application of FAP to persons with serious mental illness. En J.W. Kanter, M.Tsai y R.J.Kolenberg (eds). *The practice of Functional Analytic Psychotherapy*.(pp. 205-224). New York: Springer.
- Ellis, A. (1977/1992). *Manual de terapia racional emotiva*. Bilbao: Desclée de Brouwers. Original New York: Springer Publ.
- Erthal, T.C. (1980). The word therapeutic instrument. *Arquivos Brasileiros de Psicologia*, 32, 37-56.
- Esteever, E. E. (1999). The integration of psychodynamic and behavior therapies re- visited: Approaching rapprochement? Implications for theory and practice. *Journal of Mental Health*, 8, 583-596.
- Fernández-Parra, A. y Ferro-García, R. (2006). La Psicoterapia Analítico-Funcional: una aproximación contextual funcional al tratamiento psicológico. *Edupsykhé*, 5(2), 203-229.
- Ferro-García, R. (2001) La depresión: Algunas consideraciones críticas en su tratamiento. *Análisis y Modificación de Conducta*, 27, 187-204.
- Ferro-García, R. (2006). La Psicoterapia Analítica Funcional: estableciendo relaciones terapéuticas intensas y curativas. *Psicología Conductual*, 14, 3, 343-359.
- Ferro-García, R. (2008). Recent studies in Functional Analytic Psychotherapy. *Internacional Journal of Behavioral Consultation and Therapy*, 4(2) 239-249.
- Ferro-García, R. y Valero-Aguayo, L. (1998). Psicoterapias conductistas: Nuevos enfoques clínicos. *Psicologemas*, 12, 31-62.
- Ferro-García, R., López-Bermúdez, M. A y Valero-Aguayo, L. (2012) Treatment of a disorder of self through Functional Analytic Psychotherapy. *Internacional Journal of Behavioral Consultation and Therapy*. 7, 2-3, 45-51.
- Ferro-García, R., Valero-Aguayo, L. y López-Bermúdez, M. A. (2007). Novedades y aportaciones desde la Psicoterapia Analítica Funcional. *Psicothema*. 19(3), 452-458.
- Ferro-García, R., Valero-Aguayo, L. y López-Bermúdez, M. A. (2009). La conceptualización de casos clínicos desde la Psicoterapia Analítica Funcional. *Papeles del Psicólogo*, 30 (3), 255-264.
- Ferro-García, R., Valero-Aguayo, L. y Vives-Montero, M. C. (2006). Application of Functional Analytic Psychotherapy: Clinical Analysis of a patient with Depressive Disorder. *The Behavior Analyst Today*, 7, 1-18.

- Ferro-García, R., Valero-Aguayo, L., y Vives-Montero, M.C. (2000). Aplicación de la Psicoterapia Analítica Funcional: Un análisis clínico de un trastorno depresivo. *Análisis y Modificación de Conducta*, 26, 291-317.
- Ferro-García, R., Vives-Montero, M.C. y Velasco, L. A. (2009). Development of Behavior Therapy with children and adolescents. *Clínica y Salud*, 20(2), 119-130.
- Ferster, C.B. (1967). Arbitrary and natural reinforcement. *Psychological Record*, 22, 1-16.
- Follete, W.C., Naugle, A. E. y Callaghan, G.M. (1996). A radical behavior understanding of the therapeutic relationship in effecting change. *Behavior Therapy*, 27, 623-641.
- Follette, V. M. y Batten, S. V. (2000). The role of emotion in psychotherapy supervision: A contextual behavioral analysis. *Cognitive and Behavioral Practice*, 7(3), 306-312.
- Follette, V. M., La Bash, H. A. y Sewell, M. T. (2010). Adult disclosure of a history of childhood sexual abuse: implications for behavioral psychotherapy. *Journal of Trauma Dissociation*, 11(2), 228-243.
- Follette, W. C. y Bonow, J. T. (2009). The challenge of understanding process in clinical behavior analysis: The case of Functional Analytic Psychotherapy. *The Behavior Analyst*, 32(1), 135-148.
- Follette, W. C., y Callaghan, G. M. (1995). Do as I do, not as I say: A behavior-analytic approach to supervision. *Professional Psychology: Research and Practice*, 26 (4), 413-421.
- Froján, M.X. (2011). ¿Por qué funcionan los tratamientos psicológicos?. *Clínica y Salud*, 22(3), 201-204.
- Froján, M.X., Montaña, M., Calero, A., García, A., Garzón, A., y Ruiz, E.M. (2008). Sistema de categorización de la conducta verbal del terapeuta. *Psicothema*, 20(4), 603-609.
- Froján, M.X., Montaña, M., Calero, A., y Ruiz, E. (2011). Aproximación al estudio funcional de la interacción verbal entre terapeuta y cliente durante el proceso terapéutico. *Clínica y Salud*, 22(1), 69-85.
- Froján, M.X., Montaña, M., y Calero, A. (2010). Therapist's verbal behavior analysis: A descriptive approach to the psychotherapeutic phenomenon. *The Spanish Journal of psychology*, 13(2), 914-926.
- Froján, M.X., y Ruiz-Sancho, E.M. (2013). Functional analysis of therapeutic relationship. *Conductual*, 1(1), 72-92.
- Garner, J., Harmatz, M., Hohmann, A., Larson, D., y Gartner, A.F. (1990). The effect of patient and clinician ideology on clinical judgement: A study of ideological countertransference. *Psychotherapy: Teory, Research, Practice, Training*, 27(1), 98-106.
- Gaynor, S.T. (2002). Getting ahead of the data: not all threats are equal. *The Behavior Therapist*, 25, 137-139.

Bibliografía

- Gaynor, S.T. y Lawrence, P.S. (2002). Complementing CBT for depressed adolescents with learning through in vivo experience (LIVE): Conceptual Analysis, Treatment description, and feasibility study. *Behavioral and Cognitive Psychotherapy*, 30, 79-101.
- Gifford, E.V., Kohlenberg, B.S., Hayes, S.C., Pierson, H.M., Piaseki, M.P., Antonuccio, D.O. y Palm, K.M. (2011). Does acceptance and relationship focused behaviour therapy contribute to bupropion outcomes? A randomized controlled trial of functional analytic psychotherapy and acceptance commitment therapy for smoking cessation. *Behavior Therapy*, 42, 700-715.
- Gilbert, P. y Leahy, R.L. (2007). *The therapeutic relationship in the cognitive-behavioral psychotherapies*. New York: Routledge.
- Gómez, M. M. N. y Gutiérrez, D. G. (2008). Clinical implementation of non mediational therapeutic models in a mixed affective disorder case. *Terapia Psicológica*, 26(2), 263-275.
- González-Pardo, H., y Pérez-Alvarez, M. (2007). *La invención de los trastornos mentales, ¿escuchando al fármaco o al paciente?*. Madrid: Alianza.
- Gosch, C. S. y Vandenbergh, L. (2004). Behavior analysis and the therapist-child relationship in the treatment of an aggressive-defiant pattern. *Revista brasileira de terapia comportamental e cognitiva*, 6, 173-182.
- Graciano A., Mayo, A., (2014). *Cambios en las conductas clinicamente relevantes 3, tras el uso diferencial de reglas terapéuticas 2 y 3 dirigidas a la modificación de las conductas clinicamente relevantes 1 y 2 en la psicoterapia analítico funcional*. Unpublished thesis, Konrad Lorenz Fundacion Universitaria. Bogotá-Colombia.
- Greenwald, A.G., McGhee, D.E. y Schwartz, J.L.K. (1998). Measuring individual differences in implicit cognition: the Implicit Association Test. *Journal of Personality and Social Psychology*, 74(6), 1464-1480.
- Gurman, A.S., Waltz, T.J., y Follette, W.C. (2010). FAP-Enhanced couple therapy: perspectives and possibilities. En J.W. Kanter, M. Tsai y R.J. Kohlenberg (eds). *The practice of Functional Analytic Psychotherapy* (p.125-148). New York: Springer.
- Guttman, N., y Kalish, H.I. (1956). Discriminability and stimulus generalization. *Journal of Experimental Psychology*, 51, 79-88.
- Haskell, R.E. (2001). *Transfer of learning: cognition, instruction and reasoning*. San Diego, CA: Academic Press.
- Hayes, L. (1987). A contextual approach to therapeutic change. En N.S. Jacobson (Ed.) *Psychotherapist in clinical practice: cognitive and behavioral perspectives* (pp. 327-387). New York: Guilford.
- Hayes, S. C., Masuda, A., Bissett, R., Luoma, J. y Guerrero, L. F. (2004). DBT, FAP, and ACT: How empirically oriented are the new behavior therapy technologies?. *Behavior Therapy*, 35(1), 35-54.

- Hayes, S.C. (1989) *Rule-governed behavior: Cognition, contingencies, and instructional control*. New York: Plenum Press.
- Hayes, S.C. (2004). Acceptance and Commitment Therapy, relational frame theory, and third wave of behavioral and cognitive therapies. *Behavior Therapy*, 35, 639-665.
- Hayes, S.C. y Strosahl, K.D. (2004). *A practical guide to Acceptance and Commitment Therapy*. New York: Springer.
- Hayes, S.C., Barnes-Holmes, D. y Roche, B. (2001). *Relational Frame Theory. A post-Skinnerian Account of Human Language and Cognition*. New York: Kluwer Academic.
- Hayes, S.C., Strosahl, K.D. y Wilson, K.G. (1999). *Acceptance and Commitment Therapy. An experimental approach to behaviour change*. New York: Guilford Press.
- Hayes S.C, Brownstein AJ, Zettle RD, Rosenfarb I, Korn Z. (1986). Rule-governed behavior and sensitivity to changing consequences of responding. *Journal of Experimental Analysis of Behavior*, 45(3), 237–256.
- Haynes, S.M., y O'Brian, W.O. (2000). *Principles of behavior assessment: A functional approach to psychological assessment*. New York: Plenum-Kluwer Press.
- Hoekstra, R. (2008). Functional Analytic Psychotherapy for interpersonal process groups: A behavioral application. *International Journal of Behavioral Consultation and Therapy*, 4(2), 188-198.
- Holman, G., Kohlenberg, R.J., Tsai, M., Haworth, Jacobson, E. y Liu, S. (2012). Functional Analytic Psychotherapy is a Framework for Implementing Evidence-Based Practices: The example of Integrated Smoking Cessation and Depression Treatment. *International Journal of Behavioral Consultation and Therapy*, 7, 2-3, 58-62
- Holman, G., Kohlenberg, R.J., y Tsai, M. (2012). Development and preliminary evaluation of a FAP protocol: Brief Relationship Enhancement. *International Journal of Behavioral Consultation and Therapy*, 7, 2-3, 52-57.
- Holmes, E.P., Dykstra, T.A., Williams, P., Diwan, S., y River, L.P. (2003). Functional Analytic Rehabilitation: A contextual behavioral approach to chronic distress. *The Behavior Analyst Today*, 4, 34-46.
- Holzer, M., Mergenthaler, E., Pokorny, D., y Kachele, H. (1996). Vocabulary measures for the evaluation of therapy outcome: Re-studying transcripts from the Penn Psychotherapy Project. *Psychotherapy Research*, 6, 2, 95-108.
- Hopko, D. R. y Hopko, S. D. (1999). What can functional analytic psychotherapy contribute to empirically-validated treatments?. *Clinical Psychology and Psychotherapy*, 6(5), 349-356.
- Iwata, B. A., Dorsey, M. F., Slifer, K. J., Bauman, K. E., & Richman, G. S. (1994). Toward a functional analysis of self-injury. *Journal of Applied Behavior Analysis*, 27, 197–209.

Bibliografía

- Iwata, B. A., y Dozier, C. L. (2008). Clinical application of functional analysis methodology. *Behavior Analysis in Practice*, 1, 3–9.
- Jacobson, N. J. y Christensen, A. (1996). *Integrative Couple Therapy: Promoting Acceptance and Change*. New York: Norton.
- Jacobson, N. S., Dobson, K. S. Truax, P. A., Addis, M. E., Koerner, K., Gollan, J. K., et al. (1996). A component analysis of cognitive-behavioral treatment for depression. *Journal of Consulting and Clinical Psychology*, 64, 295-304.
- Jacobson, N. S., Martell, C. R., y Dimidjian, S. (2001). Behavioral activation treatment for depression: Returning to contextual roots. *Clinical Psychology: Science and Practice*, 8, 255–270.
- Jamieson, L. (2011). Intimacy as a concept: Explaining social change in the context of globalisation or another form of ethnocentrism? *Sociological Research Online*, 16(4), 15-28.
- Kaholokula, J.K., Godoy, A., O'Brian, W.H., Haynes, S.N., y Gavino, A. (2013). Análisis funcional en evaluación conductual y formulación de casos clínicos. *Clinica y Salud*, 24(2), 117-127.
- Kanter, J. W., Callaghan, G. M., Landes, S. J., Busch, A. M. y Brown, K. R. (2004). Behavior analytic conceptualization and treatment of Depression: Traditional models and recent advances. *The Behavior Analyst Today*, 5(3), 255-274.
- Kanter, J. W., Kohlenberg, R. J. y Loftus, E. F. (2004). Experimental and psychotherapeutic demand characteristics and the cognitive therapy rationale: An analogue study. *Cognitive Therapy and Research*, 28, 2, 229-239.
- Kanter, J. W., Kohlenberg, R. J., y Loftus, E. F. (2002). Demand characteristics, treatment rationales, and cognitive therapy for depression. *Prevention y Treatment*, 5, Article 41.
- Kanter, J. W., Landes, S. J., Busch, A. M., Rusch, L. C., Brown, K. R., Baruch, D. E. y Holman, G. (2006). The effect of contingent reinforcement on target variables in outpatient psychotherapy for depression: A successful and unsuccessful case using Functional Analytic Psychotherapy. *Journal of Applied Behavior Analysis*, 39, 463-467.
- Kanter, J. W., Manos, R. C., Busch, A. M., y Rusch, L. C. (2008). Making Behavioral Activation More Behavioral. *Behavior Modification*, 32, 6, 780-803.
- Kanter, J. W., Parker, C. y Kohlenberg, R. J. (2001). Finding the self: A behavioral measure and its clinical implications. *Psychotherapy: Theory, Research and Practice*, 38, 198-211.
- Kanter, J. W., Schildcrout, J.S., y Kohlenberg, R. J. (2005). In vivo processes in cognitive therapy for depression: Frequency and benefits. *Psychotherapy Research*, 15, 4, 366-373.
- Kanter, J. W., Tsai, M. y Kohlenberg, R. J. (2010a). *The Practice of Functional Analytic Psychotherapy*. New York: Springer.
- Kanter, J. W., Tsai, M. y Kohlenberg, R. J. (2010b). Introduction to the Practice of Functional Analytic Psychotherapy. En J. W. Kanter, M. Tsai y R. J. Koh-

- lenberg (Eds.) *The Practice of Functional Analytic Psychotherapy*. (pp.: 1-7). New York: Springer.
- Kanter, J.W., Landes, S.J., Holman, G.I., Rusch, L.C., Whiteside, U., y Sedivy, S.K. (2009). The use and nature of present-focused interventions in cognitive and behavioral therapies for depression. *Psychotherapy Teory, Research, Practice, and Training*, 46(2), 220-232.
- Kanter, J.W., Tsai, M., Holman, G., y Koerner, K. (2013) Preliminary data from a randomized pilot study of web-based Functional Analytic Psychotherapy therapist training *Psychotherapy*, 50(2), 248-255.
- Kanter, J.W., Weeks, C.E., Bonow, J.T., Landes, S.J., Callaghan, G. M. y Follette, W. C. (2009). Assessment and Case Conceptualization. En M. Tsai, R. J. Kohlenberg, J. W. Kanter, B. Kohlenberg, W. C. Follette, y G. M. Callaghan (Eds). *A Guide to Functional Analytic Psychotherapy. Awareness, courage, Love, and Behaviorism*. (pp.: 37-59). New York: Springer
- Kazdin, A. E. (1982). *Single-case research designs: Methods for clinical and applied settings*. New York: Oxford University Press.
- Kazdin, A. E. (1993). Drawing valid inferences from case studies. In A. E. Kazdin (Org.), *Methodological issues and strategies in clinical research* (pp. 475-490). Washington, DC: APA.
- Kazdin, A.E. (1983). *Historia de la modificación de conducta*. Bilbao: Desclée de Brouwer.
- Kazdin, A.E. (1996). *Modificación de conducta y sus aplicaciones prácticas*. Mexico: Manual Moderno.
- Keijsers, G.P.J., Shaap, C.P.D.R., y Hoogduin, C.A.L. (2000). The impact and interpersonal patient and therapist behavior on outcome on cognitive-behavior therapy. A review of empirical studies. *Behavior Modification*, 24(2), 264-297.
- Knox, S., y Hill, C.E. (2003). Therapist self-disclosure: Research based suggestions for practitioners. *Journal of Clinical Psychology in Session*, 59, 529-539.
- Koerner, K., Kohlenberg, R.J. y Parker, R. (1996). Diagnosis of Personality Disorder: A Radical Behavioral alternative. *Journal of Consulting and Clinical Psychology*, 64, 1169-1176.
- Kohlenberg, B.S., Tsai, M., y Kohlenberg, R.J. (2006). Functional Analytic Psychotherapy and the treatment of complex posttraumatic stress disorder. En V.M. Follette y J.I. Ruzek (eds). *Cognitive-behavioral therapies for trauma (2nd Edition)*. New York: The Guilford Press (pp. 173-200).
- Kohlenberg, R. J. y Tsai, M. (1987). Functional analytic psychotherapy. En N. Jacobson (Ed.), *Psychoterapists in clinical practice: Cognitive and behavioral perspectives* (pp. 388-443). Nueva York: Guilford Press.

- Kohlenberg, R. J. y Tsai, M. (1991/2008). *Functional Analytic Psychotherapy. Creating intense and curative therapeutic relationship*. New York: Plenum Press. (Traducción Servicio de Publicaciones Universidad de Málaga).
- Kohlenberg, R. J. y Tsai, M. (1993). Hidden meaning: A behavioral approach. *The Behavior Therapist*, 16, 80-82.
- Kohlenberg, R. J. y Tsai, M. (1994a). Functional Analytic Psychotherapy: A radical behavioral approach to treatment and integration. *Journal of Psychotherapy Integration*, 4, 174-201.
- Kohlenberg, R. J. y Tsai, M. (2000). Radical behavioral help for Katrina. *Cognitive and Behavioral Practice*, 7, 500-505.
- Kohlenberg, R. J., Kohlenberg, B., y Tsai, M. (2009). Intimacy. In M. Tsai, R. J. Kohlenberg, J. W. Kanter, B. Kohlenberg, W. C. Follette, y Callaghan, G. M. (Eds.), *A guide to functional analytic psychotherapy: Awareness, courage, love, and behaviorism*. (pp. 21-36) New York, NY: Springer Science Business Media, LLC.
- Kohlenberg, R. J., Tsai, M. y Kanter, J. W. (2009). What is Functional Analytic Psychotherapy? En M. Tsai, R. J. Kohlenberg, J. W. Kanter, B. Kohlenberg, W.C. Follette, y G. M. Callaghan, G.M. (Eds). *A Guide to Functional Analytic Psychotherapy. Awareness, Courage, Love and Behaviorism*. (pp.: 1-19). New York: Springer.
- Kohlenberg, R. J., Tsai, M., Ferro, R., Valero, L., Parra, A., y Virues, J. (2005). Functional-Analytic Psychotherapy and Acceptance and Commitment Therapy: Theory, applications and its relationships with traditional behavior analysis. *International Journal of Clinical and Health Psychology*, 5(2), 349-371.
- Kohlenberg, R. J., Tsai, M., Kanter, J. W. y Parker, C. R. (2009). Self and Mindfulness. En M. Tsai, R. J. Kohlenberg, J. W. Kanter, B. Kohlenberg, W.C. Follette, y G. M. Callaghan, G.M. (Eds). *A Guide to Functional Analytic Psychotherapy. Awareness, Courage, Love and Behaviorism*. (pp.: 103-130). New York: Springer.
- Kohlenberg, R. J., Tsai, M., Parker, C. R., Bolling, M. Y. y Kanter, J. W. (1999). Focusing on the client-therapist interaction, Functional Analytic Psychotherapy: A behavioral approach. *European Psychotherapy*, 1, 15-25.
- Kohlenberg, R. J., y Vandenberghe, L. (2007). Treatment resistant OCD, inflated responsibility, and the therapeutic relationship: Two case examples. *Psychology and Psychotherapy-Theory Research and Practice*, 80, 455-465.
- Kohlenberg, R.J. (2003). AABT: On the precipice of becoming dysfunctional? *The Behavior Therapist*, 26, 284-286.
- Kohlenberg, R.J. y Callaghan, G.M. (2010). FAP and ACT: Similarities, Divergence and Integration. En J.W. Kanter, M. Tsai, y R.J. Kohlenberg (eds). *The practice of Functional Analytic Psychotherapy* (p.31-46). New York: Springer.

- Kohlenberg, R.J. y Tsai, M. (1994b). Improving cognitive therapy for depression with functional analytic psychotherapy: Theory and case study. *The Behavior Analyst*, 17(2), 305-319.
- Kohlenberg, R.J. y Tsai, M. (1995). Functional analytic psychotherapy: a behavioral approach to intensive treatment. En W. O'Donohue y L. Krasner (Eds.), *Theories of behavior therapy. Exploring behavior change*, (pp.: 637-658). Washington: APA.
- Kohlenberg, R.J. y Tsai, M. (2001). Hablo, luego existo: una aproximación conductual para entender los problemas del yo. *Escritos de Psicología*, 5, 58-62.
- Kohlenberg, R.J. y Tsai, M.. (1998). Healing interpersonal trauma with the intimacy of the relationship. En V.M. Follette; J.I. Ruzeg y F.R. Abueg (Eds.). *Cognitive-Behavioral Therapies for Trauma*. (pp.: 305-320). New York: Guilford.
- Kohlenberg, R.J., Hayes, S.C. y Tsai, M. (1993). Radical behavioral psychotherapy: Two contemporary examples. *Clinical Psychology Review*, 13(6), 579-592.
- Kohlenberg, R.J., Kanter, J. W., Bolling, M.Y., Parker, C.R. y Tsai, M. (2002). Enhancing Cognitive Therapy for Depression with Functional Analytic Psychotherapy: Treatment Guidelines and Empirical Findings. *Cognitive and Behavioral Practice*, 9, 213-229.
- Kohlenberg, R.J., Kanter, J.W., Tsai, M. y Weeks, C.E. (2010). FAP and Cognitive Behavior Therapy. En J. W. Kanter, M. Tsai y R. J. Kohlenberg (Eds.) *The Practice of Functional Analytic Psychotherapy*. (pp. 11-30). New York: Springer.
- Kopko, D.R., Lejuez, C.W., Ruggiero, K.J., y Eifert, G.H. (2003). Contemporary behavioral activation treatments for depression: procedures, principles and progresss. *Clinical Psychology Review*, 23, 699-717.
- Krasner, L. (1962). The therapist as a social reinforcing machine. En H. H. Strupp y L. Luborsky (Eds.), *Research in Psychotherapy* (Vol. 2, pp. 61-94). Washington, DC: American Psychological Association.
- Krause, M., Altimir, C., y Horwath, A. (2011). Deconstructing the therapeutic alliance: Reflexions on the underlying dimensions of the concept. *Clinica y Salud*, 22(3), 267-283.
- Labrador, F.J., Cruzado, J.A., y Muñoz, M. (1995). *Manual de técnicas de modificación y terapia de conducta*. Madrid: Pirámide.
- Labrador, F.J., Echeburúa, E., y Becoña, E. (2000). *Guía para la elección de tratamientos psicológicos efectivos*. Madrid: Dykinson.
- Lambert, M.J. (1992). Implications of psychotherapy outcome research for eclectic and integrative psychotherapies. En J.C. Norcross y M.V. Goldfried (eds), *Handbook of Psychotherapy Integration*. New York: Basic Books.
- Lambert, M.J. (2013). The efficacy and effectiveness of psychotherapy. En M.J. Lambert (ed) *Bergin and Goldfield's Handbook of Psychotherapy and Behavior Change* (6th ed) (pp. 169-218). New York: Wiley

Bibliografía

- Landes, S.J., Kanter, J.W., Weeks, C.E., y Busch, A.M. (2013). The impact of the active components of Functional Analytic Psychotherapy on idiographic target behaviors. *Journal of Contextual Behavioral Science*, 2, 49-57.
- Leonard, R.C., Knott, L.E., Lee, E.B., Singht, S., Smith, A.H., Kanter, J., Norton, P.J., y Wetterneck, C.T. (2014). The development of the Functional Analytic Psychotherapy Intimacy Scale. *Psychological Record*, 64, 647-657.
- Linehan, M.M. (1993). *Cognitive-Behavioral Treatment of Borderline Personality Disorder*. New York: Guilford Press
- López-Bermúdez, M.A., Ferro, R. y Calvillo, M. (2010). An application of Functional Analytic Psychotherapy in a case of anxiety panic disorder without agoraphobia. *Internacional Journal of Behavioral Consultation and Therapy*, 6, 4, 356-372.
- López-Bermúdez, M.A., Ferro, R. y Valero, L. (2010). Intervención en un trastorno depresivo mediante la Psicoterapia Analítica Funcional. *Psicothema*, 22, 1, 92-98.
- López-Bermúdez, M.A., Ferro, R., y Calvillo, M. (2002). Una aplicación de la Terapia Analítico Funcional en un trastorno de angustia sin agorafobia. *Análisis y Modificación de Conducta*, 28(120), 553-583.
- Lovaas, O.I. (2003). *Teaching individuals with developmental delays: Basic intervention techniques*. Austin, TX: Pro-Ed.
- Luborsky, L. (1976). Helping alliances in psychotherapy. En J.L. Cleghhorn (Ed.) *Successful psychotherapy* (pp. 92-112). New York: Bruner-Mazel.
- Luciano, M.C. (1999). Application of research on rule-governed behavior (pp.181-204). En J.C. Lestie y D. Blackman (eds.). *Experimental and applied analysis of human behavior*. Reno, NV: Context Press.
- Luciano, M.C., Barnes-Holmes, Y., y Barnes-Holmes, D. (2002). Establishing reports of saying and doing and discriminations of say-do relations. *Research Developmental Disabilities*, 23(6), 406-421.
- Luciano, M.C., Herruzo, J., y Barnes-Homes, D. (2001). Generalization of say-do correspondence. *The Psychological Record*, 51(1), 111-130.
- Maitland, D.W.M. y Gaynor, S.T. (2012). Promoting efficacy research on Functional Analytic Psychotherapy. *International Journal of Behavioral Consultation and Therapy*, 7, 2-3, 63-71.
- Malott, R.W. (2003). Behavior analysis and linguistic productivity. *The Analysis of Verbal Behavior*, 19, 11-18.
- Malott, R.W., Malott, M.E., y Trojan, E.A. (2003). *Principios elementales del comportamiento*. Mexico: Prentice-Hall.
- Manduchi, K. y Schoendorff, B. (2012) First steps in FAP: Experiences of beginning FAP therapist with an obsessive-compulsive personality disorder client. *International Journal of Behavioral Consultation and Therapy*, 7(2-3), 72-77.

- Mangabeira, V., Kanter, J. y Del Prette, G. (2012). Functional Analytic Psychotherapy (FAP): A review of publications from 1990 to 2010. *International Journal of Behavioral Consultation and Therapy*, 7, 2-3, 78-89.
- Manos, R. C., Kanter, J. W., Rusch, L. C., Turner, L. B., Roberts, N. A., y Busch, A. M. (2009). Integrating Functional Analytic Psychotherapy and behavioral activation for the treatment of relationship distress. *Clinical Case Studies*, 8, 122-138.
- Mansfield, A.K. y Cordova, J.V. (2007). A contemporary behavioral perspective on adult intimacy disorders. En D. Woods y J. Kanter (eds) *Understanding behavior disorders: A contemporary behavioral perspective*. Reno, Nevada: Context Press.
- Martell, C. R., Addis, M. E., y Jacobson, N. S. (2001). *Depression in context: Strategies for guided action*. New York: W.W. Norton.
- Martín-Murcia, F. (2006). Cambios sociales y trastornos de la personalidad posmoderna. *Papeles del Psicólogo*, 27, 2, 104-115.
- Martín-Murcia, F., Cangas-Díaz, A. J. y Pardo-Gonzalez, L. (2011). A case study of anorexia nervosa and obsessive personality disorder using Third-Generation Behavioral Therapies, *Clinical Case Studies*, 10, 3, 198-209.
- Martin, D.J., Garske, J.P., Davis, M.C. (2000). Relation of the therapeutic alliance with outcome and other variables. A meta-analytic review. *Journal of Consulting and Clinical Psychology*, 68, 3, 438-450.
- Martin, G., y Pear, J. (1999). *Modificación de conducta: Qué es y cómo aplicarla*. Madrid: Prentice-Hall.
- McClafferty, C. (2012). Expanding the cognitive behavioural therapy traditions: An application of Functional Analytic Psychotherapy treatment in a case study of depression. *International Journal of Behavioral Consultation and Therapy*, 7(2-3), 90-102.
- Mendes, A. C. y Vandenberghe, L. (2009). O relacionamento terapeuta-cliente no tratamento do transtorno obsessivo compulsivo. [The therapist-client relationship in the treatment of obsessive compulsive disorder]. *Estudos de Psicologia (Campinas)*, 26, 545-552.
- Michael, J., Palmer, D.C., y Sundberg, M.L. (2011). The multiple control of verbal behavior. *The Analysis of Verbal Behavior*, 27, 3-22.
- Miltenberger, R.G. (2013). *Modificación de conducta: principios y procedimientos*. Madrid: Pirámide.
- Molina, F.J., Amador, M.C., y Fernández, M.D. (2008). Correspondencia decir-hacer para la mejora de conductas perturbadoras en adultos con síndrome de Down. *Psicothema*, 20(1), 71-79.
- Moura, C. B. y Conte, F. C. de S. (1997). A psicoterapia analítico-funcional aplicada à terapia comportamental infantil: a participação da criança. *Torre de Babel*, 4(1), 131-144.
- Nasser, O., y Vandenberghe, L. (2005). Anorgasmia e esquivas experienciais um estudo de caso. *Psicologia Clinica*, 17(1), 162-176.

Bibliografía

- Nelson, K.M., Yang, J.P., Maliken, A.C., Kohlenberg, R.J., y Tsai, M. (en prensa). Introduction to using structured evocative activities in Functional Analytic Psychotherapy. *Cognitive and Behavioral Practice*.
- Newring, K.A.B. y Wheeler, J.G. (2012). Functional Analytic Psychotherapy with juveniles who have committed sexual offenses. *International Journal of Behavioral Consultation and Therapy*, 7, 2-3, 102-110.
- Newring, R.W., Parker, C., y Newring, K.A.B. (2010). Functional Analytic Psychotherapy and Adolescents. En J.W. Kanter, M.Tsai y J. Kohlenberg (eds). *The practice of Functional Analytic Psychotherapy*. New York: Spring Publishing Company. (p.187-204).
- Norcross, J. (2011). *Psychotherapy relationships that work: evidence-based responsiveness*. New York: Oxford University Press.
- Nosek, B.A., Marlatt, G.A., y Banaji, M.R. (2007). The Implicit Association Test at age 7: a methodological and conceptual review (pp.265-292). En J.A. Bargh (ed.) *Automatic processes in social thinking and behavior*. New York: Psychology Press.
- Novoa, M.M. y Guzmán, D. (2008). Aplicación clínica de modelos terapéuticos no mediacionales en un caso de trastorno mixto del afecto. *Terapia Psicológica*, 26, 2, 263-275.
- O'Donohue, W. (1998). Conditioning and third-generation behavior therapy. In W. O'Donohue (Ed.). *Learning and Behavior Therapy* (pp.: 1-14). Needham Heights: Allyn and Bacon.
- Oah, S., y Dickinson, A.M: (1989). A review of empirical studies on verbal behavior. *The Analysis of Verbal Behavior*, 7, 53-68.
- Olivares, J., y Méndez, F.X. (1999). *Técnicas de modificación de conducta*. Madrid: Biblioteca Nueva.
- Oliveira, K.C.F. y Vandenberghe, L. (2005). Anorgasmia e esquiva experiencial, um estudo de caso. *Psicología Clínica*, 17, 1, 162-176.
- Olivencia, J.J., y Cangas, A.J. (2005). Tratamiento psicológico del trastorno esquizotípico de la personalidad: Un estudio de caso. *Psicothema*, 17(3), 412-417.
- Orlinsky, D. E., y Howard, K. I. (1986). Process and outcome in psychotherapy. In S. L. Garfield y A. E. Bergin (Eds.), *Handbook of psychotherapy and behavior change* (pp. 311-381). New York: John Wiley.
- Ortega, J. V.; Quero, A. D. y Martínez, J. F. V. (2003). Functional issues in functional analytic psychotherapy. *Revista de La Asociación Española de Neuropsiquiatría*, 88, 49-69.
- Oshiro, B. (2011). *Delineamento experimental de caso único: a Psicoterapia Analítica Funcional com dois clientes difíceis*. Tese de Doutorado. São Paulo: Universidade de São Paulo.
- Oshiro, B. y Meyer, S. B. (2014). Desafios metodológicos na pesquisa clínica: Terapia com clientes difíceis. In D. Zambigani & S. B. Meyer (Org.), *A pesquisa de processo em psicoterapia. Estudos a partir do Instrumento*

- SiMCCIT (Sistema Multidimensional para a Categorização de Comportamentos na Interação Terapêutica).*). São Paulo: Paradigma Núcleo de Análise do Comportamento.
- Oshiro, B., Kanter, J., y Meyer, S. (2012). A single-case experimental demonstration of Functional Analytic Psychotherapy with two clients with severe interpersonal problems. *International Journal of Behavioral Consultation and Therapy*, 7(2-3), 111-117.
- Öst, L. G. (2008) Efficacy of the third wave of behavioral therapies: A systematic review and meta-analysis. *Behaviour Research and Therapy*, 46(3), 296-321.
- Padilla, D. (2013). *Análisis retrospectivo de un protocolo asistencial cognitivo-conductual contextual grupal breve en adolescentes atendidos en un centro de salud mental público* (Tesis doctoral no publicada). Universidad Autónoma, Madrid.
- Padilla, D., y Jiménez, M.A. (2014). Experiencia clínica de psicoterapia grupal contextual en adolescentes con problemas emocionales. *Clínica Contemporánea*, 5(1), 53-68.
- Paéz, M. y Luciano, C. (2012). La Integración de ACT y FAP en el trabajo con patrones rígidos de comportamiento. En M. Paéz y O. Guitiérrez (Coords.). *Múltiples aplicaciones de la Terapia de Aceptación y Compromiso (ACT)*. (pp.: 47-72). Madrid: Pirámide.
- Pankey, J. (2012). Functional Analytic Psychotherapy for cluster B personality disorders: creating meaning, matting and skills. *International Journal of Behavioral Consultation and Therapy*, 7(2), 117-124.
- Paul, R.H.; Marx, B. P. y Orsillo, S.M. (1999). Acceptance-based psychotherapy in the treatment of an adjudicated exhibitionist: a case example. *Behavior Therapy*, 30, 149-162.
- Pavlov, I.P. (1927/1986) *Conditioned reflexes: An investigation of the physiological activity of the cerebral cortex*. Londres: University Press. (Edición encastellano Barcelona: Planeta De Agostini).
- Pedersen, E.R., Callaghan, G.M., Prins, A., Nguyen, H. y Tsai, M. (2012). Functional Analytic Psychotherapy as an adjunct to Cognitive-Behavioral Traetments for posttraumatic stress disorder: Theory and application in a single case design. *International Journal of Behavioral Consultation and Therapy*, 7, 2-3,125-134.
- Peláez, M., y Moreno, R. (1999). Four dimensions of rules and their correspondence to rule-governed behavior: A taxonomy. *Behavioral Development*, 8(1), 21-27.
- Pérez-Álvarez, M. (2006). La terapia de conducta de tercera generación. *EduPsykhé*, 5(2), 159-172.
- Pérez-Álvarez, M. (2012). Third-generation therapies: achievements and challenges. *International Journal of Clinical and Health Psychology*, 12, 2, 291-310.
- Pérez-Alvarez, M. (2014). *Las terapias de tercera generación como terapias contextuales*. Madrid: Síntesis.

Bibliografía

- Pérez, M., Fernández, J.R., Fernández, C., y Amigo, I. (2005). *Guía de tratamientos psicológicos eficaces: Tomo 1 Adultos*. Madrid: Pirámide.
- Pergher, N.K. y Colombini, F.A. (2010). Client's revelations in therapy sessions. *Acta Comportamentalia*, 18, 3, 361-380.
- Prins, A. y Callaghan, G. M. (2002). *Functional Analytic Psychotherapy on an adjunctive treatment for a client meeting criteria for PTSD*. Poster presentado en el 36 Annual Meeting of the Association for the Advancement of Behavior Therapy, Reno, November.
- Queiroz, M. A. M., y Vandenberghe, L. (2006). Psychotherapy in the treatment of fibromialgia: Interweaving FAP and ACT. In H. J. Guilhardi y N. Aguire. (Eds.). *Sobre Comportamento e Cognição*. (pp.: 238-248). Santo André: ESETEC.
- Rabin, C., Tsai, M. y Kohlenberg, R. J. (1996). Targeting sex-role and power issues with a functional analytic approach: Gender patterns in behavioral marital therapy. *Journal of Feminist Family Therapy*, 8, 1-24.
- Reis, H. T. y Patrick, B. C. (1996). Attachment and intimacy: Component processes. In E. T. Higgins y A. W. Kruglanski (Eds.), *Social psychology: Handbook of basic principles* (pp. 523-563). NY: The Guilford Press.
- Rincón C. L. (2013) *Efectos de la psicoterapia analítico funcional en los repertorios de intimidad de tres clientes gay*. Unpublished thesis, Pontificia Universidad Javeriana, Bogotá-Colombia.
- Rodriguez-Naranjo, C. (1998). Therapeutical principles and clinical possibilities of "Functional Analytic Psychotherapy". *Psicothema*, 10(1), 85-96.
- Rogers, C.R. (1951). *Client-centered therapy*. Boston: Houghton Mifflin
- Rosen, G. M., y Davison, G. M. (2003). Psychology should determine empirically supported principles of change (ESPs) and not credential trademarked therapies. *Behavior Modification*, 27, 300-312.
- Schaap, C.P.D.R., Bennun, I., Schindler, L., y Hoogduin, K.A.L. (1993). *The therapeutic relationship in behavioural psychotherapy*. Chichester, UK: Wiley.
- Schlinger, H.D. y Alessi, G. (2011). Verbally conditioning client behaviors in the therapeutic setting. *Clínica y Salud*, 22(3), 245-255.
- Schmitt, J.P. (1985). Client-assumed responsibility: A basis for contingent and noncontingent therapeutic responding. *Professional Psychology: Research and Practice*, 16, 286-295.
- Schneider, N. (2010). Beziehung - Bewusstheit - Behaviorismus: Die Funktional-Analytische Psychotherapie (FAP). *Zeitschrift für Rational-Emotive y Kognitive Verhaltenstherapie*, 21, 53-90.
- Schoendorff, B. y Steinwachs, J. (2012). Using Functional Analytic Therapy to train therapists in Acceptance and Commitment Therapy, a conceptual and practical framework. *Internacional Journal of Behavioral Consultation and Therapy*. 7, 2-3, 135-137.

- Scholz, W.-U. (2005). Skinner und die Funktional-Analytische Therapie. *Verhalten-Stherapie y Psychosoziale Praxis*, 4, 753-768.
- Shautter, R.A., y LeBlanc, L.A. (2006). Empirical applications of Skinner's analysis of verbal behavior with humans. *The Analysis of Verbal Behavior*, 22, 25-48.
- Shimoff, E., Catania, A. C., Matthews, B. A. (1981). Uninstructed human responding: Sensitivity of low-rate performance to schedule contingencies. *Journal of the Experimental Analysis of Behavior*, 26, 207-220.
- Shingler, J., y Strong, S. (2003). Putting the 'B' back into CBT: the use of behavioural contingencies in sex offender treatment. *News*, 45, 9 - 12.
- Sidman, M. (1994). *Equivalence relation and behavior: A research story*. Boston, MA: Authors Cooperative.
- Silveira, J. M., Callaghan, G. M., Stradioto, A., Maeoka, B. E., Maurício, M. N. y Goulin, P. (2009). Efeitos de um treino em Psicoterapia Analítica Funcional sobre de seu cliente. *Revista Brasileira de Terapia Comportamental e Cognitiva*, 11(2), 346-365.
- Silvestre, R.L.S. y Vandenberghe, L. (2008). The therapist's feelings. *International Journal of Behavioral Consultation and Therapy*, 4 (4), 355-359.
- Skinner, B.F. (1969/1979) *Contingencies of reinforcement: A theoretical analysis*. Englewood Cliffs, NJ: Prentice-Hall. (Edición en castellano México: Trillas).
- Skinner, B. F. (1957/1981). *Verbal behavior*. Acton, MA: Copley Publishing. (Edición en castellano Mexico: Trillas).
- Skinner, B.F. (1938/1975). *The behavior or organism: An experimental analysis*. New Yoyrk: Appleton-Century-Crofts. (Edicion en castellano Barcelona: Fontanella).
- Skinner, B.F. (1953/1971). *Science and human behavior*. New York: MacMillan. (Edición en catellano Barcelona: Fontanella).
- Skinner, B.F. (1974/1977). *About behaviorism*. New York: Knopf. (Edición en castellano Barcelona: Fontanella).
- Skinner, B.F. (1982). Contrived reinforcement. *The Behavior Analyst*, 5, 3-8.
- Sousa, A. C. A. (2003). Transtorno de personalidade borderline sob uma perspectiva analítico-funcional. *Revista Brasileira de Terapia Comportamental e Cognitiva*, 5(2), 121-137.
- Sousa, A. C. A. y Vandenberghe, L. (2007). Possibilidades da FAP como método de supervisão de terapeutas com clientes boderlines. *Revista Brasileira de Terapia Comportamental e Cognitiva*, 9(1), 1-11.
- Stiles, W.B., Shapiro, D.A. y Firth-Cozens, J.A. (1990). Correlations of session evaluations with treatment outcome. *British Journal of Psychology*, 9, 13-21.
- Stokes, T.F. y Baer, D.M. (1977). An implicit technology of generalization. *Journal of Applied Behavior Analysis*, 10, 349-367.
- Stokes, T.F. y Osnes, P.G. (1989). An operant pursuit of generalization. *Behavior Therapy*, 20, 337-355.

- Sundberg, M.L., y Partington, J.W. (1998). *Teaching language to children with autism and other developmental disabilities*. Pleasant Hill, CA: Behavior Analyst Inc.
- Tamis-LeMonda, C. S., Bornstein, M. H., y Baumwell, L. (2001). Maternal responsiveness and children's achievement of language milestones. *Child Development*, 72 (3), 748-767.
- Thorensen, C., y Krumboltz, J.D. (1967). Relationship of counselof reinforcement of selected responses to external behavior. *Journal of Counseling Psychology*, 14(2), 140-144.
- Thorndike, E.L. (1932). *The fundamentals of learning*. New York: College Press.
- Tirado, J.L.A., Ortega, S.L., Diaz, V.A.H. y Martin, F.D.F. (2005). Brief therapy intervention model in students with academic performance and depression problems: Efficacy of The Cartuja Model. *International Journal of Clinical and Health Psychology*, 5(3), 589-608.
- Törneke, N., Luciano, C., y Valdivia, S. (1999). Rule-governed behavior and psychological problems. *International Journal of Psychology and Psychological Therapy*, 8(2), 141-156.
- Truax, C.B. (1966). Reinforcement and nonreinforcement in rogerian psychotherapy. *Journal of Abnormal psychology*, Vol. 71, No. 1, 1-9.
- Tsai, M., Kohlenberg, R. J., Kanter, J. W., Kohlenberg, B., Follette, W. C. y Callaghan, G. M. (2009). *A Guide to functional Analytic Psychotherapy. Awareness, Courage, Love, and Behaviorism*. New York: Springer.
- Tsai, M., Kohlenberg, R.J., Bolling, M.Y., y Terry, Ch. (2009). Values in therapy and green FAP. En Tsai et al. (eds). *A guide to Functional Analytic Psychotherapy*. New York: Springer (p.199-212).
- Tsai, M., Kohlenberg, R.J., Kanter, J.W. y Waltz, J. (2009). Therapeutic Technique: The Five Rules. In M. Tsai, R. J. Kohlenberg, J. W. Kanter, B. Kohlenberg, W.C. Follette, y G.M. Callaghan (Eds). *A Guide to functional Analytic Psychotherapy. Awareness, courage, Love, and Behaviorism*. (pp.: 61-102). New York: Springer.
- Tsai, M., Kohlenberg, R.J., Kanter, J.W., Holman, G.I. y Loudon, M.P. (2012). *Functional Analytic Psychotherapy. Distinctive Features*. New York: Routledge.
- Tsai, M., Kohlenberg, R.J., Kanter, J.W., Kohlenberg, B., Follete, W.C., Callaghan, G.M., (2010). *The practice of Functional Analytic Psychotherapy*. New York: Springer.
- Tsai, M., Plummer, M.D., Kanter, J.W., Newring, R.W. y Kohlenberg, R. J. (2010). Therapist grief and Functional Analytic Psychotherapy: Strategic self-disclosure of personal loss. *Journal of Contemporary Psychotherapy*, 40, 1-10.
- Tsai, M., y Reed, R. (2012). Working in-vivo with client sense of unlovability. *International Journal of Behavioral Consultation and Therapy*, 7(2-3), 147-150.

- Valero, L., Ferro, R., Kohlenberg, R.J. y Tsai, M. (2011). Therapeutic Change Processes in Functional Analytic Psychotherapy. *Clínica y Salud*, 22, 3, 209-221.
- Valero, L., Ferro, R., López, M. A. y Selva, M. A. (2014) Psychometric properties of the Spanish version of the Experiencing of Self Scale (EOSS) for assessment in Functional Analytic Psychotherapy. *Psicothema*, 26, 3, 415-422.
- Valero, L., Ferro, R., López, M.A. y Selva, M.A. (2014) Psychometric properties of the Spanish version of the Experiencing of Self Scale (EOSS) for assessment in Functional Analytic Psychotherapy. *Psicothema*, 26, 3, 415-422.
- Valero, L., Ferro, R., López, M.A., y Selva, M.A. (2012). Reliability and validity of the Spanish adaptation of Experiencing of Self Scale (EOSS) comparing normal and clinical samples. *Internacional Journal of Behavioral Consultation and Therapy*, 7, 2-3, 151-158.
- Vandenberghe, L. (2007). Functional Analytic Psychotherapy and the treatment of obsessive compulsive disorder. *Counseling Psychology Quarterly*, 20, 105-114.
- Vandenberghe, L. (2008), Culture-sensitive functional analytic psychotherapy. *The Behavior Analyst*, 31(1), 67-79.
- Vandenberghe, L. (2009). A functional analytic approach to group therapy. *The Behavior Analyst Today*, 10, 1, 71-82.
- Vandenberghe, L. (2009). A functional analytic approach to group therapy. *The Behavior Analyst Today*, 10, 1, 71-82.
- Vandenberghe, L. (2014). Therapists' positive emotions in-session: Why they happen and what they are good for. *Counselling and Psychotherapy Research*, 14(2), 119-127.
- Vandenberghe, L. y Ferro, C.L.B. (2005). Functional Analytic Psychotherapy enhanced group therapy as therapeutic approach for chronic pain: possibilities and perspectives. *Psicologia: Teoria e Prática*, 7(1), 137-151.
- Vandenberghe, L. y Martins da Silveira, J. (2012). The Trouble with the Short-Term Therapist-Clinete Relationship and What Can Be Done about it. *International Journal of Behavioral Consultation and Therapy*, 7, 2-3, 159-166.
- Vandenberghe, L. y Sousa, A.C.A. (2005). The dodo-bird debate, empirically supported relationships and Functional Analytic Psychotherapy. *International Journal of Behavioral Consultation and Therapy*, 1(4), 323-328.
- Vandenberghe, L., Cruz, A.C. y Ferro, C.B.L., (2003). Terapia de grupo para pacientes com dor cronica orofacial. *Revista Brasileira de Terapia Comportamental e Cognitiva*, 5, 1, 31-40.
- Vandenberghe, L., Coppede, A.M. y Kohlenberg, R.J. (2006). Client curiosity about the therapist's private life: Hindrance or therapeutic aid? *The Behavior Therapist*, 29 (3), 41-46.
- Vandenberghe, L., Ferro, C. B. L., y Cruz, A. C. (2003). FAP-enhanced group therapy for chronic pain. *The Behavior Analyst Today*, 4, 369-375.
- Vandenberghe, L., Ferro, C.B.L., y Cruz, A.C. (2003). FAP-enhanced group therapy for chronic pain. *The Behavior Analyst Today*, 4, 369-375.

Bibliografía

- Vandenberghe, L., Nasser, D.O., y Silva, D.P. (2010). Couples therapy, female orgasmic disorder and the therapist-client relationship: Two case studies in functional analytic psychotherapy. *Counseling Psychology Quarterly*, 23 , 1, 45 – 53.
- Vandenberghe, L., Sousa, A.C.A. y Oliveira, J.A. (2005). Treating clientes with Borderline Personality Disorder: The impact on the therapist. Comunicación presentada en el *9th European Congress of Psychology*. Granada. Spain.
- Vandenberghe, L., y Basso, C. (2004). Informal construction of contingencies in family-based intervention for oppsitional defiant behavior. *The Behavior Analyst Today*, 5(2), 151-157.
- Vandenberghe, L., y Ferro, C.L.B. (2005). Terapia de grupo embasada em psicoterapia analítica funcional como abordagem terapêutica para dor crônica: possibilidades e perspectivas. *Psicologia: Teoria e prática*, 7, 137-152.
- Vandenberghe, L., y Silva, R.L. (2013). Therapist's positive emotions in-session: Why they happen and what they are good for. *Counseling and Psychotherapy Research*, 14(2), 119-127.
- Veale, D., Warlow, S., y O'Donoghue, T. (2014). Development of a Functional Analytical Nurse Observation Chart (FANOC). *Behavioural and Cognitive Psychotherapy*, 42(1), 111-116.
- Virues, J., y Haynes, S.N. (2005). Functional analysis in behavior therapy: Behavioral foundations and clinical application. *International Journal of clinical and Health Psychology*, 5(3), 567-587.
- Wagner, A. W. (2005). A behavior al approach to the case of Ms. S. *Journal of Psychotherapy Integration*, 15(1), 101-114.
- Waltz, J., Landes, S. J. y Holman, G.I. (2010). FAP and Dialectical Behavior Therapy (DBT). En J. M. Kanter, M. Tsai y R.J. Kohlenberg (Eds.) *The Practice Of Functional Analytic Psychotherapy*. (pp.: 47-64). New York: Springer.
- Watkins, C.E. (1990). The effects of counselof self-disclosure: A research review. *The Counseling Psychologist*, 18, 477-500.
- Watson, J.B. (1913). Psychology as the behaviorist view it. *Psychological Review*, 20, 158-177.
- Watson, J.B. y Rayner, R. (1920). Conditioned emotional reactions. *Journal of Experimental Psychology*, 3(1), 1-14.
- Weeks, C.E. (2013). *An analogue study of the mechanism of change in Functional Analytic Psychotherapy*. Tesis no publicada. Universidad de Wilconsin Milwaukee.
- Wetterneck, C., y Hart, J. M. (2012) Intimacy is a transdiagnostic problem for Cognitive Behavior Therapy: Functional Analytical Psychotherapy is the solution. *Journal of Behavioral Consultation and Therapy*, 7(2-3), 167-176.
- Wetterneck, C., y Hart, J.M. (2012) Intimacy is a transdiagnostic problem for Cognitive Behavior Therapy: Functional Analytical Psychotherapy is the solution. *Journal of Behavioral Consultation and Therapy*, 7(2-3), 167-176.

- Wielenska, R.C. y Oshiro, C.K. (2012). FAP Group Supervision: Reporting Educational Experiences at the University of Sao Paulo, Brazil. *International Journal of Behavioral Consultation and Therapy*, 7, 2-3, 177-181.
- Williams, J.H. (1964). Conditioning of verbalization: A review. *Psychological Bulletin*, 62, 383-393.
- Wilson, K. G., y Luciano Soriano, M. C. (2002). *Terapia de Aceptación y Compromiso (ACT). Un tratamiento conductual orientado a los valores*. Madrid: Pirámide.
- Wilson, K.G., Sandoz, E.K., Kitchens, J., y Roberts, M.E. (2010). *The Valued Living Questionnaire: Defining and measuring valued action within a behavioral framework*. Carbondale, IL: Souther Illinois University.
- Wiser, S., y Goldfried, M.R. (1996). Verbal interventions in significant psychodynamic-interpersonal and cognitive-behavioral therapy sessions. *Psychotherapy Research*, 6, 4, 309-319.
- Xavier, R. N. y Meyer, S. B. (2014). Categorização e sequências comportamentais em Terapia Analítico-Comportamental Infantil. In D. Zamignani & S. B. Meyer (Org.), *A pesquisa de processo em psicoterapia. Estudos a partir do Instrumento SiMCCIT (Sistema Multidimensional para a Categorização de Comportamentos na Interação Terapêutica)*. São Paulo: Paradigma Núcleo de Análise do Comportamento.
- Xavier, R.N., Kanter, J.W., y Meyer, S.B. (2012). Transitional probability analysis of two child Behavior Analytic Therapy cases. *International Journal of Behavioral Consultation and Therapy*, 7(2-3), 182-188.
- Yoman, J. (2008). A primer of functional analysis. *Cognitive and Behavioral Practice*, 15, 325-340.
- Zamignani, D.R. (2007). *Development of a multidimensional system for coding behaviors in therapist-client interaction*. Doctoral Dissertation. Psychology Institute, University of São Paulo, Brazil.
- Zettle, R.D., y Hayes, S.C. (1982). Rule governed behavior: A potential theoretical framework for cognitive-behavior therapy. En P.C. Kendall (ed). *Advances in cognitive-behavioral research and therapy*. New York: Academic Press (pp. 73-118).