

Bibliografía

- Abba, N., Chadwick, P., & Stevenson, C. (2008). Responding mindfully to distressing psychosis: A grounded theory analysis. *Psychotherapy Research, 18*, 77-87.
- Achté, K., Jarho, L., Kyykka, T., & Vesterinen, E. (1991). Paranoid disorders following war brain damage. *Psychopathology and Behavioral Assessment, 24*, 309-315.
- Addington, D., Addington, J., & Schissel, B. (1990). A depression rating scale for schizophrenics. *Schizophrenia Research, 3*(4), 247-251.
- Almeida, O.P., & Starkstein, S.E. (2010). Cerebrovascular disease and psychosis. En P. S. Sachdev & M. S. Keshavan (Eds.), *Secondary Schizophrenia* (pp. 197-203). Cambridge: Cambridge University Press.
- Alvarez López, E. (2003). *Personalidad esquizotípica y marcadores cognitivos: Correlatos cognitivos de la esquizotipia psicométrica*. Tesis doctoral no publicada. Universidad de Barcelona.
- Alvarez, M., Bendall, S., Lederman, R., Wadley, G., Chinnery, G., Vargas, S., . . . Gleeson, J.F. (2013). On the HORYZON: Moderated online social therapy for long-term recovery in first episode psychosis. *Schizophrenia Research, 143*, 143-149.
- Amador, X.F., Strauss, D.H., Yale, S.A., Flaunm, M.M., Endicott, J., & Gorman, J.M. (1993). Assessment of insight in psychosis. *American Journal of Psychiatry, 150*, 873-879.
- American Psychiatric Association. (1952). *Diagnostic and statistical manual of mental disorders (1st ed.)*. Washington, DC: Author.
- American Psychiatric Association. (1968). *Diagnostic and statistical ma-*

- nual of mental disorders (2nd ed.)*. Washington, DC: Author.
- American Psychiatric Association. (1980). *Diagnostic and statistical manual of mental disorders (3rd ed.)*. Washington, DC: Author.
- American Psychiatric Association. (1987). *Diagnostic and statistical manual of mental disorders (3rd ed. Revised)*. Washington, DC: Author.
- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders (4th ed.)*. Washington, DC: Author.
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders: DSM-IV-Tr (4th ed. text revision)*. Washington, DC: American Psychiatric Association.
- American Psychiatric Association. (2004). *Practice guideline for the treatment of patients with schizophrenia (2nd edition)*. Washington, DC: Author.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders (5th ed.): DSM-5*. Washington, DC: American Psychiatric Publishing.
- Andreasen, N.C. (1983). *Scale for the assessment of negative symptoms (SANS)*. Iowa City, IA: University of Iowa.
- Andreasen, N.C. (1984). *Scale for the assessment of positive symptoms (SAPS)*. Iowa City, IA: University of Iowa.
- Andreasen, N.C. (1986). Scale for the Assessment of Thought, Language, and Communication (TLC). *Schizophrenia Bulletin*, 12, 473-482.
- Andreasen, N.C., Carpenter, W.T., Kane, J.M., Lasser, R.A., Marder, S.R., & Weinberger, D.R. (2005). Remission in schizophrenia: Proposed criteria and rationale for consensus. *American Journal of Psychiatry*, 162, 441-449.
- Andreasen, N.C., Endicott, J., Spitzer, R.L., & Winokur, G. (1977). The family history method using diagnostic criteria: Reliability and validity. *Archives of General Psychiatry*, 34, 1229-1235.
- Andreasen, N.C., Flaum, M., & Arndt, S. (1992). The Comprehensive Assessment of Symptoms and History (CASH). *Archives of General Psychiatry*, 49, 615-623.
- Andresen, R., Caputi, P., & Oades, L. (2006). The Stages of Recovery Instrument: Development of a measure of recovery from serious mental illness. *Australian and New Zealand Journal of Psychiatry*, 40, 972-980.
- Andresen, R., Oades, L., & Caputi, P. (2003). The experience of recovery from schizophrenia: Towards an empirically-validated stage mo-

- del. *Australian and New Zealand Journal of Psychiatry*, 37, 586-594.
- Andresen, R., Oades, L.G., & Caputi, P. (2011). *Psychological recovery: Beyond mental illness*. New York: Wiley-Blackwell.
- Andreu, J.M., Peña, M.E., & Graña, J.L. (2002). Adaptación psicométrica de la versión española del Cuestionario de Agresión. *Psicothema*, 14, 476-482.
- Arango, C., Calcedo Barba, A., Gonzalez-Salvador, T., & Calcedoz, A. (1999). Violence in inpatients with schizophrenia: A prospective study. *Schizophrenia Bulletin*, 25(3), 493-503.
- Arango, C., Moreno, C., Martínez, S., Parellada, M., Desco, M., Moreno, D., . . . Rapoport, J. (2008). Longitudinal brain changes in early-onset psychosis. *Schizophrenia Bulletin*, 34, 341-353.
- Axelrod, B.N., Goldman, R.S., & Alphas, L.D. (1993). Validation of the 16-item negative symptom assessment. *Journal of Psychiatric Research*, 27(3), 253-258.
- Ayuso-Mateos, J.L., Baca-García, E., Bobes, J., Giner, J., Giner, L., Pérez, V., . . . Grupo RECOMS. (2012). Recomendaciones preventivas y manejo del comportamiento suicida en España. *Revista de Psiquiatría y Salud Mental*, 5, 8-23.
- Baldwin, P., Browne, D., Scully, P.J., Quinn, J.F., Morgan, M.G., Kinsella, A., . . . Waddington, J.L. (2005). Epidemiology of first-episode psychosis: Illustrating the challenges across diagnostic boundaries through the Cavan-Monaghan study at 8 years. *Schizophrenia Bulletin*, 31, 624-638.
- Bale, T.T.L., Baram, T.Z., Brown, A.S., Goldstein, J.M., Insel, T.R., McCarthy, M.M., . . . Nestler, E.J. (2010). Early life programming and neurodevelopmental disorders. *Biological Psychiatry*, 68, 314-319.
- Balter, M. (2014). Talking back to madness. *Science*, 343, 1190-1193.
- Barch, D.M. (2005). The cognitive neuroscience of schizophrenia. *Annual Review of Clinical Psychology*, 1, 321-353.
- Barch, Deanna M., Bustillo, Juan, Gaebel, Wolfgang, Gur, Raquel, Heckers, Stephan, Malaspina, Dolores, . . . Carpenter, William. (2013). Logic and justification for dimensional assessment of symptoms and related clinical phenomena in psychosis: Relevance to DSM-5. *Schizophrenia Research*, 150, 15-20.
- Barcha, D.M., Bustillo, J., Gaebale, W., Gurf, R., Heckersi, S., Malaspina, D., . . . Carpenter, W. (2013). Logic and justification for di-

- mensional assessment of symptoms and related clinical phenomena in psychosis: Relevance to DSM-5. *Schizophrenia Research*, 150, 15-20.
- Bearden, C.E., Meyer, S.E., Loewy, R., Niendan, T., & Cannon, T.D. (2006). The neurodevelopmental model of schizophrenia: Updated. En D. Cicchetti & D. J. Cohen (Eds.), *Developmental psychopathology: risk, disorder, and adaptation (Vol. 3)* (pp. 542-569). New Jersey: Wiley.
- Beards, S., Gayer-Anderson, C., Borges, S., Dewey, M.E., Fisher, H.L., & Morgan, C. (2013). Life events and psychosis: A review and meta-analysis. *Schizophrenia Bulletin*, 39, 740-747.
- Beavan, V., & Read, J. (2010). Hearing voices and listening to what they say: the importance of voice content in understanding and working with distressing voices. *Journal of Nervous and Mental Disease*, 198, 201-205.
- Becerra, J.A. (2011). Descripción y limitaciones de los instrumentos de la emoción expresada. *Papeles del Psicólogo*, 32, 152-158.
- Beck, A.T., Baruch, E., Balter, J.M., Steer, R.A., & Warman, D.M. (2004). A new instrument for measuring insight: The Beck Cognitive Insight Scale. *Schizophrenia Research*, 68, 319-329.
- Beck, A.T., Kovacs, M., & Weissman, A. (1979). Assessment of suicidal intent: The scale for suicide ideation. *Journal of Consulting and Clinical Psychology*, 47, 343-352.
- Beck, A.T., Rector, N.A., Stolar, N.M., & Grant, P.M. (2009). *Schizophrenia: Cognitive theory, research, and therapy*. New York: Guilford Press.
- Beck, A.T., Steer, R., & Brown, G. (1996). *Beck Depression Inventory manual (2nd ed)*. San Antonio, TX: Psychological Corporation.
- Beck, A.T., & Steer, R.A. (2011). *Manual Beck Anxiety Inventory (BAI). Inventario de Ansiedad de Beck (Adaptación española: Sanz, J.)*. Madrid: Pearson Educación.
- Beck, A.T., Weissman, A., Lester, D., & Trexler, T. (1974). The measurement of pessimism: The hopelessness scale. *Journal of Consulting and Clinical Psychology*, 42, 861-865.
- Bell, V., Halligan, P.W., & Ellis, H.D. (2006). The Cardiff Anomalous Perceptions Scale (CAPS): A new validated measure of anomalous perceptual experience. *Schizophrenia Bulletin*, 32, 366-377.
- Belloch, A., Sandín, B., & Ramos, F. (1995). Conceptos y modelos en psicopatología. En A. Belloch, B. Sandín & F. Ramos (Eds.), *Ma-*

- nual de Psicopatología (Vol. 1)* (pp. 45-93). Madrid: McGraw-Hill.
- Benedict, R.H.B. (1997). *Brief Visuospatial Memory Test – Revised: Professional Manual*. Odessa, TX: Psychological Assessment Resources Inc.
- Benes, F.M., McSparren, J., Bird, E.D., SanGiovanni, J.P., & Vincent, S.L. (1991). Deficits in small interneurons in prefrontal and cingulate cortices of schizophrenic and schizoaffective patients. *Archives of General Psychiatry*, *48*, 966-1001.
- Bentall, R. (2003). The paranoid self. En T. Kircher & A. David (Eds.), *The self in neuroscience and psychiatry* (pp. 293-318). Cambridge, UK: Cambridge University Press.
- Bentall, R.P. (2000). Hallucinatory experiences. En E. Cardeña, S. J. Lynn & S. C. Krippner (Eds.), *Varieties of anomalous experience: Examining the scientific evidence* (pp. 85-120). Washington, DC: American Psychological Association.
- Bentall, R.P., Corcoran, R., Howard, R., Blackwood, N., & Kinderman, P. (2001). Persecutory delusions: A review and theoretical integration. *Clinical Psychology Review*, *21*, 1143-1192.
- Bentall, R.P., Fernyhough, C., Morrison, A.P., Lewis, S., & Corcoran, R. (2007). Prospects for a cognitive-developmental account of psychotic experiences. *British Journal of Clinical Psychology*, *46*, 155-173.
- Bentall, R.P., Haddock, G., & Slade, P.D. (1994). Psychological treatment for auditory hallucinations: From theory to therapy. *Behavior Therapy*, *25*, 51-66.
- Bentall, R.P., Kinderman, P., & Kaney, S. (1994). The self, attributional processes and abnormal beliefs: Towards a model of persecutory delusions. *Behaviour Research and Therapy*, *32*, 331-341.
- Bentall, R.P., & Slade, P.D. (1985). Reliability of a scale measuring disposition towards hallucination: A brief report. *Personality and Individual Differences*, *6*, 527-529.
- Bernardo, M., Bioque, M., Parellada, M., Saiz Ruiz, J., Cuesta, M.J., Llerena, A., . . . PEPs Group. (2013). Criterios de valoración clínicos y de funcionamiento en un estudio de interacción gen-ambiente en primeros episodios psicóticos (PEPs). *Revista de Psiquiatría y Salud Mental*, *6*, 4-16.
- Bernardo, M., Fernández-Egea, E., Torras, A., Gutiérrez, F., Ahuir, M., & Arango, C. (2007). Adaptación y validación en castellano del In-

- ventario para la Esquizofrenia Deficitaria. *Medicina Clínica (Barc)*, 129, 91-93. (2007). Adaptación y validación en castellano del Inventario para la Esquizofrenia Deficitaria. *Medicina Clínica (Barcelona)*, 129, 91-93.
- Bernstein, D.P., & Fink, L. (1998). *Childhood Trauma Questionnaire : A Retrospective Self-Report Manual*. San Antonio, TX: The Psychological Corporation.
- Bernstein, D.P., Stein, J.A., Newcomb, M.D., Walker, E., Pogge, D., Ahluvalia, T., . . . Zule, W. (2003). Development and validation of a brief screening version of the Childhood Trauma Questionnaire. *Child Abuse & Neglect*, 27, 169-190.
- Birchwood, M., Smith, J., Cocrane, R., Wetton, S., & Copestake, S. (1990). The Social Functioning Scale: The development and validation of a new scale of social adjustment for use in family intervention programmes with schizophrenic patients. *British Journal of Psychiatry*, 157, 853-859.
- Birchwood, M., Todd, P., & Jackson, C. (1998). Early intervention in psychosis: The critical period hypothesis. *British Journal of Psychiatry*, 172 (Suppl. 33), 53-59.
- Blake, D.D., Weathers, F.W., Nagy, L.N., Kaloupek, D.G., Klauminzer, G., Charney, D.S., & Keane, T.M. (1990). A clinician rating scale for assessing current and lifetime PTSD: The CAPS-1. *Behavior Therapist*, 13, 187-188.
- Blanchard, J. J., Kring, A.M., Horan, W. P., & Gur, R.C. (2011). Toward the next generation of negative symptom assessments: The collaboration to advance negative symptom assessment in schizophrenia. *Schizophrenia Bulletin*, 37, 291-299.
- Blanchard, J.J., & Cohen, A.S. (2006). The structure of negative symptoms within schizophrenia: Implications for assessment. *Schizophrenia Bulletin*, 32(2), 238-245.
- Bobes, J., Calcedo-Barba, A., García, M., François, M., Rico-Villademoros, E., González, M.P., . . . Grupo español de trabajo para el estudio del trastorno por estrés postraumático. (2000). Evaluación de las propiedades psicométricas de la versión española de cinco cuestionarios para la evaluación del trastorno de estrés postraumático. *Actas Españolas de Psiquiatría*, 28, 207-218.
- Bobes, J., García-Portilla, M.P., Bousoño, M., & Sáiz Martínez, P. (1998). Calidad de vida en los trastornos esquizofrénicos. En J. Saiz Ruiz (Ed.), *Esquizofrenia. Enfermedad del cerebro y reto social* (pp.

- 261-177). Barcelona: Masson, S.A.
- Bobes, J., González, M.P., Sáiz, P.A., & Bousoño, M. (1996). *Indice Europeo de Severidad de la Adicción: EuropASI. Versión española: Actas de la IV Reunión Interregional de Psiquiatría*, 201-218.
- Bonoldi, I., Simeone, E., Rocchetti, M., Codjoe, L., Rossi, G., Gambi, F., . . . Fusar-Poli, P. (2013). Prevalence of self-reported childhood abuse in psychosis: A meta-analysis of retrospective studies. *Psychiatry Research*, 210, 8-15.
- Brandt, J., & Benedict, R.H.B. (2001). *The Hopkins Verbal Learning Test – Revised: Professional Manual*. Odessa, FL: Psychological Assessment Resources, Inc.
- Bravo Ortiz, M.F., Vallina Fernández, O., San Emeterio Parra, M., Cid Colom, J., Ibáñez Rojo, V., González Cases, J., & Fernández Liria, A. (2009). *Consenso sobre Atención Temprana a la Psicosis de la Asociación Española de Neuropsiquiatría*. Madrid: Asociación Española de Neuropsiquiatría.
- Brown, G.W., Birley, J.L., & Wing, J.F. (1972). Influence of family life on the course of schizophrenic disorders: A replication. *British Journal of Psychiatry*, 121, 241-258.
- Brown, G.W., & Harris, T.O. (1989). *Life events and illness*. New York: Guilford Press.
- Buckley, P.F., Miller, B.J., Lehrer, D.S., & Castle, D.J. (2009). Psychiatric comorbidities and schizophrenia. *Schizophrenia Bulletin*, 35, 383-402.
- Buss, A.H., & Perry, M. (1992). The aggression questionnaire. *Journal of Personality and Social Psychology*, 63, 452-459.
- Campana, A., Gambini, O., & Scarone, S. (1998). Delusional disorder and eye tracking dysfunction: preliminary evidence of biological and clinical heterogeneity. *Schizophrenia Research*, 30, 51-58.
- Canadian Psychiatric Association. (2005). Clinical practice guidelines: Treatment of schizophrenia. *Canadian Journal of Psychiatry*, 50 (Suppl. 1), 13.
- Cannon, T.D. (2005). Clinical and genetic high-risk strategies in understanding vulnerability to psychosis. *Schizophrenia Research*, 79, 35-44.
- Cannon, T.D., van Erp, T.G.M., Bearden, C.E., Loewy, R., Thompson, P., Toga, A.W., . . . Tsuang, M.T. (2003). Early and late neurodevelopmental influences in the prodrome to schizophrenia: Contributions of genes, environment, and their interactions. *Schizophrenia*

- Bulletin*, 29, 653-669.
- Cardno, A.G., Rijsdijk, F.V., Sham, P.C., Murray, R.M., & McGuffin, P. (2002). A twin study of genetic relationships between psychotic symptoms. *American Journal of Psychiatry*, 159, 539-545.
- Castagnini, A., Bertelsen, A., & Berrios, G.E. (2008). Incidencia y estabilidad diagnóstica de los trastornos psicóticos agudos y transitorios CIE-10. *Psiquiatría Biológica*, 15, 187-194.
- Cavelti, M., Kvrjic, S., Beck, E.M., Kossowsky, J., & Vauth, R. (2012). Assessing recovery from schizophrenia as an individual process: A review of self-report instruments. *European Psychiatry*, 27, 19-32.
- Chadwick, P. (2009). *Terapia cognitiva basada en la persona para la psicosis perturbadora*. Madrid: Fundación para la investigación y el tratamiento de la esquizofrenia y otras psicosis.
- Chadwick, P., Sambrooke, S., Rasch, S., & Davies, E. (2000). Challenging the omnipotence of voices: Group cognitive behavior therapy for voices. *Behaviour Research and Therapy*, 38, 993-1003.
- Chadwick, P., & Trower, P. (2008). Person-based cognitive therapy for paranoia: The challenges of 'poor me'. En D. Freeman, R. Bentall & P. Garety (Eds.), *Persecutory delusions: Assessment, theory, and treatment* (pp. 411-424). Oxford: Oxford University Press.
- Chadwick, Paul, & Birchwood, Max. (1995). The omnipotence of voices II: The beliefs about voices questionnaire (BAVQ). *British Journal of Psychiatry*, 166, 773-776.
- Chapman, L.J., & Chapman, J.P. (1988). The genesis of delusions. En T. F. Oltmanns & B. A. Maher (Eds.), *Delusional beliefs* (pp. 167-183). New York: Wiley.
- Chapman, L.J., Chapman, J.P., & Raulin, M.L. (1976). Scales for physical and social anhedonia. *Journal of Abnormal Psychology*, 85, 374-382.
- Chapman, L.J., Chapman, J.P., & Raulin, M.L. (1978). Body-image aberration in schizophrenia. *Journal of Abnormal Psychology*, 87, 399-407.
- Claridge, G. (Ed.). (1997). *Schizotypy: Implications for illness and health*. Oxford: Oxford University Press.
- Claridge, G.S., & Broks, P. (1984). Schizotypy and hemisphere function. I: Theoretical considerations and the measurement of schizotypy. *Personality and Individual Differences*, 8, 303-312.
- Cohen, A.S., Matthews, R.A., Najolia, G.M., & Brown, L.A. (2010). To-

- ward a more psychometrically sound brief measure of schizotypal traits: introducing the SPQ-Brief Revised. *Journal of Personality Disorders*, 24, 516-537.
- Colom, F., Vieta, E., Martínez-Aran, A., García-García, M., Reinares, M., Torrent, C., . . . Salmero, M. (2002). Spanish version of a scale for the assessment of mania: Validity and reliability of the Young Mania Rating Scale. *Medicina Clínica (Barc.)*, 119, 366-371.
- Cornblatt, B.A., Risch, N.J., Faris, G., Friedman, D., & Erlenmeyer-Kimling, L. (1988). The Continuous Performance Test, Identical Pairs Version (CPT-IP). I: New findings about sustained attention in normal families. *Psychiatry Research*, 26, 223-238.
- Corrigan, P.W., Giffort, D., Rashid, F., Leary, M., & Okele, I. (1999). Recovery as a psychological construct. *Community Mental Health Journal*, 35, 231-239.
- Corrigan, P.W., Salzer, M., Ralph, R.O., & Sangster, Y. & Keck, L. (2004). Examining the factor structure of the recovery assessment scale. *Schizophrenia Bulletin*, 30, 1035-1041.
- Corstens, Dirk, Longden, Eleanor, McCarthy-Jones, Simon, Waddingham, Rachel, & Thomas, Neil. (2014). Emerging perspectives from the hearing voices movement: Implications for research and practice. *Schizophrenia Bulletin*, 40(Suppl 4), S285-S294.
- Crow, T.J. (1995). A continuum of psychosis, one human gene and not much else: The case for homogeneity. *Schizophrenia Research*, 17, 135-145.
- Cuesta Zorita, M.J., Peralta Martín, V., & Irigoyen Recalde, I. (1995). Escala de experiencias subjetivas Frankfurt-Pamplona. *Actas Luso-Españolas de Neurología, Psiquiatría y Ciencias Afines*, 23, 193-199.
- Cuthbert, B.N. (2014). The RDoC framework: facilitating transition from ICD/DSM to dimensional approaches that integrate neuroscience and psychopathology. *World Psychiatry*, 13, 28-35.
- Cyharova, E., & Claridge, G. (2005). Development of a version of the Schizotypy Traits Questionnaire (STA) for screening children. *Schizophrenia Research*, 80, 253-261.
- Daniel, D.G. (2013). Issues in selection of instruments to measure negative symptoms. *Schizophrenia Research*, 150, 343-345.
- David, A.S. (1994). The neuropsychological origin of auditory hallucinations. En A. S. David & J. C. Cutting (Eds.), *The neuropsychology of schizophrenia* (pp. 269-313). Hove, UK: Erlbaum.

- Davidson, J.R.T., Hughes, D., & Blazer, D.G. (1990). Traumatic experiences in psychiatric outpatients. *Journal of Traumatic Stress, 3*, 459-475.
- Dean, K., Stevens, H., Mortensen, P.B., Murray, R.M., Walsh, E., & Pedersen, C.B. (2010). Full spectrum of psychiatric outcomes among offspring with parental history of mental disorder. *Archives of General Psychiatry, 67*, 822-829.
- Díaz Mesa, E.M., García-Portilla, P., Saiz, P., Bobes, T., Casares, M.J., Fonseca-Pedrero, E., . . . Terán, A. (2010). Rendimiento psicométrico de la 6ª Versión del Addiction Severity Index en español (ASI-6). *Psicothema, 22*, 513-519.
- Dixon, L.B., Dickerson, F., Bellack, A.S., Bennett, M., Dickinson, D., Goldberg, R.W., . . . Kreyenbuhl, J. (2010). The 2009 schizophrenia PORT psychosocial treatment recommendations and summary statements. *Schizophrenia Bulletin, 36*, 48-70.
- Dopke, C.A., & Batscha, C.L. (2014). Cognitive behavioral therapy for individuals with schizophrenia: A recovery approach. *American Journal of Psychiatric Rehabilitation, 17*, 44-71.
- Drake, R., Haddock, G., Tarrier, N., Bentall, R.P., & Lewis, S. (2007). The Psychotic Symptom Rating Scales (PSYRATS): Their usefulness and properties in first episode psychosis. *Schizophrenia Research, 89*, 119-122.
- Drayton, M., Birchwood, M., & Trower, P. (1998). Early attachment experience and recovery from psychosis. *British Journal of Clinical Psychology, 37*, 269-284.
- Dutta, R., Greene, T., Addington, A., McKenzie, K., Phillips, M., & Murray, R.M. . (2010). Biological, life course, and cross-cultural studies all point toward the value of dimensional and developmental ratings in the classification of psychosis. En C. A. Tamminga, P. J. Sirovatka, D. A. Regier & J. van Os (Eds.), *Deconstructing psychosis: Refining the research agenda for DSM-V*. (pp. 11-28). Arlington, VA: American Psychiatric Association.
- Dvir, Y., Denietolis, B., & Frazier, J.A. (2013). Childhood trauma and psychosis. *Child and Adolescent Psychiatric Clinics of North America, 22*, 629-641.
- Eack, S.M., Hogarty, G.E., Cho, R.Y., Prasad, K.M.R., Greenwald, D.P., Hogarty, S.S., & Keshavan, M.S. (2010). Neuroprotective effects of Cognitive Enhancement Therapy against gray matter loss in early schizophrenia: Results from a 2-year randomized controlled

- trial. *Archives of General Psychiatry*, 67, 674-682.
- Eckblad, M., & Chapman, L.J. (1983). Magical ideation as an indicator of schizotypy. *Journal of Abnormal Psychology*, 51, 215-225.
- Eckblad, M., Chapman, L.J., Chapman, J.P., & Mishlove, M. (1982). *The Revised Social Anhedonia Scale*. University of Wisconsin-Madison: Unpublished manuscript. Madison, WI.
- Endicott, J., & Spitzer, R.L. (1978). A diagnostic interview: The Schedule for Affective Disorders and Schizophrenia. *Archives of General Psychiatry*, 35, 837-844.
- Endicott, J., Spitzer, R.L., Fleiss, J., & Cohen, J. (1976). The Global Assessment Scale: A procedure for measuring overall severity of psychiatric disturbance. *Archives of General Psychiatry*, 33, 766-771.
- EuroQol Group. (1990). EuroQol-A new facility for the measurement of health-related quality of life. *Health Policy*, 16, 199-208.
- Faraone, S.V., Tsuang, M.T., & Tarbox, S.I. (2004). The nature of schizotaxia. En W. S. Stone, S. V. Faraone & M. T. Tsuang (Eds.), *Early clinical intervention and prevention in schizophrenia* (pp. 93-114). Totowa, NJ: Humana Press.
- Feinberg, I. (1982). Schizophrenia: Caused by a fault in programmed synaptic elimination during adolescence? *Journal of Psychiatric Research*, 17, 319-324.
- Fenton, W.S. (2000). Evolving perspectives on individual psychotherapy for schizophrenia. *Schizophrenia Bulletin*, 26, 47-72.
- Fervaha, G., Foussias, G., Siddiqui, I., Agid, O., & Remington, G. (2014). Abbreviated quality of life scales for schizophrenia: Comparison and utility of two brief community functioning measures. *Schizophrenia Research*, 154, 89-92.
- First, M.B., Spitzer, R.L., Gibbon, M., & Williams, J.B. (1997). *Structured Clinical Interview for DMS-IV Axis I disorders Clinician Version (SCID-CV)*. Washington, DC: American Psychiatric Press.
- Flaum, M. (1996). Diagnostic concordance for schizophrenia according to DSM and ICD criteria. *Schizophrenia Research*, 18, 120-121.
- Fleischhacker, W., Arango, C., Arteel, P., Barnes, T.R.E., Carpenter, W., Duckworth, K., . . . Sartorius, N. (2013). *Schizophrenia: Time to commit to policy change*. Oxford: Oxford PharmaGenesis.
- Fonseca, E., Muñiz, J., Lemos, S., Paino, M., & Villazón, U. (2010). *Esquizo-Q: Cuestionario Oviedo para la evaluación de la esquizoti-*

- pia*. Madrid: TEA Ediciones.
- Fonseca Pedrero, E., Paino, M., & Fraguas, D. (2013). DSM-5: ¿Síndrome de psicosis atenuada? / DSM 5: Attenuated psychosis syndrome? *Papeles del Psicólogo*, *34*, 190-207.
- Fonseca Pedrero, E., Paino, M., Lemos Giráldez, S., & Muñiz, J. (2012). Validación de la escala para la Evaluación Comunitaria de las Experiencias Psíquicas-42 (CAPE-42) en universitarios y pacientes con psicosis. *Actas Españolas de Psiquiatría*, *40*, 169-176.
- Fonseca-Pedrero, E., Fumero, A., Paino, M., de Miguel, A., Ortuño-Sierra, J., Lemos Giraldez, S., & Muñiz, J. (2014). Schizotypal Personality Questionnaire: New sources of validity evidence in college students. *Psychiatry Research*, *30*, 214-220.
- Fonseca-Pedrero, E., Gooding, D.C., Paino, M., Lemos-Giráldez, S., & Muñiz, J. (2014). Measuring anhedonia in schizophrenia-spectrum disorders: A selective update. En M. S. Ritsner (Ed.), *Anhedonia: Comprehensive handbook. Vol. II: Neuropsychiatric and physical disorders* (pp. 19-54). Dordrecht: Springer.
- Fonseca-Pedrero, E., Lemos-Giráldez, S., Paino, M., Santarén-Rosell, M., Sierra-Baigrie, S., & Ordóñez-Cambor, N. (2011). Instrumentos de medida para la evaluación del fenotipo psicótico / Assessment instruments for psychotic phenotype. *Papeles del Psicólogo*, *32*, 129-151.
- Fonseca-Pedrero, E., Lemos-Giráldez, S., Paino, M., Sierra-Baigrie, S., Villazón-García, U., García-Portilla González, M.P., & Muñiz, J. (2010). Dimensionality of hallucinatory predisposition: Confirmatory factor analysis of the Launay-Slade Hallucination Scale-revised in college students. *Anales de Psicología/Annals of Psychology*, *26*, 41-48.
- Fonseca-Pedrero, E., Paino, M., Lemos-Giráldez, S., García-Cueto, E., Campillo-Álvarez, A., Villazón-García, U., & Muñiz, J. (2008). Schizotypy assessment: State of the art and future prospects. *International Journal of Clinical and Health Psychology*, *8*, 577-593.
- Fonseca-Pedrero, E., Paino, M., Lemos-Giráldez, S., Sierra-Baigrie, S., & Muñiz, J. (2010). Factor structure and factor invariance of the Wisconsin schizotypy scales across gender and age. *Spanish Journal of Psychology*, *13*, 941-950.
- Fonseca-Pedrero, E., Paino, M., Ortuño-Sierra, J., Lemos-Giráldez, S., & Muñiz, J. (2013). Dimensionality of the Wisconsin Schizotypy

- Scales Brief forms in college students. *The Scientific World Journal*, Article ID 625247, 1-8.
- Fonseca-Pedrero, E., Paíno-Piñeiro, M., Lemos-Giráldez, S., Villazón-García, U., & Muñiz, J. (2009). Validation of the Schizotypal Personality Questionnaire-Brief Form in adolescents. *Schizophrenia Research*, *111*, 53-60.
- Forbes, C., Blanchard, J.J., Bennett, M., Horan, W.P., Kring, A., & Gur, R. (2010). Initial development and preliminary validation of a new negative symptom measure: The Clinical Assessment Interview for Negative Symptoms (CAINS). *Schizophrenia Research*, *124*(1-3), 36-42.
- Freeman, D. (2008). Studying and treating schizophrenia using virtual reality: A new paradigm. *Schizophrenia Bulletin*, *34*, 605-610.
- Freeman, D. (2011). Improving cognitive treatments for delusions. *Schizophrenia Research*, *132*, 135-139.
- French, P., & Morrison, A.P. (2004). *Early detection and cognitive therapy for people at high risk of developing psychosis: A treatment approach*. Chichester, UK: Wiley.
- Frith, C.D. (1979). Consciousness, information processing and schizophrenia. *British Journal of Psychiatry*, *134*, 225-235.
- Frith, C.D. (1992). *The cognitive neuropsychology of schizophrenia*. Hove, UK: Erlbaum.
- Frith, C.D. (2004). Schizophrenia and theory of mind. *Psychological Medicine*, *34*, 385-389.
- Fusar-Poli, P., Bonoldi, I., Yung, A.R., Borgwardt, S., Kempton, M.J., Valgaggia, L., . . . McGuire, P. (2012). Predicting psychosis: Meta-analysis of transition outcomes in individuals at high clinical risk. *Archives of General Psychiatry*, *69*, 220-229.
- Fusar-Poli, P., Carpenter, W.T., Woods, S.W., & McGlashan, T.H. (2014). Attenuated psychosis syndrome: Ready for DSM-5.1? *Annual Review of Clinical Psychology*, *10*, 155-192.
- Gaebel, W., Zielasek, J., & Cleveland, H.R. (2013). Psychotic disorders in ICD-11. *Asian Journal of Psychiatry*, *6*, 263-265.
- García-Montes, J.M., Perez-Alvarez, M., Soto Balbuena, C., Perona Garcélan, S., & Cangas, A.J. (2006). Metacognitions in patients with hallucinations and obsessive-compulsive disorder: The superstition factor. *Behaviour Research and Therapy*, *44*(8), 1091-1104.
- García-Portilla González, M.P., Bascarán, M.T., Bousoño, M., & Bobes, J. (2006). *Banco de instrumentos básicos para la práctica de la*

- psiquiatría clínica (4ª ed.)*. Barcelona: Ars Médica.
- García-Portilla González, M.P., & Bobes, J. (2013). Ante el nuevo reto de identificar el síndrome negativo de la esquizofrenia. *Revista de Psiquiatría y Salud Mental*, 6, 141-143.
- García-Portilla, M.P., Gomar, J.J., Bobes-Bascaran, M.T., Menendez-Miranda, I., Saiz, P.A., Muñiz, J., . . . Goldberg, T.E. (2013). Validation of a European Spanish-version of the University of California performance Skills Assessment (Sp-UPSA) in patients with schizophrenia and bipolar disorder. *Schizophrenia Research*, 150, 421-426.
- García-Portilla, M.P., Saiz, P.A., Bousoño, M., Bascaran, M.T., Guzmán-Quilo, C., & Bobes, J. (2011). Validación de la versión española de la escala de Funcionamiento Personal y Social en pacientes ambulatorios con esquizofrenia estable o inestable. *Revista de Psiquiatría y Salud Mental*, 4, 9-18.
- Gard, D.E., Gard, M.G., Kring, A.M., & John, O.P. (2006). Anticipatory and consummatory components of the experience of pleasure: A scale development study. *Journal of Research in Personality*, 40(6), 1086-1102.
- Garety, P.A., & Freeman, D. (1999). Cognitive approaches to delusions: A critical review of theories and evidence. *British Journal of Clinical Psychology*, 38, 113-154.
- Garety, P.A., Kuipers, E., Fowler, D., Freeman, D., & Bebbington, P.E. (2001). A cognitive model of the positive symptoms of psychosis. *Psychological Medicine*, 31, 189-195.
- Gaughran, F., O'Neil, E., Cole, M., Collins, K., Dalya, R.J., & Shanahan, F. (1998). Increased soluble interleukin 2 receptor levels in schizophrenia. *Schizophrenia Research*, 29, 263-267.
- George, B., & Klijn, A. (2013). A modern name for schizophrenia (PSS) would diminish self-stigma. *Psychological Medicine*, 43, 1555-1557.
- Gil, D., Fernández-Modamio, M., Bengochea, R., & Arrieta, M. (2012). Adaptación al español de la prueba de teoría de la mente Hinting Task. *Revista de Psiquiatría y Salud Mental*, 5, 79-88.
- Giner, J., Ibañez, E., Baca, E., Bobes, J., Leal, C., & Cervera, S. (1997). Desarrollo del Cuestionario Sevilla de Calidad de Vida (CSCV). *Actas Luso-Españolas Neurología, Psiquiatría y Ciencias Afines*, 25((Suppl. 2)), 11-23.
- Gingerich, S., & Mueser, K.T. (2011). *Illness Management and Recovery:*

- Personalized skills and strategies for those with mental illness.*
Center City, MN: Hazelden.
- Glass, L.L., Katz, H.M., Schnitzer, R.D., Knapp, P.H., Frank, A.F., & Gunderson, J.G. (1989). Psychotherapy of schizophrenia: An empirical investigation of the relationship of process to outcome. *American Journal of Psychiatry*, *146*, 603-608.
- Gold, J.M., Carpenter, C., Randolph, C., Goldberg, T.E., & Weinberger, D.R. (1997). Auditory working memory and Wisconsin card sorting test performance in schizophrenia. *Archives of General Psychiatry*, *54*(2), 159-165.
- Goldman, H.H., Skodol, A.E., & Lave, T.R. (1992). Revising Axis V for DSM-IV: A review of measures of social functioning. *American Journal of Psychiatry*, *149*, 1148-1156.
- Gómez-Benito, J., Guilera, G., Pino, O., Rojo, E., Tabarés-Seisdedos, R., Safont, G., . . . Rejas, J. (2013). The screen for cognitive impairment in psychiatry: diagnostic-specific standardization in psychiatric ill patients. *BMC Psychiatry*, *13*, 127.
- Gooding, D.C., & Pflum, M.J. (2014). The assessment of interpersonal pleasure: Introduction of the Anticipatory and Consummatory Interpersonal Pleasure Scale (ACIPS) and preliminary findings. *Psychiatry Research*, *215*, 237-243.
- Gooding, D.C., Tallent, K.A., & Matts, C.W. (2005). Clinical status of at-risk individuals 5 years later: Further validation of the psychometric high-risk strategy. *Journal of Abnormal Psychology*, *114*, 179-175.
- Goodman, W.K., Price, L.H., Rasmussen, S.A., Mazure, C., Fleischmann, R.L., Hill, C.L., . . . Charney, D.S. (1989). The Yale-Brown Obsessive Compulsive Scale. I. Development, use, and reliability. *Archives of General Psychiatry*, *46*(11), 1006-1011.
- Gottesman, I.I., McGuffin, P., & Farmer, A.E. (1987). Clinical genetics as clues of the 'real' genetics of schizophrenia (A decade of modest gains while playing for time). *Schizophrenia Bulletin*, *13*, 23-47.
- Gottlieb, J., Harper, K., Penn, D., Mueser, K., & Chiko, B. (2013). Web based cognitive-behavioral therapy for auditory hallucinations in persons with psychosis: A pilot study. *Schizophrenia Research*, *145*, 82-87.
- Grant, P. , & Beck, A.T. (2009). Defeatist beliefs as a mediator of cognitive impairment, negative symptoms, and functioning in schizophrenia. *Schizophrenia Bulletin*, *35*, 798-806.

- Green, M.F., Nuechterlein, K.H., Kern, R.S., Baade, L.E., Fenton, W.S., Gold, J.M., . . . Marder, S.R. (2008). Functional co-primary measures for clinical trials in schizophrenia: Results from the MATRICS psychometric and standardization study. *American Journal of Psychiatry*, *165*, 221-228
- Griesinger, W. (1861). *Die pathologie und therapie der psychischen krankheiten*. Stuttgart: Krabbe.
- Gross, G., Huber, G., & Klosterkötter, J. (1987). *Bonn scale for the assessment of basic symptoms - BSABS*. Berlin: Springer.
- Gross, G., Huber, G., & Klosterkötter, J. (1998). The early phase of schizophrenia and prediction of outcome. *International Clinical Psychopharmacology*, *13*, 13-21.
- Gross, G., Huber, G., Klosterkötter, J., & Linz, M. (1987). *Bonner Skala für die Beurteilung von Basissymptomen*. Berlin: Springer-Verlag.
- Grupo de trabajo de la Guía de Práctica Clínica sobre la Esquizofrenia y el Trastorno Psicótico Incipiente. (2009). *Guía de Práctica Clínica sobre la Esquizofrenia y el Trastorno Psicótico Incipiente*. Madrid: Ministerio de Sanidad y Consumo.
- Guilera, G., Gómez-Benito, J., Pino, O., Rojo, J.E., Cuesta, M.J., Martínez-Arán, A., . . . Rejas, J. (2012). Utility of the World Health Organization Disability Assessment Schedule II in schizophrenia. *Schizophrenia Research*, *138*, 240-247.
- Gunderson, J.C. (1999). Personality disorders. En A. M. Nicholi (Ed.), *The Harvard guide to psychiatry (3rd ed.)* (pp. 308-327). Cambridge, MA: Harvard University Press.
- Gunderson, J.G., Frank, A.F., Katz, H.M., Vannicelli, M.L., Frosch, J.P., & Knapp, P.H. (1984). Effects of psychotherapy in schizophrenia: II. Comparative outcome of two forms of treatment. *Schizophrenia Bulletin*, *10*, 564-598.
- Gurian, B.S., Wexler, D., & Baker, E.H. (1992). Late-life paranoia: Possible association with early trauma and infertility. *International Journal of Geriatric Psychiatry*, *7*, 277-284.
- Gutiérrez-Zotes, J.A., Valero, J., Cortés, M.J., Labad, A., Ochoa, S., Ahuir, M., . . . Salamero, M. (2012). Adaptación española de la Escala de Insight Cognitivo de Beck (EICB) en esquizofrénicos. *Actas Españolas de Psiquiatría*, *40*, 2-9.
- Guy, W. (1976). *ECDEU assessment manual for psychopharmacology - Revised*. Rockville, MD: Department of Health, Education and Welfare.

- Haddock, G., McCarron, J., Tarrrier, N., & Faragher, E.B. (1999). Scales to measure dimensions of hallucinations and delusions: The Psychotic Symptom Rating Scales (PSYRATS). *Psychological Medicine*, 29, 879-889.
- Häfner, H., & An der Heiden, W. (1999). The course of schizophrenia in the light of modern follow-up studies: The ABC and WHO studies. *European Archives of Psychiatry and Clinical Neuroscience*, 249 (Suppl. 4), 14-26.
- Hall, R. (1995). Global Assessment of Functioning: A modified scale. *Psychosomatics*, 36, 267-275.
- Hamilton, M. (1960). A rating scale for depression. *Journal of Neurology, Neurosurgery & Psychiatry*, 23, 56-62.
- Haro, J.M., Kamath, S.A., Ochoa, S., Novick, D., Rele, K., Fargas, A., . . . SOHO Study Group. (2003). The Clinical Global Impression-Schizophrenia scale: A simple instrument to measure the diversity of symptoms present in schizophrenia. *Acta Psychiatrica Scandinavica, Suppl. 416*, 16-23.
- Harrop, C., & Trower, P. (2003). *Why does schizophrenia develop at late adolescence?: A cognitive-developmental approach to psychosis*. Chichester, UK: Wiley.
- Harrow, M., Jobe, T.H., & Faull, R.N. (2014). Does treatment of schizophrenia with antipsychotic medications eliminate or reduce psychosis? A 20-year multi-follow-up study. *Psychological Medicine*, 44, 3007-3016.
- Harvey, P.D. (2013). Assessment of everyday functioning in schizophrenia: implications for treatments aimed at negative symptoms. *Schizophrenia Research*, 150, 353-355.
- Hayward, M., Overton, J., Dorey, T., & Denney, J. (2009). Relating therapy for people who hear voices: A case series. *Clinical Psychology and Psychotherapy*, 16, 216-227.
- Heckers, Stephan, Barch, Deanna M., Bustillo, Juan, Gaebel, Wolfgang, Gur, Raquel, Malaspina, Dolores, . . . Carpenter, William. (2013). Structure of the psychotic disorders classification in DSM-5. *Schizophrenia Research*, 150, 11-14.
- Heinimaa, M., Salokangas, R.K., Ristkari, T., Plathin, M., Huttunen, J., Ilonen, T., . . . McGlashan, T.H. (2003). PROD-screen--a screen for prodromal symptoms of psychosis. *International Journal of Methods in Psychiatric Research*, 12, 92-104.
- Heinrichs, R.W., Hanlon, E.T., & Carpenter, W.T. (1984). The quality of

- life scale: An instrument for rating the schizophrenic deficit syndrome. *Schizophrenia Bulletin*, 10, 388-398.
- Hemsley, D.R. (2005). The schizophrenic experience: Taken out of context? *Schizophrenia Bulletin*, 31, 43-53.
- Hernandez, A., Gallardo-Pujol, D., Pereda, N., Arntz, A., Bernstein, D.P., Gaviria, A.M., . . . Gutiérrez-Zotes, J.A. (2013). Initial validation of the Spanish Childhood Trauma Questionnaire-Short Form: factor structure, reliability and association with parenting. *Journal of Interpersonal Violence*, 28, 1498-1518.
- Hirschfeld, R.M., Williams, J.B., Spitzer, R.L., Calabrese, J.R., Flynn, L., Keck, P.E.J., . . . Zajecka, J. (2000). Development and validation of a screening instrument for bipolar spectrum disorder: The Mood Disorder Questionnaire. *American Journal of Psychiatry*, 157, 1873-1875.
- Hoffman, R.E., & Rapaport, J. (1994). A psycholinguistic study of auditory/verbal hallucinations: Preliminary findings. En A. S. David & J. C. Cutting (Eds.), *The neuropsychology of schizophrenia* (pp. 255-267). Hove, UK: Erlbaum.
- Hogan, T.P., Awad, A.G., & Eastwood, M.R. (1983). A self-report scale predictive of drug compliance in schizophrenics: Reliability and discriminative validity. *Psychological Medicine*, 13, 177-182.
- Hogarty, G.E., & Flesher, S. (1999). Practice principles of cognitive enhancement therapy for schizophrenia. *Schizophrenia Bulletin*, 25, 693-708.
- Hogarty, G.E., Flesher, S., Ulrich, R.F., Carter, M., Greenwald, D.P., Pogue-Geile, M., . . . Zoretich, R. (2004). Cognitive Enhancement Therapy for schizophrenia: Effects of a 2-year randomized trial on cognition and behavior. *Archives of General Psychiatry*, 61, 866-876.
- Hollis, C. (2000). The adult outcomes of child and adolescent onset schizophrenia: Diagnostic stability and predictive validity. *American Journal of Psychiatry*, 157, 1652-1659.
- Holmes, T.H., & Rahe, R.H. (1967). The social readjustment rating scale. *Journal of Psychosomatic Medicine*, 11, 213-218.
- Horan, W.P., Blanchard, J.J., Clark, L.A., & Green, M.F. (2008). Affective traits in schizophrenia and schizotypy. *Schizophrenia Bulletin*, 34, 856-874.
- Huber, G. (1983). Das Konzept substratnaher Basissymptome und seine Bedeutung für Theorie und Therapie schizophrener Erkrankungen.

- Nervenarzt*, 54, 23-32.
- Hulisz, D., & Fischer, P.J. (2004). Psychopharmacology. En B. R. Bondar (Ed.), *Psychopathology and function (3rd ed.)* (pp. 175-205). Thorofare, NJ: SLACK Inc.
- Hurford, I.M., Marder, S.R., Keefe, R.S., Reise, S.P., & Bilder, R.M. (2011). A brief cognitive assessment tool for schizophrenia: Construction of a tool for clinicians. *Schizophrenia Bulletin*, 37, 538-545.
- Hustig, H.H., & Hafner, R.J. (1990). Persistent auditory hallucinations and their relationship to delusions of mood. *Journal of Nervous and Mental Disease*, 178, 264-267.
- Ingram, R.E., & Luxton, D.D. (2005). Vulnerability-Stress models. En B. L. Hankin & J. Z. Abela (Eds.), *Development and psychopathology: A vulnerability-stress perspective*. Thousand Oaks, CA: Sage.
- Ingram, R.E., & Price, J.M. (2001). The role of vulnerability in understanding psychopathology. En R. E. Ingram & J. M. Price (Eds.), *Vulnerability to psychopathology: Risk across lifespan* (pp. 3-19). New York: Guilford Press.
- Insel, T.R. (2013). Antipsychotics: Taking the long view – The schizophrenias?
<http://www.nimh.nih.gov/about/director/2013/antipsychotics-taking-the-long-view.shtml>
- Ison, R., Medoro, L., Keen, N., & Kuipers, E. (2014). The use of rescripting imagery for people with psychosis who hear voices. *Behavioural and Cognitive Psychotherapy*, 42, 129-142.
- Jaspers, K. (1966). *Psicopatología general*. Buenos Aires: Beta.
- Jaynes, J. (1976). *The origin of consciousness in the breakdown of the bicameral mind*. Boston, MA: Houghton Mifflin.
- Jimeno Bulnes, N., Jimeno Valdés, A., & Vargas Aragón, M L. (1996). *El síndrome psicótico y el inventario de Frankfurt: Conceptos y resultados*. Barcelona: Springer-Verlag Ibérica.
- Johns, Louise C., Kompus, Kristiina, Connell, Melissa, Humpston, Clara, Lincoln, Tania M., Longden, Eleanor, . . . Larøi, Frank. (2014). Auditory verbal hallucinations in persons with and without a need for care. *Schizophrenia Bulletin*, 40(Suppl 4), S255-S264.
- Jolley, Suzanne, Thompson, Claire, Hurley, James, Medin, Evelina, Butler, Lucy, Bebbington, Paul, . . . Garety, Philippa. (2014). Jumping to the wrong conclusions? An investigation of the me-

- chanisms of reasoning errors in delusions. *Psychiatry Research*, 219(2), 275-282.
- Jorgensen, P., Bennedsen, B., Christensen, J., & Hyllested, A. (1996). Acute and transient psychotic disorder: Comorbidity with personality disorder. *Acta Psychiatrica Scandinavica*, 94, 460-464.
- Kahn, R.S., & Keefe, R.S. (2013). Schizophrenia is a cognitive illness: Time for a change in focus. *JAMA Psychiatry*, 70, 1107-1112.
- Kane, J.M. (2013). Tools to assess negative symptoms in schizophrenia. *Journal of Clinical Psychiatry*, 74, e12.
- Kaschka, W. P., Negele-Anetsberger, J., & Joraschky, P. (1991). Treatment outcome in patients with delusional (paranoid) disorder. *European Journal of Psychiatry*, 5, 240-253.
- Kay, S.R., Opler, L.A., & Fiszbein, A. (1987). The positive and negative syndrome scale (PANSS) for schizophrenia. *Schizophrenia Bulletin*, 13, 261-276.
- Keefe, R.S., Poe, M., Walker, T.M., Kang, J. W., & Harvey, P.D. (2006). The Schizophrenia Cognition Rating Scale: An interview-based assessment and its relationship to cognition, real-world functioning, and functional capacity. *American Journal of Psychiatry*, 163, 426-432.
- Keefe, R.S.E. (1999). *Brief Assessment of Cognition in Schizophrenia (BACS) Manual – A: Version 2.1*. Durham: Duke University Medical Center.
- Keefe, R.S.E., Goldberg, T.E., Harvey, P.D., Gold, J.M., Poe, M.P., & Coughenour, L. (2004). The brief assessment of cognition in schizophrenia: Reliability, sensitivity and comparison with a standard neurocognitive battery. *Schizophrenia Research*, 68, 283-297.
- Kelleher, I., Connor, D., Clarke, M.C., Devlin, N., Harley M, & Cannon, M. (2012). Prevalence of psychotic symptoms in childhood and adolescence: A systematic review and meta-analysis of population-based studies. *Psychological Medicine*, 42, 1857-1863.
- Kelleher, I., Harley, M., Lynch, F., Arseneault, L., Fitzpatrick, C., & Cannon, M. (2008). Associations between childhood trauma, bullying and psychotic symptoms among a school-based adolescent sample. *British Journal of Psychiatry*, 193, 378-382.
- Kelleher, I., Keeley, H., Corcoran, P., Ramsay, H., Wasserman, C., Carli, V., . . . Cannon, M. (2013). Childhood trauma and psychosis in a prospective cohort study: Cause, effect, and directionality. *American Journal of Psychiatry*, 170, 734-741.

- Kendler, K.S., Gruenberg, A.M., & Strauss, J.S. (1981). An independent analysis of the Copenhagen sample of the Danish adoption study of schizophrenia: III. The relationship between paranoid psychosis (delusional disorder) and the schizophrenia spectrum disorders. *Archives of General Psychiatry*, *38*, 985-987.
- Kendler, K.S., McGuire, M., Gruenberg, A.M., O'Hare, A., Spellman, M., & Walsh, D. (1993). The Roscommon Family Study 3: Schizophrenia-related personality disorders in relatives. *Archives of General Psychiatry*, *50*, 781-788.
- Kendler, Kenneth S., Lieberman, Jeffrey A., & Walsh, Dermot. (1989). The Structured Interview for Schizotypy (SIS): A preliminary report. *Schizophrenia Bulletin*, *15*, 559-571.
- Kern, R.S., Gold, J.M., Dickinson, D., Green, M.F., Nuechterlein, K.H., Baade, L., . . . Marder, S.R. (2011). The MCCB impairment profile for schizophrenia outpatients: Results from the MATRICS psychometric and standardization study. *Schizophrenia Research*, *126*, 124-131.
- Kern, R.S., Nuechterlein, K.H., Green, M.F., Baade, L.E., Fenton, W.S., Gold, J.M., . . . Marder, S.R. (2008). The MATRICS Consensus Cognitive Battery, Part 2: Co-norming and standardization. *American Journal of Psychiatry*, *165*, 214-220
- Kern, R.S., Penn, D.L., Lee, J., Horan, W.P., Reise, S.P., Ochsner, K.N., . . . Green, M.F. (2013). Adapting social neuroscience measures for schizophrenia clinical trials. Part 2: Trolling the depths of psychometric properties. *Schizophrenia Bulletin*, *39*, 1201-1210.
- Keshavan, M., Tandon, R., & Nasrallah, H.A. (2013). Renaming schizophrenia: Keeping up with the facts. *Schizophrenia Research*, *148*, 1-2.
- Keshavan, M.S., Clementz, B.A., Pearlson, G.D., Sweeney, J.A., & Tamminga, C.A. (2013). Reimagining psychoses: An agnostic approach to diagnosis. *Schizophrenia Research*, *146*, 10-16.
- Keshavan, Matcheri S., DeLisi, Lynn E., & Seidman, Larry J. (2011). Early and broadly defined psychosis risk mental states. *Schizophrenia Research*, *126*, 1-10.
- Keshavan, Matcheri S., Nasrallah, Henry A., & Tandon, Rajiv. (2011). Schizophrenia, "Just the Facts" 6. Moving ahead with the schizophrenia concept: From the elephant to the mouse. *Schizophrenia Research*, *127*, 3-13.
- Khoury, B., Lecomte, T., Gaudiano, B.A., & Paquin, K. (2013). Mindful-

- ness interventions for psychosis: A meta-analysis. *Schizophrenia Research*, 150, 176-184.
- Kingdon, D.G., & Turkington, D. (2005). *Cognitive therapy of schizophrenia*. New York: Guilford.
- Kirkpatrick, B., Fenton, W.S., Carpenter Jr, W.T., & Marder, S. R. (2006). The NIMH-MATRICES consensus statement on negative symptoms. *Schizophrenia Bulletin*, 32(2), 214-219.
- Kirkpatrick, B., Strauss, G.P., Nguyen, L., Fischer, B.A., Daniel, D.G., Cienfuegos, A., & Marder, S.R. (2011). The brief negative symptom scale: Psychometric properties. *Schizophrenia Bulletin*, 37(2), 300-305.
- Kirrane, R.M., & Siever, L.J. (2000). New perspectives on schizotypal personality disorder. *Current Psychiatry Reports*, 2, 62-66.
- Kline, E., Wilson, C., Ereshefsky, S., Denenny, D., Thompson, E., Pitts, S.C., . . . Schiffman, J. (2012). Psychosis risk screening in youth: a validation study of three self-report measures of attenuated psychosis symptoms. *Schizophrenia Research*, 141, 72-77.
- Kokkevi, A., & Hartgers, C. (1995). European adaptation of a multidimensional assessment instrument for drug and alcohol dependence. *European Addiction Research*, 1, 208-210.
- Konings, M., Bak, M., Hanssen, M., van Os, J., & Krabbendam, L. (2006). Validity and reliability of the CAPE: A self-report instrument for the measurement of psychotic experiences in the general population. *Acta Psychiatrica Scandinavica*, 114, 55-61.
- Kopelowicz, A., Liberman, R.P., & Zarate, R. (2006). Recent advances in social skills training for schizophrenia. *Schizophrenia Bulletin*, 32 (Suppl. 1), 12-23.
- Kring, A.M., Gur, R.C., Blanchard, J. J., Horan, W. P., & Reise, S. (2013). The clinical assessment interview for negative symptoms (CAINS): Final development and validation. *American Journal of Psychiatry*, 170, 165-172.
- Kurtz, M.M., & Mueser, K.T. (2008). A meta-analysis of controlled research on social skills training for schizophrenia. *Journal of Consulting and Clinical Psychology*, 6, 491-504.
- Kuyken, W., Padesky, C.A., & Dudley, R. (2009). *Collaborative case conceptualization: Working effectively with clients in cognitive-behavioral therapy*. New York: Guilford Press.
- Kwapil, T.R., Barrantes Vidal, N., & Silvia, P.J. (2008). The dimensional structure of the Wisconsin schizotypy scales: Factor identification

- and construct validity. *Schizophrenia Bulletin*, 34, 444-457.
- Kwapil, T.R., Chapman, L.J., & Chapman, J. (1999). Validity and usefulness of the Winsconsin Manual for Assessing Psychotic-line Experiences. *Schizophrenia Bulletin*, 25, 363-375.
- Kwapil, T.R., Gross, G.M., Silvia, P.J., & Barrantes-Vidal, N. (2013). Prediction of psychopathology and functional impairment by positive and negative Sshizotypy in the Chapmans' ten-year longitudinal study. *Journal of Abnormal Psychology*, 122, 807-815.
- Lam, D.H. (1991). Psychosocial family intervention in schizophrenia : A review of empirical studies. *Psychological Medicine*, 21, 423-441.
- Langfeldt, G. (1939). *The schizophreniform states*. Copenhagen: Oxford University Press.
- Leff, J. (1987). Changing the family environment of schizophrenic patients. En J. S. Strauss, W. Böker & H. D. Brenner (Eds.), *Psychosocial treatment of schizophrenia* (pp. 87-93). Toronto: Hans Huber.
- Leff, J., Williams, G., Huckvale, M., Arbutnot, M., & Leff, A. (2013). Computer-assisted therapy for medication-resistant auditory hallucinations: Proof-of-concept study. *British Journal of Psychiatry*, 202, 428-433.
- Lehman, A.F. (1988). A quality of life interview for the chronically mentally ill. *Evaluation and Program Planing*, 11, 51-62.
- Leifker, F.R., Patterson, T.L., Heaton, R.K., & Harvey, P.D. (2011). Validating measures of real-world outcome: the results of the VALE-RO expert survey and RAND panel. *Schizophrenia Bulletin*, 37, 334-343.
- Lemos Giráldez, S. (2003). La psicopatología de la infancia y la adolescencia: Consideraciones básicas para su estudio. *Papeles del Psicólogo*, 24(85), 19-28.
- Lemos Giráldez, S., Vallina Fernández, O., & Fernández Iglesias, P. (2006). La investigación cognitiva del síndrome esquizofrénico. *Apuntes de Psicología*, 24, 31-49
- Lemos Giráldez, S., Vallina Fernández, O., Fonseca Pedrero, E., Paino, M., & Fernández Iglesias, M.P. (2012). Tratamientos empíricamente apoyados para los síntomas psicóticos. En F. Labrador & M. Crespo (Eds.), *Psicología clínica basada en la evidencia* (pp. 87-122). Madrid: Pirámide.
- Lemos, S. (1999). Trastornos del espectro esquizofrénico: Marcadores de predicción temprana. En J. Buendía (Ed.), *Psicología clínica*:

- Perspectivas actuales* (pp. 97-137). Madrid: Pirámide.
- Lemos, S., Vallina, O., Fernández, P., Ortega, J.A., García, P., Gutiérrez, A., . . . Miller, T. (2006). Validez predictiva de la Escala de Síntomas Prodrómicos (SOPS) / Predictive validity of the Scale of Prodromal Symptoms (SOPS). *Actas Españolas de Psiquiatría*, *34*, 216-223.
- Lemos-Giráldez, S., García-Alvarez, L., Paino, M., Fonseca-Pedrero, E., Vallina-Fernández, O., Vallejo-Seco, G., . . . Andresen, R. (2015). Measuring stages of recovery from psychosis. *Comprehensive Psychiatry*, *56*, 51-58.
- Lenzenweger, Mark F., Bennett, Melanie E., & Lilienfeld, Lisa R. (1997). The Referential Thinking Scale as a measure of schizotypy: Scale development and initial construct validation. *Psychological Assessment*, *9*, 452-463.
- Levine, S.Z., & Leucht, S. (2013). Psychometric analysis in support of shortening the Scale for the Assessment of Negative Symptoms. *European Neuropsychopharmacology*, *23*, 1051-1056.
- Liberman, R.P., Mueser, K.T., Wallace, C.J., Jacobs, H.E., Eckman, T., & Massel, H.K. (1986). Training skills in the psychiatrically disabled: Learning coping and competence. *Schizophrenia Bulletin*, *12*, 631-647.
- Lieberman, J.A., & First, M.B. (2007). Renaming schizophrenia. *British Medical Journal*, *334* (7585), 108.
- Lieberman, J.A., Stroup, T.S., McEvoy, J.P., Swartz, M.S., Rosenheck, R.A., Perkins, D.O., . . . Hsiao, J.K. (2005). Effectiveness of anti-psychotic drugs in patients with chronic schizophrenia. *New England Journal of Medicine*, *353*, 1209-1223.
- Lindenmayer, J.P., Czobor, P., Alphas, L., Nathan, A.M., Anand, R., Islam, Z., . . . InterSePT Study Group. (2003). The InterSePT scale for suicidal thinking reliability and validity. *Schizophrenia Research*, *63*, 161-170.
- Lindenmayer, J.P., Harvey, P.D., Khan, A., & Kirkpatrick, B. (2007). Schizophrenia: Measurements of psychopathology. *Psychiatric Clinics of North America*, *30*, 339-363.
- Lingjaerde, O., Ahlfors, U.G., Bech, P., Dencker, S.J., & Elgen, K. (1987). The UKU side effect rating scale: A new comprehensive rating scale for psychotropic drugs and a cross-sectional study of side effects in neuroleptic-treated patients. *Acta Psychiatrica Scandinavica, Suppl.* *334*, 1-100.

- Linscott, R.J., & Knight, R.G. (2004). Potentiated automatic memory in schizotypy. *Personality and Individual Differences*, 37, 1503-1517.
- Linscott, R.J., & van Os, J. (2013). An updated and conservative systematic review and meta-analysis of epidemiological evidence on psychotic experiences in children and adults: on the pathway from proneness to persistence to dimensional expression across mental disorders. *Psychological Medicine*(43).
- Llerena, K., Park, S.G., McCarthy, J.M., Couture, S.M., Bennett, M.E., & Blanchard, J.J. (2013). The Motivation and Pleasure Scale-Self-Report (MAP-SR): Reliability and validity of a self-report measure of negative symptoms. *Comprehensive Psychiatry*, 54, 568-574.
- Lobo, A., Chamorro, L., Luque, A., Dal-Re, R., Badia, X., & Baro, E. (2002). Validation of the Spanish versions of the Montgomery-Asberg depression and Hamilton anxiety rating scales. *Medicina Clínica (Barc.)*, 118, 493-499.
- Loewy, R.L., Bearden, C.E., Johnson, J.K., Raine, A., & Cannon, T.D. . (2005). The prodromal questionnaire (PQ): Preliminary validation of a self-report screening measure for prodromal and psychotic syndromes. *Schizophrenia Research*, 79 117-125.
- Loewy, Rachel L., Pearson, Rahel, Vinogradov, Sophia, Bearden, Carrie E., & Cannon, Tyrone D. (2011). Psychosis risk screening with the Prodromal Questionnaire - Brief Version (PQ-B). *Schizophrenia Research*, 129, 42-46.
- López, E., & Costa, M. (2012). *Manual de consejo psicológico: Una visión despatologizada de la psicología clínica*. Madrid: Síntesis.
- López-Ilundain, J.M., Pérez-Nievas, F., Otero, M., & Mata, I. (2006). Inventario de experiencias delirantes de Peters (PDI) en población general española: fiabilidad interna, estructura factorial y asociación con variables demográficas. *Actas Españolas de Psiquiatría*, 34, 94-104.
- Lykouras, L., Oulis, P., Psarros, K., Daskalopoulou, E., Botsis, S., Christodoulou, G.N., & Stefanis, C. (2000). Five-factor model of schiphrenic psychopathology: How valid is it? *European Archives of of Psychiatry and Clinical Neuroscience*, 250, 93-100.
- Lysaker, P.H., & Lysaker, J.T. (2010). Schizophrenia and alterations in self-experience: A comparison of 6 perspectives. *Schizophrenia Bulletin*, 36, 331-340.

- Mahadik, S.P., Mukherjee, S., Scheffer, R., Correnti, E.F., & Mahadik, J.S. (1998). Elevated plasma lipid peroxides at the onset of nonaffective psychosis. *Biological Psychiatry*, *43*, 674-679.
- Maher, B.A. (1983). A tentative theory of schizophrenia utterance. En B. A. Maher & W. B. Maher (Eds.), *Progress in experimental personality research (Vol. 12)* (pp. 1-52). New York: Academic Press.
- Maher, B.A. (1988). Anomalous experience and delusional thinking: The logic of explanations. En T. F. Oltmanns & B. A. Maher (Eds.), *Delusional beliefs* (pp. 15-33). New York: Wiley.
- Maher, B.A., & Spitzer, M. (1993). Delusions. En C. G. Costello (Ed.), *Symptoms of schizophrenia* (pp. 92-120). New York: Wiley.
- Maj, M. (2014). Manteniendo una actitud abierta hacia el proyecto RDoC. *World Psychiatry*, *12*, 1-3.
- Mann, J.J., & Haghighi, F. (2010). Genes and environment: Multiple pathways to psychopathology. *Biological Psychiatry*, *68*, 403-404.
- Marder, S.R., & Fenton, W.R. (2004). Measurement and treatment research to improve cognition in schizophrenia: NIMH MATRICS Initiative to support the development of agents for improving cognition in schizophrenia. *Schizophrenia Research*, *72*, 5-10.
- Marneros, A., & Pillmann, F. (2004). *Acute and transient psychoses*. Cambridge, UK: Cambridge University Press.
- Mason, O., & Claridge, G. (2006). The Oxford-Liverpool Inventory of Feelings and Experiences (O-LIFE): Further description and extended norms. *Schizophrenia Research*, *82*, 203-211.
- Mason, O., Claridge, G., & Jackson, M. (1995). New scales for the assessment of schizotypy. *Personality and Individual Differences*, *18*, 7-13.
- Mason, O., Linney, Y., & Claridge, G. (2005). Short scales for measuring schizotypy. *Schizophrenia Research*, *78* 293-296.
- Mausbach, B.T., Harvey, P.D., Goldman, S.R., Jeste, D.V., & Patterson, T.L. (2007). Development of a brief scale of everyday functioning in persons with serious mental illness. *Schizophrenia Bulletin*, *33*, 1364-1372.
- Mayer, J.D., Salovey, P., Caruso, D.R., & Sitarenios, G. (2003). Measuring Emotional Intelligence with the MSCEIT V2.0. *Emotion*, *31*(1), 97-105.
- Mayes, R., & Horwitz, A.V. (2005). DSM-III and the revolution in the classification of mental illness. *Journal of History of Behavioral Sciences*, *41*, 249-267.

- McGlashan, T., & Fenton, W.S. (1993). Subtype progression and pathophysiological deterioration in early schizophrenia. *Schizophrenia Bulletin*, *19*, 71-84.
- McGlashan, T.H., Miller, T.J., & Woods, S.W. (2001). A scale for the assessment of prodromal symptoms and states. En T. J. Miller, S. A. Mednick, T. H. McGlashan, J. Libiger & J. O. Johannessen (Eds.), *Early intervention in psychotic disorders* (pp. 135-139). Dordrecht, The Netherlands: KluwerAcademic.
- McGlashan, T.H., Zipursky, R.B., Perkins, D., Addington, J., Miller, T.J., Woods, S.W., . . . Breier, A. (2003). The PRIME North America randomized double-blind clinical trial of olanzapine versus placebo in patients at risk of being prodromally symptomatic for psychosis: I. Study rationale and design. *Schizophrenia Research*, *61*, 7-18.
- McLellan, A.T., Cacciola, J.S., Alterman, A.I., Rikoon, S.H., & Carise, D. (2006). The Addiction Severity Index at 25: Origins, Contributions and Transitions. *American Journal of Addiction*, *15*, 113-124.
- Meehl, P.E. (1962). Schizotaxia, schizotypy, schizophrenia. *American Psychologist*, *17*, 827-838.
- Meehl, P.E. (1989). Schizotaxia revisited. *Archives of General Psychiatry*, *46*, 935-944.
- Meehl, P.E. (1990). Toward an integrated theory of schizotaxia, schizotypy, and schizophrenia. *Journal of Personality Disorders*, *4*, 1-99.
- Meyer, A. (1911). The nature and conception of dementia praecox. *Journal of Abnormal Psychology*, *5*, 274-285.
- Meyer, P., Johnson, D., Parks, A., Iwanski, C., & Penn, D. (2012). The journal of positive psychology: Dedicated to furthering research and promoting good practice. *Journal of Positive Psychology*, *7*, 239-248.
- Miller, T.J., Cicchetti, D., Markovich, P.J., McGlashan, T.H., & Woods, S.W. (2004). The SIPS screen: a brief self-report screen to detect the schizophrenia prodrome. *Schizophrenia Research*, *70* (Suppl. 1), 78.
- Miller, T.J., McGlashan, T.H., Rosen, J.L., Cadenhead, K., Ventura, J., McFarlane, W., . . . Woods, S.W. (2003). Prodromal assessment with the Structured Interview for Prodromal Symptoms and the Scale of Prodromal Symptoms: Predictive validity, interrater re-

- liability, and training to reliability. *Schizophrenia Bulletin*, 29, 703-715.
- Mintz, A.R., Dobson, K.S., & Romney, D.M. (2003). Insight in schizophrenia: A meta-analysis. *Schizophrenia Research*, 61, 75-88.
- Mojtbai, R. (2005). Acute and transient psychotic disorders and brief psychotic disorder. En B. J. Kaplan & V. S. Sadock (Eds.), *Comprehensive textbook of psychiatry (8th ed., Vol. 1)* (pp. 1512-1522). Philadelphia, PA: Lippincott Williams & Wilkins.
- Montgomery, S.A., & Asberg, M. (1979). A new depression scale designed to be sensitive to change. *British Journal of Psychiatry*, 134, 382-389.
- Moos, R.H., & Moos, B.S. (1986). *Family environment manual (2nd ed.)*. Palo Alto, CA: Consulting Psychologists Press.
- Morosini, P.L., Magliano, L., Brambilla, L., Ugolini, S., & Pioli, R. (2000). Development, reliability and acceptability of a new version of the DSM-IV Social and Occupational Functioning Assessment Scale (SOFAS) to assess routine social functioning. *Acta Psychiatrica Scandinavica*, 101, 323-329.
- Morrison, A.P., French, P., Walford, L., Lewis, S.W., Kilcommons, A., Green, J., . . . Bentall, R.P. (2004). Cognitive therapy for the prevention of psychosis in people at ultra-high risk: Randomised controlled trial. *British Journal of Psychiatry*, 185, 291-297.
- Morrison, A.P., Hutton, P., Wardle, M., Spencer, H., Barratt, S., Brabban, A., . . . Turkington, D. (2012). Cognitive therapy for people with a schizophrenia spectrum diagnosis not taking antipsychotic medication: An exploratory trial. *Psychological Medicine*, 42, 1049-1056.
- Morrison, A.P., Renton, J.C., Williams, S., Dunn, H., Knight, A., Kreutz, M., . . . Dunn, G. (2004). Delivering cognitive therapy to people with psychosis in a community mental health setting: An effectiveness study. *Acta Psychiatrica Scandinavica*, 110, 36-44.
- Morrison, A.P., Turkington, D., Pyle, M., Spencer, H., Brabban, A., Dunn, G., . . . Hutton, P. (2014). Cognitive therapy for people with schizophrenia spectrum disorders not taking antipsychotic drugs: a single-blind randomised controlled trial. *Lancet*. Disponible en [http://dx.doi.org/10.1016/S0140-6736\(13\)62246-1](http://dx.doi.org/10.1016/S0140-6736(13)62246-1)
- Moskowitz, A., & Corstens, D. (2008). Auditory hallucinations: Psychotic symptom or dissociative experience? *Journal of Psychological Trauma*, 6, 35-63.

- Mueser, K., & Berenbaum, H. (1990). Psychodynamic treatment of schizophrenia. Is there a future? *Psychological Medicine*, 20, 253-262.
- Mueser, K.T., Deavers, F., Penn, D.L., & Cassisi, J.E. (2013). Psychosocial treatments for schizophrenia. *Annual Review of Clinical Psychology*, 9, 465-497.
- Mueser, K.T., & Gingerich, S. (2006). *The complete family guide to schizophrenia: Helping your loved one get the most out of life*. New York: Guilford Press.
- Murray, R.M., & Lewis, S.W. (1987). Is schizophrenia a developmental disorder? *British Medical Journal*, 295, 681-682.
- National Institute for Health and Clinical Excellence. (2008). *Schizophrenia: Core interventions in the treatment and management of schizophrenia in adults in primary and secondary care (update)*. National Clinical Practice Guideline Number 82.
- National Institute for Health and Clinical Excellence. (2014a). *Psychosis and schizophrenia in adults: The NICE guideline on treating and management*. London: NICE clinical guideline 178.
- National Institute for Health and Clinical Excellence. (2014b). *Psychosis and schizophrenia in children and young people: Recognition and management*. London: NICE clinical guideline 178.
- National Institute of Mental Health. (2014). Schizophrenia. Disponible en <http://www.nimh.nih.gov/>.
- Nuechterlein, K.H., Green, M.F., Kern, R.S., Baade, L.E., Barch, D.M., Cohen, J.D., . . . Marder, S.R. (2008). The MATRICS Consensus Cognitive Battery, Part 1: Test selection, reliability, and validity. *American Journal of Psychiatry*, 165, 203-213
- O'Connor, K., Stip, E., Péliissier, M.C., Aardema, F., Guay, S., Gaudette, G., . . . Leblanc, V. (2007). Treating delusional disorder: a comparison of cognitive-behavioural therapy and attentional placebo control. *Canadian Journal of Psychiatry*, 52, 182-190.
- Obiols, J., & Barrantes-Vidal, N. (2014). *Signos de riesgo y detección precoz de psicosis*. Madrid: Síntesis.
- Obiols, J., Barrantes-Vidal, N., & Zaragoza Domingo, S. (2006). La evaluación clínica y psicométrica de los trastornos del espectro esquizofrénico. En V. E. Caballo (Ed.), *Manual para la evaluación clínica de los trastornos psicológicos: trastornos de la edad adulta e informes psicológicos* (pp. 65-88). Madrid: Pirámide.
- Obiols, J.E., Barragán, M., Vicens, J., & Navarro, J.B. (2008). Síntomas

- seudopsicóticos en adolescentes de la población general. *Revista de Psicopatología y Psicología Clínica*, 13, 215-217.
- Obiols, J.E., Salvador, J., Humbert, M., & Obiols, J. (1985). Evaluación de los síntomas negativos de la esquizofrenia. *Revista del Departamento de Psiquiatría. Facultad de Medicina de Barcelona*, 12, 85-91.
- Ord, L., Myles-Worsley, M., Blailes, F., & Ngiralmu, H. (2004). Screening for prodromal adolescents in an isolated high-risk population. *Schizophrenia Research*, 71, 507-508.
- Organización Mundial de la Salud. (1992). *CIE-10: Trastornos mentales y del comportamiento. Descripciones clínicas y pautas para el diagnóstico*. Madrid: Meditor.
- Overall, J.E., & Gorham, D.R. (1962). Brief Psychiatric Rating Scale. *Psychological Reports*, 10, 799-812.
- Paino, M., Lemos-Giráldez, S., Vallina-Fernández, O., Fernández-Iglesias, P., García-Alvarez, L., Fonseca-Pedrero, E., . . . Solares-Vázquez, J. (2012). Estilos de recuperación psicológica de la psicosis. En R. Quevedo-Blasco & V. J. Quevedo-Blasco (Eds.), *Avances en Psicología Clínica: V Congreso Internacional y X Nacional de Psicología Clínica* (pp. 676-680). Granada: Asociación Española de Psicología Conductual (AEPC).
- Pankey, J., & Hayes, S.C. (2003). Acceptance and commitment therapy for psychosis. *International Journal of Psychology and Psychological Therapy*, 3, 311-328.
- Park, H.J., & Friston, K. (2013). Structural and functional brain networks: From connections to cognition. *Science*, 342, 1238411.
- Park, S.G., Llerena, K., McCarthy, J.M., Couture, S.M., Bennett, M.E., & Blanchard, J.J. (2012). Screening for negative symptoms: Preliminary results from the self-report version of the Clinical Assessment Interview for Negative Symptoms. *Schizophrenia Research*, 135(1-3), 139-143.
- Parnas, J., Moller, P., Kircher, T.T.J., Thalbitzer, J., Jansson, L., Handest, P., & Zahavi, D. (2005). EASE: Examination of Anomalous Self-Experience. *Psychopathology*, 38, 235-258.
- Peralta, V., & Cuesta, M.J. (1994). Psychometric properties of the positive and negative syndrome scale (PANSS) in schizophrenia. *Psychiatry Research*, 53, 31-40.
- Peralta, V., & Cuesta, M.J. (1999). Dimensional structure of psychotic symptoms: An item-level analysis of SAPS and SANS symptoms

- in psychotic disorders. *Schizophrenia Research*, 38(1), 13-26.
- Peralta, V., Cuesta, M.J., & de Leon, J. (1992). Formal thought disorder in schizophrenia: A factor analytic study. *Comprehensive Psychiatry*, 32(2), 105-110.
- Peralta, V., Cuesta, M.J., & Farré, C. (1997). Factor structure of symptoms in functional psychoses. *Biological Psychiatry*, 42, 806-815.
- Pérez Alvarez, M. (2011). *Esquizofrenia y cultura moderna*. Oviedo: Universidad de Oviedo.
- Perron, B., & Munson, M. (2006). Coping with voices: A group approach for managing auditory hallucinations. *American Journal of Psychiatric Rehabilitation*, 9, 241-258.
- Peters, E., Joseph, S., Day, S., & Garety, P. A. (2004). Measuring delusional ideation: The 21- Item Peters et al. Delusion Inventory. *Schizophrenia Bulletin*, 30, 1005-1022.
- Pfammatter, M., Junghan, U.M., & Brenner, H.D. (2006). Efficacy of psychological therapy in schizophrenia: Conclusions from meta-analyses. *Schizophrenia Bulletin*, 32, 64-80.
- Pharoah, F., Mari, J., Rathbone, J., & Wong, W. (2010). *Family intervention for schizophrenia (Review)*. *The Cochrane Collaboration*. New York: Wiley.
- Pietrzak, R.H., Olver, J., Norman, T., Piskulic, D., Maruff, P., & Snyder, P.J. (2009). A comparison of the CogState Schizophrenia Battery and the Measurement and Treatment Research to Improve Cognition in Schizophrenia (MATRICS) Battery in assessing cognitive impairment in chronic schizophrenia. *Journal of Clinical and Experimental Neuropsychology*, 31, 848-859.
- Plutchik, R., van Praag, H.M., Conte, H.R., & Picard, S. (1989). Correlates of suicide and violent risk, I: The suicide risk measure. *Comprehensive Psychiatry*, 30, 196-302.
- Psychiatric Rehabilitation Consultants. (1994). *Modules in the UCLA Social and Independent Living Skills Series*. (Available from Psychiatric Rehabilitation Consultants, PO Box 6620, Camarillo, CA 93011-6620, USA).
- Pull, C.B., Cloos, J.M., & Murthy, N.V. (2003). Atypical psychotic disorders. En S. R. Hirsch & D. R. Weinberger (Eds.), *Schizophrenia (2nd ed.)* (pp. 54-67). London: Blackwell.
- Purdon, S.E. (2005). *The Screen for Cognitive Impairment in Psychiatry (SCIP): instructions and three alternate forms*. Edmonton, AB:

- PNL, Inc.
- Raballo, A., Sæbye, D., & Parnas, J. (2011). Looking at the schizophrenia spectrum through the prism of self-disorders: An empirical study. *Schizophrenia Bulletin*, *37*, 344-351.
- Raine, A. (1991). The SPQ: A scale for the assessment of Schizotypal Personality Disorder based on DSM-III-R criteria. *Schizophrenia Bulletin*, *17*, 555-564.
- Raine, A., & Benishay, D. (1995). The SPQ-B: A brief screening instrument for schizotypal personality disorder. *Journal of Personality Disorders*, *9*, 346-355.
- Ramírez, N., Sarro, S., Arranz, B., Sánchez, J.M., González, J.M., & San, L. (2001). Instrumentos de evaluación de la depresión en la esquizofrenia. *Actas Españolas de Psiquiatría*, *29*, 259-268.
- Rector, N.A., Beck, A.T., & Stolar, N. (2005). The negative symptoms of schizophrenia: A cognitive perspective. *Canadian Journal of Psychiatry*, *50*, 247-257.
- Reininghaus, U., Priebe, S., & Bentall, R.P. (2013). Testing the psychopathology of psychosis: Evidence for a general psychosis dimension. *Schizophrenia Bulletin*, *39*, 884-895.
- Reisberg, B. (1988). Functional assessment staging (FAST). *Psychopharmacology Bulletin*, *24*, 653-659.
- Robins, L.N., Helzer, J.E., Croughan, J., & Ratcliff, K.S. (1981). The NIMH Diagnostic Interview Schedule. *Archives of General Psychiatry*, *38*, 381-389.
- Roder, V., Brenner, H.D., Hodel, B., & Kienzle, N. (1996). *Terapia integrada de la esquizofrenia*. Barcelona: Ariel.
- Roder, V., Brenner, H.D., Kienzle, N., & Fuentes, I. (2007). *Terapia psicológica integrada para la esquizofrenia: IPT*. Granada: Alborán Editores.
- Roder, V., Brenner, H.D., Müller, D., Lächler, M., Zorn, P., Reisch, T., . . . Schwemmer, V. (2002). Development of specific social skills training programmes for schizophrenia patients: Results of a multicentre study. *Acta Psychiatrica Scandinavica*, *105*, 363-371.
- Roder, V., Mueller, D.R., Mueser, K., & Brenner, H.D. (2006). Integrated Psychological Therapy (IPT) for schizophrenia: Is it effective? *Schizophrenia Bulletin*, *32* (Suppl. 1), 81-93.
- Roder, V., Mueller, D.R., & Schmidt, S.J. (2011). Effectiveness of Integrated Psychological Therapy (IPT) for Schizophrenia Patients: A Research Update *Schizophrenia Bulletin*, *37* (Suppl. 2), S71-S79.

- Rodríguez Fornells, A., Rodríguez Martínez, A., Jarne, A., Soler, R., Miarons, R., & Grau, A. (1995). Estudio factorial y adaptación de la Escala de Calidad de Vida en la Esquizofrenia (QLS). *Revista de Psicología General y Aplicada*, 48, 353-364.
- Rodríguez-Jimenez, R., Bagney, A., Garcia-Navarro, C., Aparicio, A., Lopez-Anton, R., Moreno-Ortega, M., . . . Palomo, T. (2012). The MATRICS consensus cognitive battery (MCCB): Co-norming and standardization in Spain. *Schizophrenia Research*, 134, 279-284.
- Romme, M.A., & Escher, S. (1989). Hearing voices. *Schizophrenia Bulletin*, 15, 209-216.
- Ros-Morente, A., Rodríguez-Hansen, G., Vilagrà-Ruiz, R., Kwapil, T.R., & Barrantes-Vidal, N. (2010). Adaptación de las Escalas de Vulnerabilidad a la Psicosis de Wisconsin al castellano. *Actas Españolas de Psiquiatría*, 38, 33-41.
- Rosso, I.M., Cannon, T.D., Huttunen, T., Huttunen, M.O., Lönnqvist, J., & Gasperoni, T.L. (2000). Obstetric risk factors for early-onset schizophrenia in a Finnish birth cohort. *American Journal of Psychiatry*, 157, 801-807.
- Royal Australian and New Zealand College of Psychiatrists. (2005). Royal Australian and New Zealand College of Psychiatrists Clinical Practice Guidelines Team for the Treatment of Schizophrenia and Related Disorders. *Australian and New Zealand Journal of Psychiatry*, 39, 1-30.
- Ruhrmann, S., Schultze-Lutter, F., Salokangas, R.K., Heinimaa, M., Linszen, D., Dingemans, P., . . . Klosterkötter, J. (2010). Prediction of psychosis in adolescents and young adults at high risk: Results from the prospective European prediction of psychosis study. *Archives of General Psychiatry*, 67, 241-251.
- Ruiz, A.I., Pousa, E., Duñó, R., Crosas, J.M., Cuppa, S., & García-Ribera, C. (2008). Adaptación al español de la escala de valoración de la no conciencia de trastorno mental (SUMD). *Actas Españolas de Psiquiatría*, 31, 111-119.
- Rus Calafell, M. M. (2014). *Social skills training for schizophrenia patients using virtual reality*. Tesis, Universidad de Barcelona.
- Rus-Calafell, M., Gutiérrez-Maldonado, J., & Ribas-Sabaté, J. (2014). A virtual reality-integrated program for improving social skills in patients with schizophrenia: A pilot study. *Journal of Behavior Therapy and Experimental Psychiatry*, 45, 81-89.

- Salokangas, R.K., & McGlashan, T.H. (2008). Early detection and intervention of psychosis: A review. *Nordic Journal of Psychiatry*, 62, 92-105.
- Sanchez-Moreno, J., Villagran, J.M., Gutierrez, J.R., Camacho, M., Ocio, S., Palao, D., . . . EDHIPO (Hypomania Detection Study) Group. (2008). Adaptation and validation of the Spanish version of the Mood Disorder Questionnaire for the detection of bipolar disorder. *Bipolar Disorders*, 10, 400-412.
- Sandner, G. (2008). Schizophrenia: A cognitive science viewpoint. En K. V. Almann (Ed.), *Schizophrenia research trends* (pp. 55-93). New York: Nova Biomedical Books.
- Santarén-Rosell, M. (2013). *El procesamiento emocional en la esquizofrenia*. Departamento de Psicología. Tesis doctoral. Universidad de Oviedo.
- Sass, L., & Parnas, J. (2007). *Explaining schizophrenia: The relevance of phenomenology*. Oxford: Oxford University Press.
- Sass, L.A. (2003). Self-disturbance in schizophrenia: Hyperreflexivity and diminished self-affection. En T. Kircher & A. David (Eds.), *The self in neuroscience and psychiatry* (pp. 242-271). Cambridge, UK: Cambridge University Press.
- Sato, M. (2006). Renaming schizophrenia: A Japanese perspective. *World Psychiatry*, 5, 53-55.
- Schneider, K. (1959). *Clinical psychopathology*. New York: Grune & Stratton.
- Schneider, L.C., & Struening, E.L. (1983). SLOF: A behavioral rating scale for assessing the mentally ill. *Social Work Research & Abstracts*, 19, 9-21.
- Schrank, B., Brownell, T., Tylee, A., & Slade, M. (2014). Positive psychology: An approach to supporting recovery in mental illness. *East Asian Archives of Psychiatry*, 24, 95-103.
- Schultze-Lutter, F., Addington, J., Ruhrmann, S., & Klosterkötter, J. (2007). *Schizophrenia Proneness Instrument, Adult Version (SPI-A)*. Rome: Giovanni Fioriti Editore.
- Schultze-Lutter, F., Marshall, M., & Koch, E. (2012). *Schizophrenia Proneness Instrument - Child and Youth Version, Extended English Translation (SPI-CY EET)*. Rome: Giovanni Fioriti Editore.
- Schultze-Lutter, F., Ruhrmann, S., Berning, J., Maier, W., & Klosterkötter, J. (2010). Basic symptoms and ultrahigh risk criteria: Symptom development in the initial prodromal state. *Schizophrenia*

- Bulletin*, 36, 182-191.
- Segarra, N., Bernardo, M., Gutierrez, F., Justicia, A., Fernandez-Egea, E., Allas, M., . . . Keefe, R.S. (2011). Spanish validation of the Brief Assessment in Cognition in Schizophrenia (BACS) in patients with schizophrenia and healthy controls. *European Psychiatry*, 26, 69-73.
- Seligman, M.E.P., Rashid, T., & Parks, A.C. (2006). Positive psychology. *American Psychologist*, 61, 774-788.
- Sheehan, D.V., Lecrubier, Y., Sheehan, K.H., Amorim, P., Janavs, J., Weiller, E., . . . Dunbar, G.C. (1998). The Mini-International Neuropsychiatric Interview (M.I.N.I.): The development and validation of a structured diagnostic psychiatric interview for DSM-IV and ICD-10. *Journal of Clinical Psychiatry*, 59(Suppl. 20), 20-22.
- Siever, Larry J., Bernstein, David P., & Silverman, Jeremy M. (1991). Schizotypal personality disorder: A review of its current status. *Journal of Personality Disorders*, 5, 178-193.
- Simpson, G.M., & Angus, J.W. (1970). A rating scale for extrapyramidal side effects. *Acta Psychiatrica Scandinavica, Suppl. 212*, 11-19.
- Singer, A.R., Addington, D.E., Dobson, K.S., & Wright, C. (2014). A pilot study of cognitive behavior therapy for depression in early psychosis. *Cognitive and Behavioral Practice*, 21, 323-334.
- Skevington, S.M., Lotfy, M., O'Connell, K.A., & WHOQOL Group. (2004). The World Health Organization's WHOQOL-BREF quality of life assessment: psychometric properties and results of the international field trials: A report from the WHOQOL group. *Quality of Life Research*, 13, 299-310.
- Spielberger, C.D., Gorsuch, R.L., & Lushene, R.E. (2008). *STAI: Cuestionario de Ansiedad Estado Rasgo: Manual (7ª ed. revisada)*. Madrid: Tea Ediciones.
- Spreen, O., & Strauss, E. (1991). *A compendium of neuropsychological tests: Administration, norms, and commentary (2nd ed.)*. New York, NY: Oxford University Press.
- Staring, A., & Van der Gaag, M. (2010). Cognitieve gedragstherapie voor demoralisatie bij schizofrenie. *Gedragstherapie*, 43, 205-224.
- Stefanis, N.C., Hanssen, M., Smirnis, N.K., Avramopoulos, D.A., Evdokimidis, I.K., Stefanis, C.N., . . . van Os, J. (2002). Evidence that three dimensions of psychosis have a distribution in the general population. *Psychological Medicine*, 32, 347-358.

- Sullivan, F.P. (2008). Schizophrenia genetics: The search for a hard lead. *Current Opinion in Psychiatry*, 21, 157-170.
- Süllwold, L., & Huber, G. (1986). *Schizophrene basisstörungen*. Berlin: Springer Verlag.
- Tandon, R. (2012). The nosology of schizophrenia: Toward DSM-5 and ICD-11. *Psychiatric Clinics of North America*, 35(3), 557-569.
- Tandon, R., Keshavan, M.S., & Nasrallah, H.A. (2008). Schizophrenia, "just the facts": What we know in 2008. Part 1: Overview. *Schizophrenia Research*, 100, 4-19.
- Tandon, R., Nasrallah, H.A., & Keshavan, M.S. (2010). Schizophrenia, "just the facts" 5. Treatment and prevention past, present, and future. *Schizophrenia Research*, 122, 1-23.
- Tandon, Rajiv, Nasrallah, Henry A., & Keshavan, Matcheri S. (2011). "Just the facts" meandering in schizophrenia's many forests. *Schizophrenia Research*, 128, 5-6.
- Tarrier, N. (1992). Management and modification of residual positive psychotic symptoms. En M. Birchwood & N. Tarrier (Eds.), *Innovations in the psychological management of schizophrenia*. Chichester, UK: Wiley.
- The Schizophrenia Commission. (2012). *The abandoned illness: A report by the Schizophrenia Commission*. London: Rethink Mental Illness.
- The WHOQOL Group. (1994). The development of the World Health Organization quality of life assessment instrument (the WHOQOL). En J. Orley & W. Kuyken (Eds.), *Quality of life assessment: International perspectives*. Heidelberg: Springer-Verlag.
- Thomas, N. (in press). A model for the development of acceptance and mindfulness based therapies: preoccupation with psychotic experiences as a treatment target. En B. Gaudiano (Ed.), *Incorporating Acceptance and Mindfulness into the treatment of psychosis: Current trends and future directions*. York, NY: Oxford University Press.
- Thomas, N., Shawyer, F., Castle, D., Copolov, D., Hayes, S., & Farhall, J.. (2014). A randomised controlled trial of acceptance and commitment therapy (ACT) for psychosis: Study protocol. *BMC Psychiatry*, 14, 198.
- Thomas, Neil, Hayward, Mark, Peters, Emmanuelle, van der Gaag, Mark, Bentall, Richard P., Jenner, Jack, . . . McCarthy-Jones, Simon. (2014). Psychological therapies for auditory hallucinations (voi-

- ces): Current status and key directions for future research. *Schizophrenia Bulletin*, 40(Suppl 4), S202-S212.
- Thompson, J.L., Kelly, M., Kimhy, D., Harkavy-Friedman, J.M., Khan, S., Messinger, J.W., . . . Corcoran, C. (2009). Childhood trauma and prodromal symptoms among individuals at clinical high risk for psychosis. *Schizophrenia Research*, 109, 176-181.
- Torres, A., & Olivares, J.M. (2005). Validación en castellano de la Social Functioning Scales (Escala de Funcionamiento Social). *Actas Españolas de Psiquiatría*, 33, 216-120.
- Tsuang, M.T., Stone, W.S., & Faraone, S.V. (2000). Toward reformulating the diagnosis of schizophrenia. *American Journal of Psychiatry*, 157, 1041-1050.
- Tsuang, M.T., Stone, W.S., Tarbox, S.I., & Faraone, S.V. (2002). An integration of schizophrenia with schizotypy: Identification of schizotaxia and implications for research on treatment and prevention. *Schizophrenia Research*, 54, 169-175.
- Tsuang, Ming T., van Os, Jim, Tandon, Rajiv, Barch, Deanna M., Bustillo, Juan, Gaebel, Wolfgang, . . . Carpenter, William. (2013). Attenuated psychosis syndrome in DSM-5. *Schizophrenia Research*, 150, 31-35.
- van den Berg, D.P., & van der Gaag, M. (2012). Treating trauma in psychosis with EMDR: A pilot study. *Journal of Behavior Therapy and Experimental Psychiatry*, 43, 664-671.
- van den Bosch, R.J. (1995). Context and cognition in schizophrenia. En J. A. den Boer, H. G. M. Westenberg & H. M. Van Praag (Eds.), *Advances in the neurobiology of schizophrenia* (pp. 343-366). Chichester, UK: Wiley.
- Van Kampen, D. (2006). The Schizotypic Syndrome Questionnaire (SSQ: Psychometrics, validation and norms. *Schizophrenia Research*, 84, 305-322.
- van Os, J. (2009a). A salience dysregulation syndrome. *British Journal of Psychiatry*, 194, 101-103.
- van Os, J. (2009b). 'Salience syndrome' replaces 'schizophrenia' in DSM-V and ICD-11: Psychiatry's evidence-based entry into the 21st century? *Acta Psychiatrica Scandinavica*, 120, 363-372.
- van Os, J., & Kapur, S. (2009). Schizophrenia. *Lancet*, 374, 635-645.
- van Os, J., Kenis, G., & Rutten, B.P.F. (2010). The environment and schizophrenia. *Nature*, 468, 203-212.
- Van Snellenberg, J.X., & de Candia, T. (2009). Meta-analytic evidence

- for familial coaggregation of schizophrenia and bipolar disorder. *Archives of General Psychiatry*, 66, 748-755.
- Varese, F., Smeets, F., Drukker, M., Lieverse, R., Lataster, T., Viechtbauer, W., . . . Bentall, R.P. (2012). Childhood adversities increase the risk of psychosis: A meta-analysis of patient-control, prospective- and cross-sectional cohort studies. *Schizophrenia Bulletin*, 38, 661-671.
- Vaughn, C., & Leff, J.D. (1976). The measurement of expressed emotions in families of psychiatric patients. *British Journal of Social and Clinical Psychology*, 156, 157-165.
- Vaughn, C.E., & Leff, J.P. (1976). The influence of family and social factors on the course of psychiatric illness: A comparison of schizophrenic and depressed neurotic patients. *British Journal of Psychiatry*, 129, 125-137.
- Vázquez, C., Valiente, C., & Díez-Alegría, C. (1999). La evaluación del delirio: Desde los sistemas categoriales a la evaluación multidimensional. En F. Silva (Ed.), *Avances en la evaluación psicológica* (pp. 313-360). Valencia: Promolibro.
- Vázquez-Barquero, J.L., Vázquez Bourgón, E., Herrera Castanedo, S., Saiz, J., Uriarte, M., Morales, F., . . . Ustün, T.B. (2000). Spanish version of the new World Health Organization Disability Assessment Schedule II (WHO-DAS-II): Initial phase of development and pilot study. Cantabria disability work group. *Actas Españolas de Psiquiatría*, 28, 77-87.
- Veling, W., Moritz, S., & Van der Gaag, M. (2014). Brave new worlds-review and update on virtual reality assessment and treatment in psychosis. *Schizophrenia Bulletin*, 40, 1194-1197.
- Velligan, D.I., Diamond, P., Glahn, D.C., Ritch, J., Maples, N., Castillo, D., & Miller, A.L. (2007). The reliability and validity of the Test of Adaptive Behavior in Schizophrenia (TABS). *Psychiatry Research*, 151, 55-66.
- Velligan, D.I., Fredrick, M., Mintz, J., Li, X., Rubin, M., Dube, S., . . . Marder, S.R. (2014). The reliability and validity of the MATRICS Functional Assessment Battery. *Schizophrenia Bulletin*.
- Ventura, J., Cienfuegos, A., Boxer, O., & Bilder, R. (2008). Clinical global impression of cognition in schizophrenia (CGI-CogS): Reliability and validity of a co-primary measure of cognition. *Schizophrenia Research*, 106, 59-69.
- Vollema, M.G., & Ormel, J. (2000). The reliability of the Structured In-

- terview for Schizotypy-Revised. *Schizophrenia Bulletin*, 26(3), 619-629.
- Walker, E. (2002). Risk factors, and neurodevelopmental course of schizophrenia. *European Psychiatry*, 14, 363-369.
- Ware, J.E., & Shebourne, C.D. (1992). The MOS 36-item Short-Form Health Survey (SF-36), I: conceptual framework and item selection. *Medical Care*, 30, 473-483.
- Wechsler, D. (1997). *Wechsler Memory Scale (3 ed.)*. San Antonio, TX: The Psychological Corporation.
- Weiden, P.J., Rapkin, B., Mott, Z., Zygmunt, A., Goldman, D., Horvitz-Lennon, M., & Frances, A. (1994). Rating of medication influences (ROMI) scale in schizophrenia. *Schizophrenia Bulletin*, 20, 297-310.
- Weinberger, D.R. (1987). Implications of normal brain development for pathogenesis of schizophrenia. *Archives of General Psychiatry*, 44, 660-669.
- Wessely, S., Buchanan, A., Redd, A., Cutting, J., Everitt, B., Garety, P., & Taylor, P. (1993). Acting on delusions. I: Prevalence. *British Journal of Psychiatry*, 163, 69-76.
- White, R., Gumley, A., McTaggart, J., Rattrie, L., McConville, D., Cleare, S., & Mitchell, S. (2011). A feasibility study of acceptance and commitment therapy for emotional dysfunction following psychosis. *Behaviour Research and Therapy*, 49, 901-907.
- White, T., & Stern, R.A. (2003). *Neuropsychological Assessment Battery: Psychometric and Technical Manual*. Lutz, FL: Psychological Assessment Resources Inc.
- Wilk, C.M., Gold, J.M., Humber, K., Dickerson, F., Fenton, W.S., & Buchanan, R.W. (2004). Brief cognitive assessment in schizophrenia: Normative data for the Repeatable Battery for the Assessment of Neuropsychological Status. *Schizophrenia Research*, 70, 175-186.
- Wing, J.K., Babor, T., Brugha, T., Burke, J., Cooper, J.E., Giel, R., . . . Sartorius, N. (1990). SCAN: Schedules for clinical assessment in neuropsychiatry. *Archives of General Psychiatry*, 47, 589-593.
- Winterstein, B.P., Silvia, P.J., Kwapil, T., Kaufmann, J.C., Reiter-Palmon, R., & Wigert, B. (2011). Brief assessment of schizotypy: Developing short forms of the Wisconsin Schizotypy Scales. *Personality and Individual Differences*, 51, 920-924.
- Woods, B.T. (1998). Is schizophrenia a progressive neurodevelopmental

- disorder? Toward a unitary pathogenic mechanism. *American Journal of Psychiatry*, 155, 1661-1670.
- World Health Organization. (1949). *CIE-6: International statistical classification of diseases, injuries, and causes of death, Sixth Revision*. Geneva: Author.
- World Health Organization. (1994). *Quality of life assessment: An annotated bibliography WHO/MNH/PSF/94.1*. Geneva: Author.
- World Health Organization. (2001). *Mental health report 2001: New understandin, new hope*. Geneve: Author.
- Wright, J.H., Turkington, D., Kingdon, D.G., & Ramirez Basco, M. (2009). *Cognitive-behavior therapy for severe mental illness: An illustrated guide*. Washington, DC: American Psychiatric Publishing.
- Wright, N.P., Turkington, D., Kelly, O.P., Davies, D., Jacobs, A.M., & Hopton, J. (2014). *Treating psychosis: A clinician's guide to integrating Acceptance & Commitment Therapy, Compassion-Focused Therapy & Mindfulness approaches within the Cognitive Behavioral Therapy tradition*. Oakland, CA: New Harbinger Publications.
- Wykes, T., Huddy, V., Cellard, C., McGurk, S.r., & Czobor, P. (2011). A meta-analysis of cognitive remediation for schizophrenia: Methodology and effect sizes. *American Journal of Psychiatry*, 168, 472-485.
- Wykes, T., & Reeder, C. (2005). *Cognitive remediation therapy for schizophrenia: Theory and practice*. London: Routledge.
- Wykes, T., Steel, C., Everitt, B., & Tarrier, N. (2008). Cognitive behavior therapy for schizophrenia: Effect sizes, clinical models, and methodological rigor *Schizophrenia Bulletin*, 34, 523-537.
- Yamada, N., Nakajima, S., & Noguchi, T. (1998). Age at onset of delusional disorder is dependent on the delusional theme. *Acta Psychiatrica Scandinavica*, 97, 122-124.
- Young, R.C., Biggs, J.T., Ziegler, V.E., & Meyer, D.A. (1978). A rating scale for mania: Reliability, validity and sensitivity. *British Journal of Psychiatry*, 133, 429-435.
- Yudofsky, S.C., Silver, J.M., Jackson, W., Endicott, J., & Williams, D. (1986). The Overt Aggression Scale for the objective rating of verbal and physical aggression. *American Journal of Psychiatry and Neuroscience*, 143, 35-39.
- Yung, A., Yuen, H.P., McGorry, P.D., Phillips, L.J., Kelly, D., Dell'Olio,

- M., . . . Buckby, J. (2005). Mapping the onset of psychosis: The Comprehensive Assessment of At Risk Mental States (CAA-RMS). *Australian and New Zealand Journal of Psychiatry*, *39*, 964-971.
- Yung, A.R., Phillips, L.J., McGorry, P.D., McFarlane, C.A., Francey, S., Harrigan, S., . . . Jackson, H.J. (1998). Prediction of psychosis: A step towards indicated prevention of schizophrenia. *British Journal of Psychiatry*, *172 (Suppl. 33)*, 14-20.
- Zammit, S., Kounali, D., Cannon, M., David, A.S., Gunnell, D., Heron, J., . . . Lewis, G. (2013). Psychotic experiences and psychotic disorders at age 18 in relation to psychotic experiences at age 12 in a longitudinal population-based cohort study. *American Journal of Psychiatry*, *170*, 742-750.
- Zanarini, M.C., Frankenburg, F.R., Dubo, E.D., Sickel, A.E., Trikha, A., Levin, A., & Reynolds, V. (1998). Axis I comorbidity of borderline personality disorder. *American Journal of Psychiatry*, *155*, 1733-1739.
- Zubin, J., & Spring, B. (1977). Vulnerability: A new view of schizophrenia. *Journal of Abnormal Psychology*, *86*, 103-126.